CA.2.2003-25
C.2
V.1

PORG-109 M2002

1020702
B2

Second-hand Smoke in the Workplace

Executive Summary

Prepared for: *Nizam Siddiqui*
Health Canada

Date: July 24, 2002

POR-02-38

Decima
RESEARCH INC

Table of Contents

Introduction 1

Key Findings

General Irritation and Problems with Second-hand Smoke 2

Smoke-Free Workplaces 8

Smoke-Free Restaurants and Bars 11

Survey Methodology 15

Appendices:

A: Survey Questions (English and French)

B: Banner Tables (under separate cover)

Introduction

An important component of Health Canada's mandate is to promote healthy living for all Canadians. To fulfil this role, the Department conducts a variety of programs and campaigns focusing on public education and awareness about activities and behaviors that promote health.

A primary objective of Health Canada and the Government of Canada is the reduction in health risks associated with tobacco products, whether from personal consumption or exposure to second-hand smoke. Second-hand smoke (e.g. environmental tobacco smoke, or ETS) is responsible for an estimated 45,000 or more deaths in Canada per year. The Department is in the process of developing new initiatives around the issue of second-hand smoke, and requires public opinion research to better understand Canadians' attitudes and beliefs surrounding this issue, particularly with respect to exposure in the workplace.

To address this requirement, Health Canada commissioned Decima Research to conduct a national public opinion survey (through its syndicated *Decima Express* omnibus) to measure the public's experiences, attitudes and preferences with respect to second-hand smoke generally, and specifically with respect to the workplace. This survey is intended to serve as a baseline measure, against which Health Canada can measure trends and progress in public attitudes over the next several years.

This report presents the key findings and conclusions from this research. The results are based on telephone interviews conducted with a representative sample of 2,043 Canadians 18 years or older between June 14 and 23, 2002. The results drawn from this sample can be expected to be accurate to the full population within plus or minus 2.2 percent, in 19 out of 20 samples. The margin of error is larger for sub-samples.

A copy of the survey questions used for this research is appended to this report. (in English and French). Detailed banner tables are provided under separate cover, which present the results for each question by regional, provincial and demographic categories. The survey questions and tables are denoted by question number (e.g. *Q.1*) in the report for easy reference.

General Irritation and Problems with Second-hand Smoke

Personal Impacts of Second-hand Smoke

Six in ten Canadians are bothered by others' second-hand smoke, and more than a third say it affects their health in a noticeable way. The minority who are smokers are much less likely to report such effects.

- Canadians were asked the extent to which they are personally bothered by exposure to other people's smoking, or second-hand smoke. This is clearly a source of irritation for many, with more than six in ten saying exposure to second-hand smoke bothers them very much (36%) or somewhat (25%), while the remainder indicates it is not very much (13%) or at all (24%) a problem. *(Q.6)*

Personally Bothered by Second-hand Smoke



- Second-hand smoke is something that bothers a significant proportion of citizens from all major demographic strata of the population, but this is most likely to be the case among women (41% are bothered very much) and those with higher levels of education, while less apt to be the case in Alberta (29%) and among Canadians 18 to 24 years of age (26%).

- As might be expected, smoking status is a major factor in how people react to second-hand smoke. Being bothered very much is most widespread among those who have never smoked (53%) and somewhat lower among those who have previously smoked (38%), but is reported by only eight percent of those who currently smoke (who make up 26% of the adult population). Moreover, impact is also linked to the amount of cigarette consumption, with minimal smokers (less than 10 per day) more apt to say they are very much bothered (11%) than the heaviest smokers (more than 25 per day) (3%).

- Apart from simply being "bothered", are people experiencing health effects from exposure to second-hand smoke? More than one-third (36%) of Canadians indicate that such exposure causes them physical irritation or affects their health in some way. This report is higher among women (40%) and British Columbians (42%), but age does not appear to be a noticeable factor on this question. *(Q.7)*

Experience Physical Irritation or Health Effects from Second-hand Smoke
By Smoking Status



- Once again, smoking status is a major determinant, with physical irritation or health effects reported by more than four in ten (44%) non-smokers (both never smoked and previous smokers), compared with only 13 percent of smokers (and only 6% of those who consume more than 25 cigarettes per day).

- Predictably, experiencing physical effects is closely correlated with the extent to which people are bothered by second-hand smoke (such effects are reported by 64% of those who are bothered very much, compared with only 20% of those bothered only somewhat or less).

General Impacts of Second-hand Smoke

Most Canadians recognize that second-hand smoke is both an irritation and a significant health hazard to people in general. Smokers recognize the impact on others but are less apt to acknowledge the health risks.

- Beyond concern about one's own health and well-being, Canadians appear to understand that second-hand smoke is a problem for others, even if they themselves are not particularly bothered by it More than eight in ten believe that exposure to second-hand smoke is something that bothers other people in general either very much (36%) or at least somewhat (47%), with few maintaining this is not very much or any problem at all. *(Q.8)*

How Much Others are Bothered by Second-hand Smoke



- As expected, non-smokers are particularly likely to see a general problem with second-hand smoke. But smokers are surprisingly in agreement, and just as likely to agree that this is something that bothers others very much (37%). Across the country, those most likely to see this as a problem include women, Atlantic Canadians, and anglophones, while this view is least apt to be shared by low income citizens and heavy smokers (consuming more than 25 cigarettes daily).

- A more significant finding is the broad public recognition that second-hand smoke constitutes a serious health hazard. Six in ten (60%) Canadians believe that exposure to second-hand smoke is a significant hazard to people's health, with another quarter (26%) rating the hazard as moderate. Only one in ten maintain that such exposure is either a minor hazard (9%) or no hazard at all (2%), while very few (3%) cannot express an opinion on this question.[1] *(Q.9)*

Health Hazard of Second-hand Smoke



[1] These findings are similar to a recently-completed Gallup survey which showed that 56% of Americans consider second-hand smoke to be "very harmful" to human health.

How Much Others are Bothered by Second-hand Smoke



- As expected, non-smokers are particularly likely to see a general problem with second-hand smoke. But smokers are surprisingly in agreement, and just as likely to agree that this is something that bothers others very much (37%). Across the country, those most likely to see this as a problem include women, Atlantic Canadians, and anglophones, while this view is least apt to be shared by low income citizens and heavy smokers (consuming more than 25 cigarettes daily).

- A more significant finding is the broad public recognition that second-hand smoke constitutes a serious health hazard. Six in ten (60%) Canadians believe that exposure to second-hand smoke is a significant hazard to people's health, with another quarter (26%) rating the hazard as moderate. Only one in ten maintain that such exposure is either a minor hazard (9%) or no hazard at all (2%), while very few (3%) cannot express an opinion on this question.[1] *(Q.9)*

Health Hazard of Second-hand Smoke



[1] These findings are similar to a recently-completed Gallup survey which showed that 56% of Americans consider second-hand smoke to be "very harmful" to human health.

- On this issue, smokers are much less likely to acknowledge a problem. While two-thirds (67%) of non-smokers say second-hand smoke is a significant health hazard, this view is expressed by only 41 percent of current smokers, and this declines further as cigarette consumption rises (48% among minimal smokers, dropping to only 28% among the heaviest smokers).

- Experiencing personal effects of second-hand smoke is strongly associated with perceptions about health impacts in general. This hazard is seen to be significant by eight in ten (80%) of those who themselves experience some form of physical irritation or health effect, compared with 49 percent of those who are not affected by second-hand smoke in this way.

Accommodation of Second-hand Smoke in Public Places

Canadians are not particularly comfortable asking others to put out cigarettes that are bothering them, but most smokers indicate a willingness to comply with such requests.

- Given that people often find themselves in public places in which they are exposed to second-hand smoke, the question becomes one of how people respond. Despite the fact that many are bothered by second-hand smoke and recognize it as a significant health hazard, many Canadians are not comfortable in asserting themselves to address the problem. Fewer than half say they would be very comfortable (22%) or even somewhat comfortable (25%) in asking someone else to put out a cigarette that was bothering them. *(Q.21)*

Comfort Level in Asking Someone Else to Put out Their Cigarette



- Non-smokers are marginally more ready to take such initiative, while smokers are noticeably more likely to say they would be not at all comfortable in asking another smoker to butt out (in part because they are less apt to be bothered by second-hand smoke). Comfort-level in this situation is also somewhat lower among women, Quebec residents and francophones generally.

- Of note is the fact that the degree of impact of exposure does not make a substantial difference in terms of people's comfort level in asking a smoker to put out his or her cigarette. Being at least somewhat comfortable in making such a request is only marginally higher among those who are very much bothered by such exposure (55%), by those who say it affects their health (53%), and by those who define second-hand smoke as a significant health hazard generally (52%).

- In contrast with the hesitancy about asking other people to put out an offending cigarette in public, smokers appear to be largely willing to respond positively to such requests. Two-thirds (67%) of current smokers say they would be very likely to put out their cigarette in a public place if someone nearby asked them to do so. Another 17 percent would be somewhat likely to do so, while fewer than one in six maintain they would be not very (5%) or not at all (8%) likely to comply. *(Q.22)*



- Smoker willingness to put out offending cigarettes in public is evident across the population, but marginally higher in Atlantic Canada, Manitoba/Saskatchewan and among women, while somewhat lower in Quebec, Alberta and among those who smoke at least 15 cigarettes per day.

- Smokers' response to others in this type of situation is influenced to some degree by their beliefs about the impact of second-hand smoke. Smokers are more likely to say they would be very likely to put out an offending cigarette if they also believe second-hand smoke generally bothers other people (71%) or if they believe it is a significant health hazard (72%). Those who do not share these views are much less apt to say they would necessarily respond to someone asking them to extinguish a cigarette.

Smoke-free Public Places

Seven in ten Canadians endorse an overall ban on smoking in all public places.

Given the health and nuisance issues surrounding second-hand smoke, an increasing number of jurisdictions across North America are now implementing (or considering) a blanket ban on smoking in all public places, such as shopping malls, restaurants, bars, malls, bowling alleys and taxis.

- This type of approach is broadly supported by the Canadian public. Almost seven in ten say they strongly (42%) or generally (27%) support such a ban, compared with one-quarter who are generally (12%) or strongly (14%) opposed. Only five percent have no clear opinion on this issue either way. *(Q.23)*



- Support for a broad-based ban on smoking in public places is voiced by a clear majority across the country, but strong support is most widespread among older Canadians, women, and those with more income and education. Strong support is least evident among Albertans (31%) and citizens 18 to 24 years of age (30%).

- This type of ban is much less popular among smokers, of whom only four in ten express strong (15%) or general (24%) support, while more than one-third (35%) strongly oppose it. Opposition increases along with tobacco consumption. Strong opposition is expressed by only 20 percent of light smokers, rising to 50 percent among the small group of Canadians who consume more than 25 cigarettes per day.

Smoke-Free Workplaces

Importance of a Smoke-Free Workplace

There is strong public support across Canada for providing employees with the right to a completely smoke-free workplace.

The workplace constitutes a particularly important type of public place from a health perspective, because most workers have limited control over where they work or the extent to which hazards such as second-hand smoke are present. It is perhaps for this reason that it is in the workplace where smoking restrictions were first introduced.

- Canadians place a high priority on the concept of smoke-free working conditions. More than seven in ten say it is critically (44%) or definitely (28%) important for employers to provide a completely smoke-free environment for their employees. Another 16 percent consider this to be somewhat important, while fewer than one in ten say it is not very (5%) or not at all important (4%). *(Q.10)*

Importance of Providing Completely Smoke-free Workplaces



- The importance placed on a completely smoke-free workplace is high across the country, but critical importance is most widely emphasized by women (49%) and Quebecers (51%), while less so by those living in Manitoba, Saskatchewan and Alberta (37%), as well as by Canadians 18 to 24 years of age (35%). No significant differences are apparent on this question by employment status.

- As might be expected, smoking status is a key factor influencing attitudes on this issue. A completely smoke-free workplace is considered to be critically or definitely important by close to eight in ten (78%) non-smokers, compared with only 53 percent of current smokers (who are only half as likely to consider this a critical priority. Moreover, among smokers this priority

declines further as the rate of tobacco consumption goes up, with critical importance expressed by only 18 percent of those smoking at least 15 cigarettes per day.

- Consistent with the priority given to protecting workers from second-hand smoke, more than eight in ten Canadians express the opinion that "*all workers should have the right to a completely smoke-free workplace.*" This view is shared by a clear majority of every group across the country, but is most widespread among women (86%), Quebecers (87%), and those with higher levels of education and income. Non-smokers (91%) are also among the most supportive of this type of right, but it is also endorsed by close to three-quarters (73%) of current smokers. *(Q.11)*

Support for Workers' Right to a Completely Smoke-free Workplace
By Smoking Status



- The small group who do not support the concept of a right to a completely smoke-free workplace (12% of the population) were asked specifically why they oppose it. No one response predominates, but the reasons fall into two broad themes. This group is most likely to reject the concept of workers' rights in this area for practical reasons, because there is a need to provide some place for workers to smoke (32% of this group, or 5% of the population), because some workplaces cannot be smoke-free (11%), because it depends on the specific job or work environment (7%) or because it is simply not practical to enforce (5%).

- The second theme to emerge from responses to this question revolves around the issue of smokers' rights. One in five (20%) of this group say smoking is something that is up to the individual and not to be controlled by employers or governments, while others emphasize that smokers also have rights (9%) or that there is a need or desire by smokers to indulge this habit (7%).

Requesting Employers to Implement Smoke-Free Policies

Two-thirds of Canadians say they would be comfortable asking their employer to implement or expand non-smoking policies in the workplace.

- While Canadians clearly place a priority on a smoke-free workplace, is this something they would be prepared to ask for from their employer. The results from the survey reveal that the public is more comfortable making this type of request than asking a smoker to butt out. Two-thirds of Canadians indicate they would be very (44%) or somewhat (24%) comfortable asking their employer to either implement a non-smoking policy or expand an existing one already in place. Fewer than one in five (18%) would not be comfortable doing so, while the remainder say either they already have an adequate workplace policy in place (4%) or indicate it is not applicable to their situation (e.g. they are not employed) (9%). *(Q.13)*

Comfort Level in Asking Employer to Implement/Expand Smoke-free Policy



- Willingness to request non-smoking policy changes is largely similar across the country, but is somewhat stronger among Canadians with higher levels of education and income, while lowest in Alberta (57%). Comfort with this type of initiative is somewhat stronger among those currently employed (70%), while somewhat less so for others (e.g. unemployed, retired, homemaker) for whom the question is largely hypothetical.

- Comfort level on this issue is also higher among non-smokers, particularly among individuals who have never smoked (76%) compared with previous smokers (68%). By comparison, little more than half (54%) of current smokers say they would be at least somewhat comfortable making this type of request to their employer, but this proportion is significant given that such policies would necessarily limit their own flexibility around smoking at work.

Smoke-free Restaurants and Bars

Support for Smoke-free Restaurants and Bars

A clear majority of Canadians support making restaurants a completely smoke-free work environment for employees and customers, but are divided on whether this is appropriate for bars and taverns.

Entertainment venues, such as restaurants and bars, represent a special type of space from a tobacco control perspective because they are both a public place in which smoking is a popular pastime and a workplace. The survey addressed public attitudes about making such establishments smoke-free for the benefit of those who work in them.

- There is strong public support for making **restaurants** completely smoke-free for the benefit of employees, with two-thirds (65%) of Canadians endorsing such a policy, which would mean there would be no smoking allowed by either customers or employees. Not surprisingly, such support is much stronger among non-smokers (73%), and in particular among those who never smoked (78%). By comparison, this policy is endorsed by only four in ten (41%) current smokers, and this drops to only 27 percent among the heaviest smokers. *(Q.14)*

- Support for completely smoke-free restaurants and bars is also strongest in Atlantic Canada (74%) and among Canadians with higher levels of education and income, while notably lower in Alberta (56%).

Support for Completely Smoke-free Restaurants and Bars



- There is considerably less agreement about the desirability or necessity of providing a smoke-free workplace for people working in **taverns and bars**. The public is evenly split on this question, with 44 percent supporting a completely smoke-free environment in these types of establishments, compared with 45 percent who oppose this measure. *(Q.17)*

- Once again, opinions are influenced by smoking status. Non-smokers are more supportive of smoke-free taverns and bars but still largely divided on this question, with only a small majority (53%) in support. Smokers are in much more agreement on this issue, with only 17 percent prepared to endorse making these establishments completely smoke-free.

- Opinions about smoke-free bars is also influenced by how people feel about implementing this type of policy in restaurants. Those who advocate smoke-free restaurants also support this approach in bars by a 61% to 28% margin. Most of those who oppose this policy in restaurants also reject it for bars as well (by an 85% to 11% margin).

Personal Preference for Smoke-Free Restaurants and Bars

Two-thirds express a personal preference to visit restaurants that are completely smoke-free, but only half express this preference when it comes to bars and taverns. A majority of this group would avoid establishments unwilling to provide this type of environment.

- The public's opinions about smoke-free establishments extends beyond one of general opinions to personal preference as well. Two-thirds (68%) of Canadians say they would personally prefer to go restaurants that provide a completely smoke-free environment for employees and customers. This is largely the same group who also support this policy as a matter of principle (82%). *(Q.15)*

Personal Preference for Completely Smoke-free Restaurants and Bars



- Predictably, this preference is most pronounced among non-smokers (81%), and especially among those individuals who have never smoked (86%). By comparison, only one-third (32%) of current smokers express a preference for completely smoke-free restaurants, and this declines further to only 23 percent among those who smoke 15 or more cigarettes per day.

- This preference is also more evident among residents of Atlantic Canada and British Columbia, as well as among Canadians with higher levels of income and education.

- Along with general attitudes, Canadians are much less likely to prefer bars and taverns that are completely smoke-free (which is currently only available in a handful of jurisdictions). Half (50%) express this preference, with this group comprised mostly of those who also support smoke-free bars in principle (82%). *(Q.18)*

- Once again, a personal preference for smoke-free bars and taverns is more evident among non-smokers (62%), and rises to 68 percent among those who have never smoked. This preference is also higher in B.C. (62%). In contrast, only 14 percent of smokers across Canada would choose this type of establishment, and declines to only seven percent among heavy smokers (15 plus cigarettes per day).

Taking this issue one step further, do people feel strongly enough about it to actively *avoid* establishments that did not provide a completely smoke-free environment? While it is unclear how many have been faced with this decision, a significant proportion indicate a willingness to act on their desire for protection from second-hand smoke.

- Among those Canadians who express a preference for completely smoke-free restaurants, almost three in four say they would be very (40%) or somewhat (34%) likely to avoid an establishment that was unwilling to provide this type of environment. Strong likelihood on this question is most evident in B.C. (51%), older citizens, and those with more education. Non-smokers (44%) are much more likely to express this view than smokers (18%). *(Q.16)*

Likelihood of Avoiding Non Smoke-free Restaurants and Bars[1]



[1] Among those expressing a preference for smoke-free restaurants or bars

- Similarly, three-quarters of those who prefer completely smoke-free bars and taverns say they would be very (43%) or somewhat (33%) likely to avoid those unwilling to provide it. In this case this propensity is most widely expressed by older Canadians (from only 18% among 18-24 year olds, to 54% among those 45 and older). Within this group, 45 percent of non-smokers say they would be very likely to avoid bars and taverns that will not go completely smoke-free, compared with only 15 percent of smokers. *(Q.19)*

Restricting Smoking on Outdoor Patios

The public is divided on the desirability of requiring non-smoking sections for outdoor patio areas of restaurants and bars.

As an increasing number of jurisdictions across Canada institute restrictions on smoking in restaurants and bars, outdoor patio areas are becoming an important refuge for customers who still want to smoke. Although the outdoor environment reduces the level of exposure to second-hand smoke, it can still be both a nuisance and health hazard to customers and employees.

- While many Canadians support a completely smoke-free interior environment in bars and restaurants, they are less likely to endorse restrictions on smoking in outdoor areas. Fewer than half believe that non-smoking sections should be required for outdoor patio areas in restaurants (47%) or bars and taverns (46%). *(Q.20a,b)*

Support for Non-smoking Sections in Outdoor Restaurants/Bar Patios



- Support for this type of measure is significantly stronger among non-smokers, by close to a two-to-one margin for both restaurants and bars. Across the country, support is noticeably weaker in Quebec, Alberta, and among men. As might be expected, those who advocate outdoor restrictions for restaurants are also largely the same ones who support the same policy for bars and taverns (82% of those who support one also support the other).

Survey Methodology

Survey Administration

Data collection for the *Decima Express* is conducted by telephone from facilities in Toronto and Ottawa by trained and supervised interviewers using CATI (Computer Assisted Telephone Interviewing) technology. Approximately 65 CATI stations were used to facilitate timely completion. Data collection for this survey was completed between June 14 and 23, 2002.

All interviewing across the country was conducted by fully bilingual interviewers. The language of interview is "as it falls" on a national basis, which means that each respondent has the opportunity to complete the interview in either English or French, whichever is preferred.

Respondent selection is achieved by choosing the individual in the household who is 18 years of age or older whose birthday falls soonest after interview date. Interviewers adhere to quotas to ensure that an accurate representation of male and female respondents are obtained within each region.

Quality Control

Decima's expertise in public opinion and market research extends to the quality and standards of the *Decima Express*. Interviews are conducted by experienced staff who are thoroughly briefed by supervisors to ensure a complete understanding of the questionnaire content and flow. Detailed interviewing instructions form the basis for all briefings and are strictly adhered to, guaranteeing quality and efficiency in results.

Detailed verification and validation procedures at each stage of the process ensure field and data accuracy.

Sample Design and Distribution

For the overall survey, the sample was designed to complete interviews with a representative sample of 2,000 Canadians (18 years and older), and the final sample totalled 2,043. The sample was stratified by region and province to ensure results are proportionately representative according to the population.

Within the regional quotas assigned for Quebec, Ontario and British Columbia, CMA (Census Metropolitan Area) quotas are used to maintain an adequate number of completed interviews in Canada's three largest markets: Toronto, Vancouver and Montreal. The data are weighted in tabulation to replicate actual population distribution by age and sex within each region, according to the most current Census data available.

Every Canadian household with a telephone number has an equal chance of being selected for the study. Up to five call-backs were used to reach selected respondents who may not have been available at the time of the call, to ensure an appropriate distribution across gender and age.

The final distribution of sample within the target population (women aged 34-54) across regions is as follows:

Region	Sub-sample Size	Error Margin[1]
Atlantic	166 interviews	+/- 7.6 %
Quebec	515 interviews	+/- 4.3 %
Ontario	764 interviews	+/- 3.5 %
Manitoba/Saskatchewan	145 interviews	+/- 8.1 %
Alberta	185 interviews	+/- 7.2 %
British Columbia	268 interviews	+/- 6.0 %
Total Canada	**2,043 interviews**	**+/- 2.2 %**

[1] At the 95% confidence level (19 times out of 20)

Data Analysis and Delivery

The data is cross-tabulated against a standard set of demographic characteristics including the following:

- Region
- Language
- Gender
- Age of the respondent
- Employment status of the respondent
- CMA/Non-CMA
- Household income
- Education
- Marital status
- Household size

Banner tables showing results for all questions by each of these characteristics is provided under separate cover.

Appendix A:

Survey Questionnaires

(English and French)

Decima Express – June 2002

Final Questions for Health Canada
Second-hand Smoke

Canadians 18 and over (N=2,000))

Turning now to another topic . . .

1. Have you ever smoked cigarettes or other tobacco products?

   - Yes
   - No — SKIP TO Q.5
   - Don' t know/No answer — SKIP TO Q.5

2. (IF YES) Do you currently smoke cigarettes or other tobacco products?

   - Yes
   - No — SKIP TO Q.5
   - Don't know/No answer — SKIP TO Q.5

3. (IF CURRENT SMOKER) In an average week, from Monday to Sunday, on how many days out of seven do you smoke?
   RECORD NUMBER OF DAYS

   - ____ Number of days
   - Don't know/No answer — SKIP TO Q.5

4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
   RECORD NUMBER OF CIGARETTES

   - ____ Number of days
   - Don't know/No answer

5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?

   - Yes
   - No
   - Don't know/No answer

6. To what extent, if at all, are you personally bothered by other people's smoking, or second-hand smoke? Does being exposed to second-hand smoke bother you:

- Very much
- Somewhat
- Not very much
- Not at all

VOLUNTEERED
- Depends (e.g. on circumstances)
- Don't know/No answer

7 Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?

- Yes
- No

VOLUNTEERED
- Possibly/not certain
- Don' t know/No answer

8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:

- Very much
- Somewhat
- Not very much
- Not at all

VOLUNTEERED
- Depends (e.g. on circumstances)
- Don't know/No answer

9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health? Would you say it is a . . . to people's health?

- Significant hazard
- Moderate hazard
- Minor hazard, or
- No hazard at all

VOLUNTEERED
- Don't know/No answer

Turning now to smoking in the workplace . . .

10. How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:
- Critically important
- Definitely important
- Somewhat important
- Not very important, or
- Not at all important

VOLUNTEERED
- Depends
- Don't know/No answer

11. Do you believe that all workers should have the right to a completely smoke-free workplace?

- Yes — SKIP TO Q.13
- No

VOLUNTEERED

- Depends
- Don't know/No answer — SKIP TO Q.13

12. (IF NO) Why do you say that?
DO NOT READ - CODE ALL THAT APPLY

- Second-hand smoke not a hazard/problem
- Not practical to enforce
- Some workplaces cannot be smoke-free
- Need to provide places to smoke
- Other (SPECIFY _____)
- Don't know/No answer

13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place? Would you be:

- Very comfortable
- Somewhat comfortable
- Not very comfortable
- Not at all comfortable

VOLUNTEERED

- Not currently employed/retired/self-employed
- Already have non-smoking policy
- Depends
- Don't know/No answer

And now I'd like to ask you about smoking in other types of public places . . .

14. Do you believe that **restaurants** should provide a completely smoke-free environment for their employees? This would mean that no smoking would be permitted by either employees or customers?

- Yes
- No

VOLUNTEERED

- Depends
- Don't know/No answer

15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?

- Yes
- No — SKIP TO Q.17

VOLUNTEERED

- Depends
- Don't know/No answer — SKIP TO Q.17

16. (IF YES/DEPENDS IN Q.15) How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:

- Very likely
- Somewhat likely
- Not very likely
- Not at all likely

VOLUNTEERED
- Depends
- Don' t know/No answer

17. Thinking now about **bars and taverns**, do you think these types of establishments should provide a completely smoke-free environment for their employees?

- Yes
- No

VOLUNTEERED
- Depends
- Don't know/No answer

18. Would you personally prefer to go to bars or taverns that provide a completely smoke-free environment for employees and customers?

- Yes
- No — SKIP TO Q.20

VOLUNTEERED
- Do not go to bars/taverns — SKIP TO Q.20
- Depends
- Don't know/No answer — SKIP TO Q.20

19. (IF YES/DEPENDS IN Q.16) How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:

- Very likely
- Somewhat likely
- Not very likely
- Not at all likely

VOLUNTEERED
- Depends
- Don' t know/No answer

20. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of:

a. Restaurants

b. Bars and taverns

- Yes
- No

VOLUNTEERED
- Depends
- Don't know/No answer

21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you? Would you be:

- Very comfortable
- Somewhat comfortable
- Not very comfortable
- Not at all comfortable

VOLUNTEERED
- Depends
- Don't know/No answer

22. (IF CURRENT SMOKER IN Q.2) And how likely would you be to put out **your own cigarette** in a public place if someone nearby asked you to? Would you be:

- Very likely
- Somewhat likely
- Not very likely
- Not at all likely

VOLUNTEERED
- Depends
- Don't know/No answer

23. Would you strongly support, generally support, generally oppose, or strongly oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?

- Strongly support
- Generally support
- Generally oppose
- Strongly oppose

VOLUNTEERED
- Neither support/oppose
- Depends
- Don't know/No answer

Decima Express – Juin 2002

Questions finales
pour
Santé Canada
Information de Santé lors du voyage

J'aimerais vous poser une question sur l'utilisation de produits du tabac. . ..

1. Avez-vous déjà fumé des cigarettes ou d'autres produits du tabac ?

   - Oui
   - Non PASSEZ À Q.5
   - Ne sait pas/Pas de réponse PASSEZ À Q.5

2. (SI OUI) Actuellement, fumez-vous des cigarettes ou d'autres produits du tabac ?

   - Oui
   - Non PASSEZ À Q.5
   - Ne sait pas/Pas de réponse PASSEZ À Q.5

3. (SI FUMEUR ACTUEL) Dans une semaine normale, soit du lundi au dimanche, sur combien des sept jours fumez-vous?
   ENTREZ LE NOMBRE DE JOURS

   - ____ Nombre de jours
   - Ne sait pas/Pas de réponse PASSEZ À Q.5

4. Les journées où vous fumez, environ combien de cigarettes par jour fumez-vous, en moyenne?
   ENTREZ LE NOMBRE DE CIGARETTES

   - ____ Nombre de cigarettes
   - Ne sait pas/Pas de réponse

5. Est-ce que quelqu'un d'autre de votre foyer immédiat fume présentement des cigarettes ou d'autres produits du tabac?

   - Oui
   - Non
   - Ne sait pas/Pas de réponse

6. Dans quelle mesure êtes-vous personnellement dérangé par la fumée des autres personnes ou par la fumée secondaire? Est-ce que le fait d'être exposé à la fumée des autres vous dérange:

   - Grandement
   - Passablement
   - Peu
   - Pas du tout

   DIT SPONTANÉMENT
   - Cela dépend (ex.: selon les circonstances)
   - Ne sait pas/Pas de réponse

7 Est-ce que la fumée des autres vous cause une quelconque irritation physique ou affecte votre santé d'une manière perceptible?

   - Oui
   - Non

   DIT SPONTANÉMENT
   - Possiblement/incertain
   - Ne sait pas/Pas de réponse

8. Selon vous, dans quelle mesure les autres personnes sont-elles, en général, dérangées par la fumée secondaire? Diriez-vous que la fumée secondaire les dérange:

   - Grandement
   - Passablement
   - Peu
   - Pas du tout

   DIT SPONTANÉMENT
   - Cela dépend (ex.: selon les circonstances)
   - Ne sait pas/Pas de réponse

9. Selon vous, dans quelle mesure le fait d'être exposé à la fumée secondaire est-il un problème pour la santé des gens? Diriez-vous que la fumée secondaire . . . pour la santé des gens?

   - Est un problème important
   - Est un problème modéré
   - Est un problème mineur, ou
   - N'est pas du tout un problème

   DIT SPONTANÉMENT
   - Ne sait pas/Pas de réponse

Passons maintenant au fait de fumer sur les lieux de travail. . .

10. Selon vous, dans quelle mesure est-il important que les employeurs fournissent un environnement complètement sans fumée à leurs employés? Est-ce que cela est:
   - Extrêmement important
   - Certainement important
   - Passablement important
   - Peu important, ou
   - Pas du tout important

   DIT SPONTANÉMENT
   - Cela dépend
   - Ne sait pas/Pas de réponse

entre de recherche Décima
juin 2002

ar la fumée des autres personnes ou par la fumée
s autres vous dérange:

que irritation physique ou affecte votre santé d'une manièr

ont-elles, en général, dérangées par la fumée secondaire?

n des sept jours fumez-

à la fumée secondaire est-il un problème pour la santé des
r la santé des gens?

e?

'autres produits du

ail. . .

e les employeurs fournissent un environnement complètement

11. Croyez-vous que toutes les personnes devraient avoir le droit de travailler dans un environnement complètement sans fumée?

- Oui PASSEZ À Q.13
- Non

DIT SPONTANÉMENT
- Cela dépend
- Ne sait pas/Pas de réponse PASSEZ À Q.13

12. (SI NON) Pourquoi dites-vous cela?
NE LISEZ PAS – ENTREZ TOUTES LES RÉPONSES APPLICABLES

- La fumée secondaire n'est pas un problème
- L'exécution de cela n'est pas pratique
- Certains lieux de travail ne peuvent avoir d'environnement sans fumée
- Doit fournir des endroits pour fumer
- Autre (PRÉCISEZ _____)
- Ne sait pas/Pas de réponse

13. Dans quelle mesure seriez-vous à l'aise de demander à votre employeur d'implanter une nouvelle politique sans fumée ou d'en développer une qui est déjà en place? Seriez-vous:

- Très à l'aise
- Assez à l'aise
- Pas très à l'aise
- Pas du tout à l'aise

DIT SPONTANÉMENT
- N'a pas d'emploi actuellement/est retraité/est travailleur autonome
- A déjà une politique sans fumée
- Cela dépend
- Ne sait pas/Pas de réponse

J'aimerais maintenant vous poser quelques questions à propos du fait de fumer dans d'autres endroits publics . . .

14. Croyez-vous que les **restaurants** devraient fournir un environnement complètement sans fumée à leurs employés? Cela signifierait que les clients et les employés ne pourraient pas fumer?

- Oui
- Non

DIT SPONTANÉMENT
- Cela dépend
- Ne sait pas/Pas de réponse

15. Personnellement, préféreriez-vous aller à des restaurants qui fournissent un environnement complètement sans fumée à leurs employés et leurs clients?

- Oui
- Non PASSEZ À Q.17

DIT SPONTANÉMENT
- Cela dépend
- Ne sait pas/Pas de réponse PASSEZ À Q.17

16. **(SI OUI/CELA DÉPEND À Q.15)** Dans quelle mesure serait-il probable que vous <u>évitiez</u> d'aller à un restaurant qui ne serait pas prêt à fournir un environnement complètement sans fumée à ses employés et ses clients? Diriez-vous que cela serait:

    - Très probable
    - Assez probable
    - Peu probable
    - Pas du tout probable

    DIT SPONTANÉMENT
    - Cela dépend
    - Ne sait pas/Pas de réponse

17. Veuillez maintenant penser aux **bars et aux tavernes**. Croyez-vous que <u>ces</u> types d'établissements devraient fournir un environnement complètement sans fumée à leurs employés?

    - Oui
    - Non

    DIT SPONTANÉMENT
    - Cela dépend
    - Ne sait pas/Pas de réponse

18. Personnellement, préféreriez-vous aller à des bars ou des tavernes qui fournissent un environnement complètement sans fumée à leurs employés et leurs clients?

    - Oui
    - Non — PASSEZ À Q.20

    DIT SPONTANÉMENT
    - Ne va pas dans des bars/tavernes — PASSEZ À Q.20
    - Cela dépend
    - Ne sait pas/Pas de réponse — PASSEZ À Q.20

19. (SI OUI/CELA DÉPEND À Q.16) Dans quelle mesure serait-il probable que vous <u>évitiez</u> d'aller à un bar ou une taverne qui ne serait pas prêt à fournir un environnement complètement sans fumée? Diriez-vous que cela serait:

    - Très probable
    - Assez probable
    - Peu probable
    - Pas du tout probable

    DIT SPONTANÉMENT
    - Cela dépend
    - Ne sait pas/Pas de réponse

20. Il arrive souvent que les gens fument sur les <u>terrasses extérieures</u> des restaurants et des bars. Croyez-vous que des <u>sections non-fumeurs</u> devraient être requises pour les terrasses extérieures des: LISEZ

    a. Restaurants
    b. Bars et tavernes

    - Oui
    - Non

    DIT SPONTANÉMENT
    - Cela dépend
    - Ne sait pas/Pas de réponse

21. Veuillez maintenant penser aux endroits publics en général. Dans quelle mesure vous sentiriez-vous à l'aise de demander à quelqu'un d'éteindre sa cigarette si la fumée vous dérangeait? Seriez-vous:

- Très à l'aise
- Assez à l'aise
- Pas très à l'aise
- Pas du tout à l'aise

DIT SPONTANÉMENT
- Cela dépend
- Ne sait pas/Pas de réponse

22. (SI FUMEUR ACTUEL À Q.2) Et, dans quelle mesure serait-il probable que vous éteigniez **votre propre cigarette** si, dans un endroit public, quelqu'un situé près de vous vous le demandait? Diriez-vous que cela serait:

- Très probable
- Assez probable
- Peu probable
- Pas du tout probable

DIT SPONTANÉMENT
- Cela dépend
- Ne sait pas/Pas de réponse

23. Seriez-vous fortement pour, généralement pour, généralement contre ou fortement contre l'implantation d'une loi anti-tabac dans les endroits publics, tels que les centres commerciaux, les restaurants, les bars, les allées de bowling et les taxis?

- Fortement pour
- Généralement pour
- Généralement contre
- Fortement contre

DIT SPONTANÉMENT
- Ni pour, ni contre
- Cela dépend
- Ne sait pas/Pas de réponse

CA. 2. 2003-25
e. 2
v. 2

Second-hand Smoke in the Workplace

Banner Tables

Prepared for: *Nizam Siddiqui*
Health Canada

Date: July 24, 2002

POR-02-38

Decima
RESEARCH INC

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,287	102	338	461	87	126	173	660	627	155	257	250	252	361	827	74	282	79	986	301
	63.0%	61.4%	65.6% d	60.3%	59.9%	68.2% De	64.7%	66.7% I	59.5%	59.4%	62.5%	64.5%	63.6%	63.8%	64.1%	62.0%	60.3%	58.5%	62.3%	65.3%
No	755	64	177	302	58	59	94	328	427	106	154	138	143	205	463	45	185	56	595	160
	37.0%	38.6%	34.4%	39.6% cF	40.1% f	31.8%	35.3%	33.2%	40.5% H	40.6%	37.5%	35.5%	36.1%	36.2%	35.8%	38.0%	39.7%	41.5%	37.6%	34.7%
Don' t know/No answer	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-
	*%			0.1%				0.1%					0.3%		0.1%				0.1%	
CHI-SQUARE		<----------6.99---------->						<----11.774--->		<----------2.091---------->					<----------3.274---------->				<----1.278---->	
SIGNIFICANCE				77.9%				99.9%					28.1%				64.9%			74.2%

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,287	765	522	417	258	228	88	117	545	302	251	60	109	341	729	205	209	445	227	401
	63.0%	62.1%	64.4%	62.4%	66.5%	65.1%	64.1%	55.6%	68.7%	65.9%	58.6%	47.8%	51.8%	62.1%	62.2%	68.1%	65.1%	66.0%	62.0%	59.6%
				h	H	H			KLM	KLM	L					no		T		
No	755	466	289	250	130	122	49	94	248	156	177	65	101	208	441	96	112	229	138	272
	37.0%	37.8%	35.6%	37.4%	33.5%	34.9%	35.9%	44.4%	31.2%	34.1%	41.4%	52.2%	48.2%	37.9%	37.7%	31.9%	34.9%	34.0%	37.7%	40.4%
								dEF			IJ	IJK	IJ	p	p					R
Don' t know/No answer	1	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
	*%	0.1%		0.2%					0.1%						0.1%				0.3%	
CHI-SQUARE		<----1.078---->		<----------7.722---------->					<----------40.125---------->					<----------3.822---------->			<----------6.669---------->		
SIGNIFICANCE		70.1%				89.8%					100.0%				85.2%				91.7%	

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	1,287	-	749	749	538	128	125	150	97
	63.0%		100.0%	49.8%	100.0%	100.0%	100.0%	100.0%	100.0%
			D		D				
No	755	755	-	755	-	-	-	-	-
	37.0%	99.9%		50.2%					
		D							
Don' t know/No answer	1	1	-	1	-	-	-	-	-
	*%	0.1%		0.1%					
CHI-SQUARE		<----------2008.157---------->				<----------.0---------->			
SIGNIFICANCE		100.0%				.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,287	102	338	461	87	126	173	660	627	155	257	250	252	361	827	74	282	79	986	301
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,294	127	331	399	128	137	172	686	608	136	219	256	261	410	804	73	316	77	998	296
Yes	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	41.8%	40.8%	44.0%	41.1%	36.0%	42.5%	42.1%	42.7%	40.8%	54.6% MN	46.0% N	48.9% N	42.7% N	26.9%	45.7% Qr	52.7% QR	28.9%	35.9%	41.2%	43.8%
No	747	60	189	270	55	71	100	378	368	70	138	128	143	264	448	35	200	51	578	169
	58.0%	59.2%	56.0%	58.7%	64.0%	56.5%	57.9%	57.3%	58.8%	45.4%	53.5%	51.1%	56.8% J	73.1% JKLM	54.2%	47.3%	71.1% OP	64.1% oP	58.6%	56.2%
Don' t know/No answer	2	-	-	1	-	1	-	-	2	-	1	-	1	-	1	-	-	-	2	-
	0.2%			0.2%		1.0%			0.4%		0.5%		0.4%		0.1%				0.2%	
CHI-SQUARE		<----------2.068---------->						<------.369---->		<----------51.094---------->					<----------29.134---------->				<------.627---->	
SIGNIFICANCE				16.0%				45.6%				100.0%					100.0%		57.2%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div, Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,287	765	522	417	258	228	88	117	545	302	251	60	109	341	729	205	209	445	227	401
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,294	745	549	423	262	231	83	110	568	293	249	61	102	313	754	215	213	470	224	381
Yes	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	41.8%	43.3%	39.6%	46.1% FH	44.7% F	34.2%	42.2%	35.6%	46.9% KL	41.3% KL	32.3%	27.1%	46.0% KL	52.0% O	35.5%	46.9% O	49.3% RT	33.1%	53.5% RT	40.7% R
No	747	432	315	223	143	150	51	76	288	177	169	44	59	164	468	109	106	297	105	237
	58.0%	56.4%	60.4%	53.6%	55.3%	65.8% DE	57.8%	64.4% D	52.9%	58.7%	67.3% IJM	72.9% IJM	54.0%	48.0%	64.2% NP	53.1%	50.7%	66.6% QST	46.5%	59.0% qS
Don' t know/No answer	2	2	-	1	-	-	-	-	1	-	1	-	-	-	2	-	-	1	-	1
	0.2%	0.3%		0.3%					0.2%		0.4%				0.3%			0.2%		0.3%
CHI-SQUARE		<----1.825---->		<----------11.614---------->					<----------21.299---------->					<---------28.153--------->			<-----------31.322----------->			
SIGNIFICANCE		82.3%				98.0%					100.0%				100.0%				100.0%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,287	-	749	749	538	128	125	150	97
	100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,294	-	767	767	527	119	123	148	98
Yes	538	-	-	-	538	128	125	150	97
	41.8%				100.0%	100.0%	100.0%	100.0%	100.0%
No	747	-	747	747	-	-	-	-	-
	58.0%		99.7%	99.7%					
Don' t know/No answer	2	-	2	2	-	-	-	-	-
	0.2%		0.3%	0.3%					
CHI-SQUARE		<----------2031.505---------->				<----------.0---------->			
SIGNIFICANCE		100.0%*				.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,040	166	515	762	145	184	268	988	1,052	261	410	388	394	566	1,289	119	467	135	1,578	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,040	204	501	652	213	204	266	1,019	1,021	221	351	399	405	642	1,254	114	510	132	1,589	451
Never Smoked	755	64	177	302	58	59	94	328	427	106	154	138	143	205	463	45	185	56	595	160
	37.0%	38.6%	34.4%	39.7% cf	40.1% f	32.1%	35.3%	33.2%	40.6% H	40.6%	37.6%	35.5%	36.3%	36.2%	35.9%	38.0%	39.7%	41.5%	37.7%	34.7%
Previous Smoker	747	60	189	270	55	71	100	378	368	70	138	128	143	264	448	35	200	51	578	169
	36.6%	36.3%	36.7%	35.5%	38.3%	38.8%	37.4%	38.3%	35.0%	27.0%	33.6%	32.9%	36.4% J	46.7% JKLM	34.8%	29.3%	42.9% OP	37.5%	36.6%	36.7%
Current Smoker	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	26.4%	25.0%	28.9% E	24.9%	21.6%	29.2% e	27.3%	28.5% I	24.3%	32.5% N	28.8% N	31.5% N	27.3% N	17.1%	29.3% QR	32.7% QR	17.5%	21.0%	25.7%	28.6%
CHI-SQUARE		<----------8.929---------->						<----12.416--->		<----------53.059---------->					<----------31.634---------->				<-----1.97---->	
SIGNIFICANCE		46.1%						99.8%		100.0%					100.0%				62.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,040	1,229	811	666	388	350	137	211	791	458	427	125	210	548	1,168	301	321	673	364	671
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,040	1,189	851	677	387	355	130	197	827	446	426	125	187	500	1,198	319	335	707	356	631
Never Smoked	755	466	289	250	130	122	49	94	248	156	177	65	101	208	441	96	112	229	138	272
	37.0%	37.9%	35.6%	37.6%	33.5%	34.9%	35.9%	44.4% dEF	31.3%	34.1%	41.5% IJ	52.2% IJK	48.2% IJ	37.9% p	37.8% p	31.9%	34.9%	34.0%	37.8%	40.5% qR
Previous Smoker	747	432	315	223	143	150	51	76	288	177	169	44	59	164	468	109	106	297	105	237
	36.6%	35.1%	38.9% b	33.6%	36.7%	42.9% De	37.1%	35.8%	36.4% M	38.7% M	39.6% M	34.8%	28.0%	29.8%	40.0% N	36.2% n	33.0%	44.1% QST	28.9%	35.3% S
Current Smoker	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	26.4%	26.9%	25.5%	28.9% FH	29.7% FH	22.2%	27.0%	19.8%	32.3% jKLM	27.2% KL	19.0%	13.0%	23.9% L	32.3% O	22.2%	32.0% O	32.1% RT	21.9%	33.3% RT	24.3%
CHI-SQUARE		<----2.984---->		<----------19.305---------->					<----------59.917---------->					<---------31.839--------->			<----------38.641---------->			
SIGNIFICANCE		77.5%				98.7%					100.0%				100.0%				100.0%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,040	755	747	1,502	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,040	748	765	1,513	527	119	123	148	98
Never Smoked	755	755	-	755	-	-	-	-	-
	37.0%	100.0% D		50.3%					
Previous Smoker	747	-	747	747	-	-	-	-	-
	36.6%		100.0% D	49.7%					
Current Smoker	538	-	-	-	538	128	125	150	97
	26.4%				100.0%	100.0%	100.0%	100.0%	100.0%
CHI-SQUARE		<----------5312.463---------->				<----------.0---------->			
SIGNIFICANCE		100.0%				.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	49	146	162	45	56	69	283	244	71	100	128	111	110	363	38	87	28	398	129
1	14	-	2	8	-	3	2	11	4	-	5	3	2	5	12	-	2	-	13	1
	2.6%		1.1%	4.3% c		4.9%	2.5%	3.7% i	1.4%		4.1%	2.4%	1.8%	4.7%	3.2%		2.7%		3.3% T	0.7%
2	12	1	5	4	1	1	2	7	5	4	3	1	-	3	8	1	2	-	8	5
	2.3%	1.2%	3.1%	1.9%	2.0%	1.0%	3.3%	2.4%	2.1%	4.3%	2.6%	0.7%		3.4%	2.1%	3.1%	2.0%		1.9%	3.5%
3	8	1	2	3	1	-	1	3	5	-	4	1	1	2	7	-	1	-	7	1
	1.5%	2.7%	1.2%	1.8%	2.3%		1.4%	1.1%	2.0%		3.7%	0.6%	0.7%	2.3%	1.8%		1.3%		1.7%	0.8%
4	4	1	-	1	1	-	1	3	1	-	1	2	1	-	3	-	-	1	4	-
	0.7%	2.1%		0.6%	2.3%		1.2%	1.0%	0.3%		1.0%	1.3%	0.8%		0.7%			3.0%	0.9%	
5	11	1	6	2	-	1	1	7	4	5	3	1	1	1	8	1	3	-	8	3
	2.1%	2.7%	3.9%	1.2%		1.9%	1.3%	2.5%	1.7%	5.7% l	3.0%	0.8%	1.0%	1.0%	2.1%	2.5%	3.2%		1.9%	2.6%
6	4	-	2	2	-	-	-	2	2	3	1	-	-	-	4	-	-	-	2	2
	0.7%		1.6%	0.8%				0.9%	0.6%	3.2%	1.0%				1.0%				0.4%	1.8%
7	461	34	129	159	27	49	63	237	224	70	97	110	96	83	321	35	71	26	344	116
	85.7%	80.4%	86.8%	83.8%	85.7%	92.2% bd	86.5%	84.1%	87.4%	82.9%	81.8%	90.1% k	89.3%	85.8%	85.0%	89.8%	87.4%	90.9%	84.9%	88.0%
Don't Know/No Answer	24	4	3	11	2	-	3	12	12	3	3	5	7	3	15	2	3	2	20	3
	4.4%	10.8% c	2.3%	5.7%	7.7%		3.8%	4.3%	4.6%	3.8%	2.8%	4.2%	6.4%	2.8%	4.1%	4.7%	3.4%	6.1%	5.0%	2.6%
MEAN	6.6	6.7	6.6	6.5	6.7	6.6	6.6	6.5	6.7	6.6	6.4	6.7 kn	6.8 KN	6.4	6.5	6.8	6.6	6.9	6.5	6.7
CHI-SQUARE		<----------20.488---------->						<----5.064---->		<----------38.039---------->					<----------10.119---------->				<----8.418---->	
SIGNIFICANCE		9.7%*						46.4%*		96.6%*					7.2%*				79.1%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	317	210	190	115	78	34	39	258	120	77	17	45	159	262	101	103	150	118	153
1	14	6	8	6	2	3	1	1	4	6	3	-	1	5	4	6	6	3	1	4
	2.6%	1.9%	3.8%	3.2%	1.5%	3.6%	3.0%	1.9%	1.7%	4.6%	3.3%		2.8%	2.7%	1.5%	5.8% o	6.1% S	1.8%	0.7%	2.7%
2	12	9	3	5	1	2	-	1	2	3	2	2	2	5	4	2	4	4	3	1
	2.3%	2.8%	1.4%	2.8%	1.2%	2.0%		2.1%	0.7%	2.3%	2.6%	10.6%	4.9%	3.0%	1.5%	1.8%	3.5% t	2.6%	2.4%	0.3%
3	8	6	2	2	2	1	-	-	3	-	4	1	-	2	3	3	1	1	2	4
	1.5%	1.9%	0.9%	1.2%	1.8%	1.4%			1.0%		5.4%	6.8%		1.3%	1.1%	3.0%	1.0%	0.7%	1.6%	2.5%
4	4	3	1	1	1	1	-	1	1	1	2	-	-	1	2	-	-	-	4	-
	0.7%	0.8%	0.4%	0.5%	0.7%	0.9%		2.9%	0.3%	0.6%	2.6%			0.7%	0.9%				3.0%	
5	11	8	3	3	1	1	-	1	1	2	2	-	6	10	-	1	3	2	3	3
	2.1%	2.4%	1.6%	1.7%	1.0%	1.5%		2.6%	0.4%	1.8%	2.6%		11.9% IJk	5.8% P		1.0%	3.2%	1.4%	2.1%	2.1%
6	4	2	2	1	-	1	-	-	2	1	1	-	-	-	4	-	-	3	1	-
	0.7%	0.7%	0.7%	0.6%		1.6%			0.6%	1.0%	1.5%				1.5%			1.9%	1.0%	
7	461	283	177	167	104	67	35	37	233	108	62	12	39	147	229	81	85	127	102	144
	85.7%	85.7%	85.7%	86.6%	90.4%	86.1%	94.9% d	88.0%	90.9% KM	86.4%	77.1%	76.7%	77.3%	83.1%	88.5%	84.2%	82.6%	86.3%	84.4%	88.5%
Don't Know/No Answer	24	12	11	6	4	2	1	1	11	4	4	1	2	6	13	4	4	8	6	6
	4.4%	3.7%	5.5%	3.4%	3.3%	2.9%	2.0%	2.4%	4.4%	3.3%	5.0%	5.9%	3.0%	3.4%	4.9%	4.2%	3.6%	5.2%	4.9%	3.9%
MEAN	6.6	6.6	6.6	6.5	6.7	6.5	6.8	6.6	6.8 jKLM	6.5	6.3	6.2	6.3	6.5	6.7 nP	6.4	6.3	6.7 q	6.6	6.7 q
CHI-SQUARE		<----4.664---->		<----------11.244---------->					<----------62.063---------->					<---------30.771--------->			<-----------30.54----------->			
SIGNIFICANCE		41.2%*		1.3%*					100.0%*					99.8%*			96.7%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	538	-	-	-	538	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	-	-	-	527	119	123	148	98
1	14	-	-	-	14	10	1	-	1
	2.6%				2.6%	7.7% GI	0.8%		1.2%
2	12	-	-	-	12	10	-	-	-
	2.3%				2.3%	7.9%			
3	8	-	-	-	8	6	2	-	-
	1.5%				1.5%	4.5%	1.8%		
4	4	-	-	-	4	2	1	-	-
	0.7%				0.7%	1.9%	1.0%		
5	11	-	-	-	11	9	1	1	-
	2.1%				2.1%	7.1% GH	1.0%	0.6%	
6	4	-	-	-	4	4	-	-	-
	0.7%				0.7%	3.1%			
7	461	-	-	-	461	87	119	149	96
	85.7%				85.7%	67.8%	95.5% F	99.4% F	98.8% F
Don't Know/No Answer	24	-	-	-	24	-	-	-	-
	4.4%				4.4%				
MEAN	6.6	-	-	-	6.6	5.7	6.8	7.0	6.9
							F	FG	F
CHI-SQUARE		<----------.0---------->				<----------103.958----------			
SIGNIFICANCE			.0%*				100.0%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	514	37	145	179	29	54	70	270	244	81	115	117	101	94	362	37	79	27	385	129
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	43	142	153	42	56	66	269	233	68	97	122	104	106	347	36	84	26	377	125
<10 per day	128	10	36	43	6	13	20	60	68	31	44	21	16	14	99	2	16	5	98	30
	24.9%	27.7%	24.9%	23.9%	21.6%	23.4%	28.6%	22.3%	27.8%	38.3% LMN	38.3% LMN	17.5%	15.4%	15.3%	27.4% P	5.4%	20.6% P	20.6% p	25.6%	23.0%
10-14 per day	125	10	34	43	10	13	15	55	71	19	31	32	20	21	93	6	19	6	95	30
	24.4%	25.8%	23.7%	24.0%	34.8%	23.8%	22.0%	20.2%	28.9% H	22.8%	27.1%	27.2%	20.0%	22.6%	25.6%	17.4%	23.8%	23.3%	24.7%	23.3%
15-24 per day	150	15	35	50	7	17	26	81	69	24	27	38	33	27	103	13	24	9	114	35
	29.1%	39.2% c	24.3%	28.1%	22.9%	32.4%	36.5% c	29.9%	28.3%	30.0%	23.6%	32.4%	32.5%	29.1%	28.4%	35.8%	30.0%	33.2%	29.7%	27.5%
25 +	97	3	35	39	6	9	5	64	33	6	11	23	30	25	60	14	15	6	67	30
	18.9%	7.4%	24.2% BG	22.1% BG	20.7% bg	17.0% g	6.9%	23.8% I	13.6%	7.9%	10.0%	19.6% JK	30.3% JK1	26.6% JK	16.5%	38.2% OQ	19.4%	22.9%	17.4%	23.6%
Don't know/No answer	14	-	4	3	-	2	4	10	3	1	1	4	2	6	8	1	5	-	10	3
	2.7%		2.8%	1.9%		3.4%	6.0%	3.9% i	1.3%	1.0%	1.0%	3.3%	1.8%	6.4% JKm	2.1%	3.2%	6.2%		2.7%	2.6%
MEAN	15.0	13.9	15.5 g	15.3 g	15.3	15.1	13.1	16.2 I	13.6	12.2	12.1	15.9 JK	17.0 JK	17.9 JK	14.1	20.7 OqR	16.5 O	15.2	14.7	15.6
CHI-SQUARE		<----------17.89---------->						<----12.497--->		<----------47.021---------->					<----------17.708---------->				<----2.409---->	
SIGNIFICANCE		40.5%*						98.6%*		100.0%*					87.5%*				33.9%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	514	318	195	186	112	75	36	41	244	120	77	15	49	171	246	92	99	140	115	157
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	305	197	182	111	75	33	38	245	116	73	16	44	153	248	97	99	142	111	147
<10 per day	128	83	45	38	25	25	8	8	52	21	28	3	21	49	63	14	20	26	32	47
	24.9%	26.2%	22.9%	20.5%	22.0%	33.6% Deh	20.7%	18.8%	21.1%	17.2%	36.9% IJl	17.0%	43.4% IJL	28.8% P	25.4% P	15.1%	20.0%	18.8%	27.9%	29.9% qR
10-14 per day	125	82	43	47	24	17	10	10	48	39	19	7	11	41	59	24	20	35	27	44
	24.4%	25.9%	21.9%	25.4%	21.2%	22.5%	27.2%	23.8%	19.5%	32.3% I	24.6%	43.7% i	23.2%	24.1%	23.9%	26.2%	20.2%	24.9%	23.2%	27.8%
15-24 per day	150	87	63	51	42	20	14	10	78	36	22	2	11	50	75	25	29	44	35	42
	29.1%	27.4%	32.0%	27.5%	38.0% d	27.1%	38.9%	25.2%	32.0% l	29.6%	28.5%	15.6%	23.6%	28.9%	30.6%	27.0%	28.9%	31.4%	30.7%	26.7%
25 +	97	56	41	44	19	10	5	11	61	20	7	2	5	29	42	25	28	30	18	22
	18.9%	17.6%	21.2%	23.8% F	16.9%	13.3%	13.2%	28.1% f	25.1% jKM	16.3%	8.8%	13.6%	9.8%	17.0%	17.0%	27.4% nO	27.7% ST	21.4%	15.8%	13.9%
Don't know/No answer	14	10	4	5	2	3	-	2	6	5	1	2	-	2	8	4	3	5	3	3
	2.7%	3.0%	2.1%	2.7%	2.0%	3.5%		4.1%	2.4%	4.5%	1.1%	10.1%		1.2%	3.1%	4.3%	3.1%	3.5%	2.5%	1.8%
MEAN	15.0	14.3	16.1 B	16.6 eF	14.6	12.8	14.3	17.7 eF	16.7 jKM	14.8 kM	12.4	12.5	11.4	14.5	14.6	17.1 NO	17.1 ST	15.9 T	14.2	13.6
CHI-SQUARE		<----3.057---->		<----------15.152---------->					<----------37.667---------->					<----------9.541---------->			<----------14.393---------->			
SIGNIFICANCE		45.2%*		48.6%*					99.8%*					70.1%*			72.4%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	514	-	-	-	514	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	-	-	-	502	119	123	148	98
<10 per day	128	-	-	-	128	128	-	-	-
	24.9%				24.9%	100.0%			
10-14 per day	125	-	-	-	125	-	125	-	-
	24.4%				24.4%		100.0%		
15-24 per day	150	-	-	-	150	-	-	150	-
	29.1%				29.1%			100.0%	
25 +	97	-	-	-	97	-	-	-	97
	18.9%				18.9%				100.0%
Don't know/No answer	14	-	-	-	14	-	-	-	-
	2.7%				2.7%				
MEAN	15.0	-	-	-	15.0	4.9	10.9	17.9	28.8
							F	FG	FGH
CHI-SQUARE		<----------.0---------->				<----------1500.668---------->			
SIGNIFICANCE			.0%*				100.0%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	504	40	145	195	33	37	54	235	269	99	91	106	102	103	341	37	85	34	368	136
	24.7%	24.2%	28.1% FG	25.5% g	22.7%	20.1%	20.2%	23.8%	25.5%	38.0% KLMN	22.2%	27.4% N	25.7% N	18.2%	26.4% Q	31.4% Q	18.1%	25.5% Q	23.2%	29.6% S
No	1,532	126	369	565	112	148	212	752	780	162	318	281	291	462	946	80	382	99	1,208	324
	75.0%	75.8%	71.7%	73.9%	77.3%	79.9% Cd	79.1% Cd	76.0%	74.0%	62.0%	77.3% J	72.4% J	73.5% J	81.6% JLM	73.3%	67.5%	81.9% OPr	73.6%	76.4% T	70.2%
Don' t know/No answer	7	-	1	4	-	-	2	2	5	-	2	1	3	1	4	1	-	1	6	1
	0.4%		0.2%	0.6%			0.7%	0.2%	0.5%		0.5%	0.2%	0.8%	0.2%	0.3%	1.0%		0.8%	0.4%	0.2%
CHI-SQUARE		<----------8.918---------->						<-----.897---->		<----------40.114---------->					<----------16.235---------->				<----7.609---->	
SIGNIFICANCE		88.8%						65.7%		100.0%					99.9%				99.4%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	504	283	221	162	109	85	37	45	232	114	69	17	64	146	292	61	25	164	118	196
	24.7%	22.9%	27.3%	24.2%	28.0%	24.4%	27.0%	21.2%	29.2%	25.0%	16.2%	13.9%	30.3%	26.7%	24.9%	20.1%	7.8%	24.3%	32.4%	29.2%
			B		h				KL	KL			KL	P	p			Q	QR	Qr
No	1,532	943	589	505	277	264	99	166	557	344	359	106	145	399	877	238	293	510	245	475
	75.0%	76.5%	72.6%	75.6%	71.5%	75.6%	72.3%	78.8%	70.2%	75.0%	83.8%	84.6%	69.1%	72.8%	74.9%	79.2%	91.3%	75.6%	67.1%	70.7%
		c						e		i	IJM	IJM				N	RST	ST		
Don' t know/No answer	7	6	1	1	2	-	1	-	4	-	-	2	1	3	2	2	3	1	2	1
	0.4%	0.5%	0.1%	0.2%	0.5%		0.7%		0.5%			1.5%	0.5%	0.6%	0.2%	0.7%	0.9%	0.2%	0.6%	0.2%
		c																		
CHI-SQUARE		<----4.708---->		<----------4.304---------->					<----------37.131---------->					<----------4.507---------->			<----------67.637---------->			
SIGNIFICANCE		97.0%			63.4%						100.0%				89.5%				100.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	504	137	135	271	233	45	56	65	55
	24.7%	18.1%	18.0%	18.0%	43.3%	35.0%	44.9%	43.2%	56.6%
					BCD				FH
No	1,532	615	614	1,229	303	83	69	84	42
	75.0%	81.4%	81.9%	81.6%	56.3%	65.0%	55.1%	56.1%	43.4%
		E	E	E		I			
Don' t know/No answer	7	4	1	5	2	-	-	1	-
	0.4%	0.6%	0.1%	0.4%	0.4%			0.7%	
CHI-SQUARE		<----------171.318---------->				<----------10.424---------->			
SIGNIFICANCE		100.0%				98.5%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very much	728	51	171	290	55	53	108	300	428	68	144	132	151	221	442	40	177	57	577	151
	35.6%	30.8%	33.3%	37.9% bF	37.9% F	28.5%	40.3% BcF	30.3%	40.6% H	26.0%	35.0% J	34.0% J	38.3% J	39.0% J	34.3%	33.9%	38.0%	42.2% o	36.5%	32.7%
Somewhat	519	50	124	194	34	50	67	265	253	76	120	106	102	111	346	24	107	36	411	108
	25.4%	30.1%	24.0%	25.4%	23.5%	27.0%	25.0%	26.8%	24.0%	29.0% N	29.1% N	27.4% N	25.7% N	19.6%	26.8% q	20.2%	22.9%	26.4%	26.0%	23.3%
Not very much	266	23	89	78	17	33	26	133	132	51	54	55	46	59	181	17	45	19	179	86
	13.0%	13.7%	17.3% DEG	10.2%	11.6%	17.8% DeG	9.6%	13.5%	12.5%	19.6% KMN	13.1%	14.2% n	11.6%	10.4%	14.0% Q	14.0%	9.7%	14.1%	11.3%	18.7% S
Not at all	481	39	125	178	35	42	62	267	214	59	83	84	87	164	291	34	126	21	369	112
	23.6%	23.5%	24.3%	23.3%	24.1%	22.6%	23.2%	27.0% I	20.3%	22.4%	20.2%	21.7%	22.1%	28.9% jKLM	22.6% R	28.8% R	27.0% oR	15.5%	23.3%	24.3%
Depends (e.g. on circumstances)	43	3	5	20	4	7	4	21	22	6	9	10	8	9	30	2	9	2	39	4
	2.1%	1.9%	1.0%	2.6% C	2.8%	3.9% c	1.5%	2.1%	2.1%	2.4%	2.3%	2.7%	2.1%	1.5%	2.3%	2.1%	1.9%	1.8%	2.5% T	0.9%
Don't know/No answer	6	-	-	5	-	1	1	2	4	1	1	-	1	3	1	1	3	-	6	-
	0.3%			0.6%		0.3%	0.4%	0.2%	0.4%	0.5%	0.3%		0.3%	0.5%	0.1%	0.9%	0.6%		0.4%	
TOP 2 BOX	1,246	101	295	483	89	103	175	565	681	143	264	238	253	332	788	64	284	93	988	259
	61.0%	61.0%	57.3%	63.3% Cf	61.5%	55.5%	65.3% CF	57.1%	64.6% H	55.0%	64.1% Jn	61.4%	63.9% Jn	58.6%	61.1%	54.1%	60.9%	68.6% oP	62.4% T	56.1%
BOTTOM 2 BOX	747	62	215	256	52	75	88	400	346	110	137	139	133	223	472	51	171	40	548	198
	36.6%	37.2%	41.7% DG	33.5%	35.7%	40.4% d	32.8%	40.5% I	32.9%	42.0% KM	33.3%	36.0%	33.6%	39.4% km	36.6%	42.8% R	36.6%	29.6%	34.7%	43.0% S
CHI-SQUARE		<----------35.201---------->						<----26.48---->		<----------45.502---------->					<----------20.126---------->				<----21.577--->	
SIGNIFICANCE		98.1%*						100.0%*		100.0%*					93.5%*				100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very much	728	455	273	233	125	138	39	80	236	162	187	65	71	173	449	93	118	254	113	239
	35.6%	36.9%	33.7%	34.9%	32.2%	39.6% EG	28.2%	37.9% g	29.7%	35.4% I	43.7% IJM	52.1% IJM	33.9%	31.6%	38.4% NP	30.8%	36.8%	37.7% S	30.8%	35.6%
Somewhat	519	318	201	142	109	93	49	64	180	118	121	32	64	146	304	65	57	172	89	198
	25.4%	25.8%	24.8%	21.3%	28.1% D	26.6% d	35.8% Df	30.4% D	22.7%	25.8%	28.2% I	25.2%	30.3% I	26.6%	26.0%	21.6%	17.7%	25.5% Q	24.5% Q	29.5% Qs
Not very much	266	140	125	90	51	45	13	24	117	59	39	14	31	79	157	28	33	90	50	90
	13.0%	11.4%	15.5% B	13.4%	13.2%	12.9%	9.6%	11.3%	14.8% K	12.9% k	9.0%	11.4%	14.9% k	14.4% P	13.4% P	9.3%	10.4%	13.3%	13.8%	13.5%
Not at all	481	287	195	184	93	69	29	39	240	109	70	14	37	137	231	108	104	142	104	128
	23.6%	23.3%	24.0%	27.6% FH	24.1%	19.9%	21.5%	18.5%	30.2% JKLM	23.8% KLm	16.3%	11.3%	17.6%	24.9% O	19.7%	36.0% NO	32.6% RT	21.1%	28.4% RT	19.1%
Depends (e.g. on circumstances)	43	26	17	14	8	4	6	4	15	8	12	-	7	14	26	4	7	13	8	15
	2.1%	2.1%	2.1%	2.1%	2.1%	1.0%	4.2% f	2.0%	1.9%	1.8%	2.8%		3.4%	2.5%	2.2%	1.2%	2.2%	1.9%	2.2%	2.3%
Don't know/No answer	6	6	-	4	1	-	1	-	5	1	-	-	-	-	3	3	1	3	1	1
	0.3%	0.5%		0.6%	0.3%		0.8%		0.7%	0.2%					0.3%	1.1%	0.3%	0.5%	0.3%	0.2%
TOP 2 BOX	1,246	772	474	375	234	231	88	144	417	280	308	97	135	319	754	158	175	426	202	437
	61.0%	62.7% c	58.4%	56.2%	60.3%	66.2% D	64.0%	68.3% De	52.5%	61.2% I	71.9% IJm	77.4% IJM	64.2% I	58.1%	64.3% NP	52.4%	54.5%	63.2% QS	55.3%	65.0% QS
BOTTOM 2 BOX	747	427	320	274	145	115	43	63	357	168	108	28	68	216	389	136	138	232	154	219
	36.6%	34.6%	39.5% B	41.1% FGH	37.3% h	32.8%	31.1%	29.8%	45.0% JKLM	36.7% KL	25.3%	22.6%	32.4% kl	39.3% O	33.2%	45.3% O	42.9% RT	34.4%	42.2% RT	32.5%
CHI-SQUARE		<----8.066---->		<----------34.2---------->					<----------80.151---------->					<---------42.389--------->			<----------39.863---------->			
SIGNIFICANCE		91.1%*				99.5%*					100.0%*				100.0%*				100.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Very much	728	398	288	685	42	14	10	8	3
	35.6%	52.6%	38.4%	45.5%	7.9%	11.3%	8.1%	5.1%	3.2%
		CDE	E	CE		I			
Somewhat	519	202	210	412	107	31	25	29	11
	25.4%	26.7%	28.0%	27.3%	19.9%	24.3%	19.8%	19.6%	11.0%
		E	E	E		I			
Not very much	266	76	109	185	81	22	23	21	11
	13.0%	10.0%	14.5%	12.3%	15.1%	17.1%	18.3%	14.2%	11.5%
			B		B				
Not at all	481	61	129	190	291	58	57	90	71
	23.6%	8.1%	17.2%	12.6%	54.2%	45.6%	45.8%	59.8%	73.1%
			BD	B	BCD			FG	FGH
Depends (e.g. on circumstances)	43	15	12	27	16	2	10	2	1
	2.1%	2.0%	1.7%	1.8%	3.0%	1.7%	8.1%	1.3%	1.1%
							FHI		
Don't know/No answer	6	5	2	6	-	-	-	-	-
	0.3%	0.6%	0.2%	0.4%					
TOP 2 BOX	1,246	599	498	1,097	149	46	35	37	14
	61.0%	79.2%	66.4%	72.9%	27.8%	35.6%	27.9%	24.7%	14.2%
		CDE	E	CE		I	I	I	
BOTTOM 2 BOX	747	137	237	374	372	80	80	111	82
	36.6%	18.1%	31.7%	24.9%	69.3%	62.7%	64.0%	74.0%	84.7%
			BD	B	BCD				FGH
CHI-SQUARE		<----------635.063---------->				<----------37.472---------->			
SIGNIFICANCE			100.0%*				100.0%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	737	59	177	279	53	58	112	318	420	79	163	128	159	199	461	38	170	50	580	157
	36.1%	35.3%	34.3%	36.4%	36.9%	31.4%	41.7% cF	32.1%	39.8% H	30.4%	39.5% Jl	32.9%	40.2% JL	35.1%	35.7%	32.3%	36.4%	37.4%	36.7%	34.1%
No	1,227	103	329	450	87	118	140	632	596	177	242	241	220	337	784	77	275	77	928	299
	60.1%	62.1% G	63.9% dG	58.8% g	59.8%	63.8% G	52.4%	63.9% I	56.5%	68.1% KMN	58.8%	62.0% m	55.5%	59.6%	60.7%	64.8%	58.9%	56.9%	58.7%	64.8% S
Possibly/not certain	54	4	7	23	4	7	10	28	27	3	5	17	9	20	31	2	15	7	51	4
	2.7%	2.6%	1.3%	3.0% C	2.9%	3.6%	3.7% c	2.8%	2.5%	1.1%	1.2%	4.3% JK	2.4%	3.5% JK	2.4%	1.9%	3.2%	4.9%	3.2% T	0.8%
Don' t know/No answer	24	-	2	13	1	2	6	12	12	1	2	3	8	10	15	1	7	1	23	1
	1.2%		0.4%	1.7% Ce	0.4%	1.1%	2.2% ce	1.2%	1.1%	0.4%	0.5%	0.8%	1.9% jk	1.8% jk	1.1%	1.0%	1.5%	0.8%	1.4% T	0.3%
CHI-SQUARE		<----------14.407---------->						<----13.066--->		<----------22.452---------->					<----------4.871---------->				<----10.177--->	
SIGNIFICANCE		84.5%						99.9%		99.6%					43.9%				99.4%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	737	451	286	250	120	132	52	77	250	157	184	51	85	201	429	96	117	263	124	231
	36.1%	36.6%	35.3%	37.5% E	30.9%	37.7% e	38.0%	36.7%	31.5%	34.2%	43.1% IJ	41.2% I	40.6% I	36.7%	36.6%	32.1%	36.5%	38.9% t	33.9%	34.3%
No	1,227	730	497	401	247	202	83	124	508	288	223	69	122	335	697	183	184	390	231	414
	60.1%	59.2%	61.3%	60.0%	63.6%	57.9%	60.6%	58.9%	64.0% Kl	62.8% K	52.0%	55.4%	58.0%	61.1%	59.5%	60.9%	57.5%	57.9%	63.2%	61.5%
Possibly/not certain	54	34	21	10	15	11	1	8	23	9	17	3	2	10	31	14	14	17	6	18
	2.7%	2.7%	2.5%	1.5%	3.9% DG	3.0% g	0.8%	3.9% g	2.8% M	2.0%	3.9% M	2.5%	0.9%	1.8%	2.6%	4.6% N	4.3% S	2.4%	1.7%	2.7%
Don' t know/No answer	24	17	7	7	6	5	1	1	13	4	4	1	1	2	14	7	5	5	4	10
	1.2%	1.4%	0.9%	1.0%	1.6%	1.4%	0.7%	0.5%	1.7%	0.9%	1.0%	0.9%	0.5%	0.4%	1.2% n	2.4% N	1.6%	0.7%	1.2%	1.5%
CHI-SQUARE		<-----.655---->		<----------14.025---------->					<----------26.657---------->					<----------7.368---------->			<----------9.048---------->			
SIGNIFICANCE		27.9%		91.9%					99.9%					88.2%			82.9%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	737	367	299	666	71	21	14	18	6
	36.1%	48.6% CE	39.9% E	44.3% E	13.2%	16.2% I	11.0%	12.2%	6.0%
No	1,227	362	421	782	445	101	110	127	86
	60.1%	47.8%	56.1% B	52.0%	82.7% BCD	78.6%	88.1%	85.0%	88.1%
Possibly/not certain	54	17	23	40	15	3	1	4	2
	2.7%	2.2%	3.0%	2.6%	2.8%	2.5%	1.0%	2.8%	2.4%
Don' t know/No answer	24	10	7	17	7	3	-	-	3
	1.2%	1.4%	0.9%	1.1%	1.3%	2.7%			3.6%
CHI-SQUARE		<----------200.335---------->				<----------7.073---------->			
SIGNIFICANCE		100.0%				68.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very much	729	75	165	276	54	55	104	317	411	79	141	140	145	213	447	45	172	56	591	137
	35.7%	45.3% CDF	32.1%	36.1% f	37.3%	29.6%	38.7% cF	32.1%	39.0% H	30.4%	34.3%	36.1%	36.6%	37.6% j	34.6%	37.6%	36.8%	41.7%	37.4% T	29.8%
Somewhat	966	69	236	366	68	102	125	480	485	141	222	191	190	219	643	54	189	62	748	218
	47.3%	41.3%	45.8%	47.9%	47.3%	55.0% BCdg	46.6%	48.6%	46.0%	54.3% N	54.0% N	49.1% N	47.9% N	38.6%	49.8% Q	45.5%	40.6%	45.9%	47.3%	47.2%
Not very much	126	8	57	38	8	7	9	77	49	27	20	23	28	27	83	10	29	3	73	52
	6.2%	4.6%	11.0% BDEFG	4.9%	5.5%	3.8%	3.4%	7.8% I	4.6%	10.2% KlN	4.9%	5.8%	7.1%	4.9%	6.4% R	8.2% R	6.3% R	2.2%	4.6%	11.4% S
Not at all	45	6	14	16	2	3	3	23	22	3	9	4	7	21	24	-	14	5	31	14
	2.2%	3.5%	2.7%	2.2%	1.7%	1.7%	1.2%	2.3%	2.1%	1.1%	2.1%	1.1%	1.8%	3.7% JLm	1.9%		2.9%	4.0%	2.0%	3.0%
Depends (e.g. on circumstances)	91	3	22	30	6	10	20	54	37	8	10	16	22	35	51	9	28	3	73	18
	4.4%	1.9%	4.2% b	3.9%	3.9%	5.6% b	7.6% BcDe	5.4% I	3.5%	2.9%	2.4%	4.0%	5.4% K	6.1% JK	3.9%	7.9% R	6.0% oR	2.0%	4.6%	3.9%
Don't know/No answer	87	6	22	39	6	8	7	38	49	3	9	15	5	51	44	1	35	6	65	22
	4.3%	3.4%	4.3%	5.1% G	4.2%	4.3%	2.5%	3.8%	4.7%	1.1%	2.3%	3.8% JM	1.2%	9.1% JKLM	3.4% P	0.9%	7.5% OP	4.3% P	4.1%	4.8%
TOP 2 BOX	1,694	144	401	642	123	157	228	798	896	221	364	331	335	432	1,089	99	361	118	1,339	355
	82.9%	86.6% C	77.9%	83.9% C	84.7% C	84.6% C	85.3% C	80.7%	85.0% H	84.6% N	88.3% N	85.2% N	84.5% N	76.3%	84.4% Q	83.1%	77.4%	87.5% Q	84.6% T	77.0%
BOTTOM 2 BOX	171	13	70	54	10	10	12	100	71	29	29	27	35	48	107	10	43	8	105	66
	8.4%	8.1%	13.7% BDEFG	7.1%	7.2%	5.5%	4.6%	10.1% I	6.7%	11.3% kl	7.0%	6.9%	8.9%	8.5%	8.3%	8.2%	9.2%	6.2%	6.6%	14.4% S
CHI-SQUARE		<----------52.636---------->						<----19.865--->		<----------46.7---------->					<----------26.479---------->				<----34.251--->	
SIGNIFICANCE		100.0%*						99.9%*		100.0%*					99.1%*				100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very much	729	450	278	231	150	127	48	62	292	160	162	43	65	177	436	107	109	252	139	225
	35.7%	36.6%	34.3%	34.6%	38.6% H	36.4% h	35.2%	29.2%	36.8%	35.0%	37.9% m	34.7%	30.7%	32.2%	37.3% n	35.6%	34.0%	37.4%	38.1%	33.5%
Somewhat	966	573	392	290	193	169	74	122	324	228	223	67	115	276	557	122	142	304	174	342
	47.3%	46.5%	48.4%	43.5%	49.8% d	48.4%	53.8% D	58.1% DeF	40.8%	49.9% I	52.2% I	53.7% I	54.6% I	50.3% p	47.6% p	40.6%	44.3%	45.0%	47.7%	50.9% qR
Not very much	126	68	58	49	22	20	7	12	60	23	16	5	18	50	60	15	15	42	23	43
	6.2%	5.5%	7.1%	7.4%	5.6%	5.8%	4.8%	5.9%	7.5% jK	4.9%	3.8%	4.4%	8.5% K	9.1% OP	5.1%	5.0%	4.8%	6.3%	6.3%	6.4%
Not at all	45	30	15	25	8	2	1	-	28	7	6	1	2	7	26	11	14	13	6	11
	2.2%	2.4%	1.9%	3.8% eFG	2.0% f	0.5%	0.8%		3.5% JKLM	1.5%	1.3%	0.5%	0.8%	1.3%	2.2%	3.5% n	4.4% rST	2.0%	1.7%	1.6%
Depends (e.g. on circumstances)	91	62	29	41	7	12	5	8	39	22	11	3	10	27	44	20	21	32	10	27
	4.4%	5.1% c	3.5%	6.1% EF	1.7%	3.4%	3.6%	3.8%	4.9% Kl	4.8% k	2.5%	2.1%	4.6%	4.8%	3.7%	6.6% o	6.5% S	4.8% s	2.6%	4.1%
Don't know/No answer	87	48	39	31	9	19	2	6	51	18	10	6	2	12	48	26	19	31	13	23
	4.3%	3.9%	4.9%	4.7% EG	2.3%	5.5% EG	1.8%	3.0%	6.4% JKM	3.8% M	2.3%	4.5% m	0.8%	2.2%	4.1% N	8.8% NO	6.0%	4.6%	3.5%	3.5%
TOP 2 BOX	1,694	1,024	670	521	343	296	122	184	616	389	386	111	179	452	994	229	251	555	314	568
	82.9%	83.1%	82.6%	78.1%	88.4% D	84.8% D	89.0% D	87.3% D	77.6%	84.9% I	90.1% IJ	88.4% I	85.3% I	82.5% P	84.8% P	76.2%	78.3%	82.4%	85.8% Q	84.4% Q
BOTTOM 2 BOX	171	98	73	74	29	22	8	12	88	30	22	6	20	57	86	26	30	56	29	54
	8.4%	7.9%	9.0%	11.2% eFGH	7.6%	6.3%	5.7%	5.9%	11.0% JKL	6.4%	5.1%	4.9%	9.3% k	10.4% o	7.3%	8.5%	9.2%	8.3%	8.0%	8.1%
CHI-SQUARE SIGNIFICANCE		<----6.357----> 82.6%*		<----------45.241----------> 100.0%*					<----------43.115----------> 100.0%*					<---------25.079---------> 99.8%*			<----------21.315----------> 95.4%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Very much	729	284	246	530	199	57	46	56	28
	35.7%	37.6%	32.8%	35.2%	37.0%	44.2% I	36.7%	37.1%	29.1%
Somewhat	966	357	388	745	220	51	54	60	42
	47.3%	47.3% E	51.8% E	49.5% E	40.9%	39.8%	43.0%	40.3%	42.7%
Not very much	126	40	40	80	46	11	10	14	11
	6.2%	5.2%	5.3%	5.3%	8.6% BCD	8.4%	7.8%	9.2%	11.5%
Not at all	45	12	15	27	18	2	1	6	5
	2.2%	1.5%	2.1%	1.8%	3.3%	1.9%	1.2%	3.9%	5.3%
Depends (e.g. on circumstances)	91	28	28	56	35	4	10	8	6
	4.4%	3.7%	3.8%	3.7%	6.5% BCD	3.1%	8.3%	5.4%	5.9%
Don't know/No answer	87	36	32	68	20	3	4	6	5
	4.3%	4.7%	4.3%	4.5%	3.6%	2.6%	3.1%	4.1%	5.4%
TOP 2 BOX	1,694	641	634	1,275	419	108	100	116	70
	82.9%	84.8% E	84.6% E	84.7% E	78.0%	84.0% I	79.7%	77.5%	71.8%
BOTTOM 2 BOX	171	51	55	107	64	13	11	20	16
	8.4%	6.8%	7.4%	7.1%	11.9% BCD	10.3%	8.9%	13.0%	16.8%
CHI-SQUARE		<----------33.917---------->				<----------11.692---------->			
SIGNIFICANCE		99.9%*				52.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Significant hazard	1,224	109	335	460	74	86	161	551	673	167	257	225	230	330	773	73	277	85	922	302
	59.9%	65.2% EF	65.1% dEF	60.1% EF	51.0%	46.4%	60.1% eF	55.7%	63.8% H	64.0%	62.4%	58.1%	58.0%	58.3%	59.9%	61.2%	59.4%	63.3%	58.3%	65.6% S
Moderate hazard	529	40	125	182	49	67	65	270	259	71	113	118	103	121	357	24	107	33	418	112
	25.9%	24.2%	24.3%	23.8%	34.2% BCDG	36.2% BCDG	24.4%	27.3%	24.6%	27.1%	27.4% N	30.4% N	25.9%	21.4%	27.6% pQ	20.2%	23.0%	24.4%	26.4%	24.2%
Minor hazard, or	189	14	35	75	15	23	27	116	72	19	33	34	40	61	126	10	42	8	159	30
	9.2%	8.2%	6.8%	9.8% c	10.1%	12.6% C	10.2%	11.7% I	6.9%	7.4%	8.0%	8.7%	10.2%	10.8%	9.7% r	8.0%	9.0%	5.9%	10.0% T	6.5%
No hazard at all	44	2	12	14	5	3	7	26	18	1	3	3	15	20	18	9	13	3	32	11
	2.1%	1.4%	2.4%	1.8%	3.3%	1.6%	2.8%	2.6%	1.7%	0.4%	0.8%	0.8%	3.8% JKL	3.6% JKL	1.4%	7.6% Oqr	2.9% o	2.3%	2.0%	2.5%
Don't know/No answer	58	2	7	34	2	6	7	26	32	3	6	7	8	33	18	3	27	5	52	6
	2.8%	1.1%	1.4%	4.5% BCE	1.4%	3.3%	2.5%	2.6%	3.0%	1.1%	1.4%	1.9%	2.1%	5.9% JKLM	1.4%	2.9%	5.7% O	4.1%	3.3% T	1.3%
CHI-SQUARE		<----------32.615---------->						<----22.228--->		<----------34.11---------->					<----------27.134---------->				<----8.859---->	
SIGNIFICANCE		99.5%						100.0%		99.9%					99.9%				96.9%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Significant hazard	1,224	743	481	391	232	219	88	127	424	275	286	84	142	329	719	160	177	411	206	425
	59.9%	60.3%	59.3%	58.6%	59.7%	62.6%	63.9%	60.4%	53.4%	60.0% I	66.8% IJ	67.0% I	67.5% Ij	60.1% p	61.4% P	53.2%	55.1%	61.0% q	56.3%	63.3% QS
Moderate hazard	529	322	207	163	101	97	40	59	217	125	103	26	52	143	307	75	74	170	105	177
	25.9%	26.1%	25.6%	24.4%	26.0%	27.8%	29.2%	28.2%	27.4%	27.4%	24.1%	21.2%	24.8%	26.1%	26.2%	24.9%	23.1%	25.2%	28.8% q	26.3%
Minor hazard, or	189	108	81	63	47	21	7	21	97	41	25	9	12	53	105	30	36	59	36	55
	9.2%	8.8%	10.0%	9.4% fg	12.1% FG	6.1%	5.2%	10.1%	12.2% jKLM	9.0% k	5.8%	7.0%	5.9%	9.7%	8.9%	9.9%	11.3%	8.7%	9.7%	8.2%
No hazard at all	44	28	16	25	5	4	2	1	25	6	6	3	1	9	16	19	19	14	5	6
	2.1%	2.3%	1.9%	3.7% EFH	1.3%	1.1%	1.6%	0.3%	3.2% JKM	1.4%	1.5%	2.5%	0.3%	1.6%	1.4%	6.2% NO	5.9% RST	2.0% t	1.5%	0.8%
Don't know/No answer	58	31	27	27	4	8	-	2	30	10	8	3	3	14	24	17	15	21	13	9
	2.8%	2.5%	3.3%	4.0% EH	1.0%	2.4%		1.0%	3.8% kM	2.2%	1.9%	2.4%	1.4%	2.5%	2.0%	5.8% NO	4.6% T	3.1% T	3.7% T	1.3%
CHI-SQUARE		<----1.172---->		<----------26.896---------->					<----------41.067---------->					<---------31.185--------->			<----------35.514---------->			
SIGNIFICANCE		24.0%		99.2%					100.0%					100.0%				100.0%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Significant hazard	1,224	521	483	1,004	220	60	51	61	27
	59.9%	68.9% E	64.5% E	66.7% E	40.8%	46.6% I	41.0% I	40.8% I	27.5%
Moderate hazard	529	176	174	350	179	42	44	51	35
	25.9%	23.3%	23.2%	23.3%	33.3% BCD	32.7%	35.0%	33.8%	36.4%
Minor hazard, or	189	31	58	88	100	25	18	30	22
	9.2%	4.0%	7.7% B	5.9%	18.7% BCD	19.4%	14.6%	20.0%	22.7%
No hazard at all	44	7	14	21	23	-	5	5	11
	2.1%	0.9%	1.9%	1.4%	4.2% BCD		4.4%	3.7%	11.2% H
Don't know/No answer	58	22	20	42	16	2	6	3	2
	2.8%	2.8%	2.7%	2.8%	3.0%	1.3%	5.1%	1.8%	2.2%
CHI-SQUARE		<----------193.404---------->				<----------23.502---------->			
SIGNIFICANCE		100.0%				99.5%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Critically important	904	73	261	334	54	69	114	385	519	92	183	176	190	252	578	45	202	67	669	236
	44.3%	43.6%	50.7% bDEFG	43.6%	37.2%	37.4%	42.7%	38.9%	49.3% H	35.2%	44.6% J	45.4% J	47.9% J	44.5% J	44.8%	37.7%	43.2%	49.9% p	42.3%	51.1% S
Definitely important	562	48	122	214	41	56	80	272	290	96	114	106	102	142	353	37	129	36	460	102
	27.5%	28.9%	23.7%	28.0%	28.5%	30.4% c	30.1% c	27.5%	27.5%	36.7% KLMN	27.6%	27.4%	25.9%	25.1%	27.3%	30.9%	27.6%	26.6%	29.1% T	22.2%
Somewhat important	323	28	81	119	27	34	34	185	138	46	62	74	57	80	212	22	66	15	246	77
	15.8%	16.8%	15.7%	15.6%	18.4% g	18.2%	12.7%	18.7% I	13.1%	17.7%	15.0%	19.0% mn	14.5%	14.2%	16.4% r	18.4%	14.1%	11.1%	15.6%	16.6%
Not very important, or	100	4	26	38	7	10	15	52	48	15	29	9	19	27	61	10	20	8	75	25
	4.9%	2.4%	5.0% b	4.9% b	5.1%	5.6%	5.5% b	5.2%	4.6%	5.6% 1	7.0% L	2.3%	4.9% L	4.8% L	4.7%	8.6%	4.2%	5.7%	4.7%	5.4%
Not at all important	87	10	17	29	9	9	13	58	29	6	17	13	21	30	59	4	19	4	71	16
	4.3%	5.8%	3.4%	3.8%	6.3%	4.8%	4.9%	5.9% I	2.8%	2.4%	4.0%	3.3%	5.3% j	5.3% J	4.5%	3.4%	4.0%	2.8%	4.5%	3.5%
Depends	33	3	3	14	3	2	9	24	9	1	5	7	5	13	19	1	13	1	32	2
	1.6%	1.6%	0.6%	1.8% c	2.2%	1.1%	3.2% C	2.4% I	0.9%	0.5%	1.3%	1.9%	1.3%	2.3% J	1.4%	0.9%	2.7% R	0.6%	2.0% T	0.4%
Don't know/No answer	33	1	5	17	3	5	2	13	20	5	2	3	1	22	9	-	19	5	29	4
	1.6%	0.8%	0.9%	2.2% c	2.2%	2.5%	0.9%	1.4%	1.9%	1.8%	0.5%	0.8%	0.3%	3.9% jKLM	0.7%		4.1% O	3.4%	1.9% t	0.8%
TOP 2 BOX	1,466	121	383	547	95	126	195	657	809	187	297	282	292	394	931	81	330	103	1,129	338
	71.8%	72.5%	74.4% Ef	71.6%	65.7%	67.8%	72.8%	66.4%	76.8% H	71.9%	72.2%	72.8%	73.8%	69.6%	72.1%	68.6%	70.8%	76.5%	71.3%	73.2%
BOTTOM 2 BOX	187	14	43	67	17	19	28	110	77	21	46	22	40	57	120	14	39	11	146	41
	9.2%	8.2%	8.4%	8.7%	11.4%	10.4%	10.4%	11.1% I	7.3%	8.0%	11.1% L	5.6%	10.2% L	10.0% L	9.3%	12.0%	8.3%	8.4%	9.2%	8.9%
CHI-SQUARE		<----------30.503---------->						<----41.771--->		<----------39.428---------->					<----------16.322---------->				<----19.57---->	
SIGNIFICANCE				79.4%*				100.0%*				99.4%*					63.9%*			99.8%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:

BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Critically important	904	590	314	266	145	183	66	117	286	194	247	71	96	220	556	118	130	323	145	301
	44.3%	47.9% C	38.7%	39.8%	37.2%	52.3% DE	48.1% dE	55.6% DE	36.1%	42.4% I	57.6% IJM	57.0% IJm	45.9% I	40.0%	47.5% NP	39.4%	40.5%	48.0% QS	39.5%	44.8%
Definitely important	562	312	250	189	131	84	44	47	210	137	106	32	72	164	319	75	78	168	106	208
	27.5%	25.4%	30.8% B	28.3% h	33.9% dFH	24.1%	32.1% fh	22.3%	26.5%	29.9%	24.8%	25.7%	34.2% IK	29.9%	27.2%	24.8%	24.3%	25.0%	29.0%	31.0% QR
Somewhat important	323	181	142	121	57	52	15	30	152	79	43	12	30	97	171	50	54	99	69	99
	15.8%	14.7%	17.5% b	18.1% G	14.7%	14.9%	11.0%	14.3%	19.1% KL	17.3% KL	10.1%	9.8%	14.5%	17.8%	14.6%	16.8%	16.9%	14.7%	18.8%	14.7%
Not very important, or	100	58	42	43	22	10	5	5	62	18	5	4	7	33	47	19	23	27	24	25
	4.9%	4.7%	5.1%	6.4% FH	5.7% fH	2.8%	3.4%	2.4%	7.8% JKLM	3.9% K	1.1%	3.2%	3.3%	6.0%	4.0%	6.3%	7.2% RT	4.0%	6.6% rt	3.7%
Not at all important	87	52	35	25	18	13	6	8	45	19	17	3	3	20	48	19	22	28	12	25
	4.3%	4.2%	4.3%	3.8%	4.6%	3.8%	4.6%	3.8%	5.7% LM	4.2% M	4.1% M	2.1%	1.4%	3.6%	4.1%	6.2%	6.8% St	4.2%	3.3%	3.8%
Depends	33	21	13	11	9	2	1	2	20	3	7	1	1	7	18	8	6	14	4	9
	1.6%	1.7%	1.6%	1.7%	2.2% f	0.6%	0.8%	1.1%	2.5% JLM	0.6%	1.6%	0.6%	0.5%	1.3%	1.6%	2.6%	1.9%	2.1%	1.2%	1.3%
Don't know/No answer	33	18	16	13	6	5	-	1	19	8	3	2	1	7	14	12	8	14	6	6
	1.6%	1.4%	1.9%	2.0% h	1.6%	1.6%		0.5%	2.4% KM	1.8% m	0.8%	1.7%	0.3%	1.3%	1.2%	4.0% NO	2.4% t	2.1% t	1.6%	0.8%
TOP 2 BOX	1,466	903	564	455	276	267	110	164	496	331	353	103	168	384	874	193	208	492	250	509
	71.8%	73.3% c	69.5%	68.1%	71.1%	76.3% D	80.2% DE	77.9% De	62.5%	72.3% I	82.4% IJ	82.6% IJ	80.1% IJ	70.0% p	74.6% nP	64.2%	64.8%	72.9% Q	68.5%	75.8% QS
BOTTOM 2 BOX	187	110	77	68	40	23	11	13	107	37	22	7	10	53	94	38	45	55	36	50
	9.2%	9.0%	9.5%	10.2% Fh	10.3% fh	6.6%	7.9%	6.2%	13.4% JKLM	8.0% k	5.1%	5.3%	4.7%	9.7%	8.1%	12.5% O	14.0% RT	8.1%	9.9%	7.5%
CHI-SQUARE		<----17.291--->		<----------48.563---------->					<----------106.948---------->					<---------20.957--------->			<----------31.543---------->			
SIGNIFICANCE		99.6%*		100.0%*					100.0%*					97.9%*			99.3%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Critically important	904	424	344	768	136	41	40	26	19
	44.3%	56.1% CDE	45.9% E	51.0% CE	25.3%	31.9% HI	32.2% HI	17.2%	19.4%
Definitely important	562	205	208	413	149	39	36	42	22
	27.5%	27.1%	27.8%	27.4%	27.8%	30.3%	29.0%	28.2%	22.4%
Somewhat important	323	70	107	177	146	28	28	47	34
	15.8%	9.3%	14.2% B	11.8%	27.1% BCD	21.9%	22.4%	31.1%	35.4% FG
Not very important, or	100	22	34	56	44	7	10	18	7
	4.9%	2.9%	4.6%	3.7%	8.1% BCD	5.3%	7.9%	12.0%	6.8%
Not at all important	87	18	28	46	41	9	6	10	13
	4.3%	2.4%	3.7%	3.1%	7.7% BCD	7.1%	5.0%	6.8%	13.2% G
Depends	33	6	16	22	12	3	3	1	1
	1.6%	0.8%	2.1% B	1.4%	2.1%	2.6%	2.2%	0.9%	1.1%
Don't know/No answer	33	10	13	23	10	1	2	6	2
	1.6%	1.4%	1.7%	1.5%	1.9%	0.9%	1.4%	3.8%	1.7%
TOP 2 BOX	1,466	629	552	1,181	285	80	76	68	41
	71.8%	83.2% CDE	73.7% E	78.5% CE	53.0%	62.2% HI	61.1% HI	45.4%	41.8%
BOTTOM 2 BOX	187	40	62	102	85	16	16	28	20
	9.2%	5.3%	8.3% B	6.8%	15.8% BCD	12.5%	12.8%	18.8%	20.0%
CHI-SQUARE		<----------211.115---------->				<----------27.487----------			
SIGNIFICANCE		100.0%*				97.5%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,712	142	449	636	119	146	219	808	903	220	356	330	332	457	1,098	93	384	111	1,311	401
	83.8%	85.5% f	87.2% dFg	83.2%	82.2%	78.9%	82.0%	81.7%	85.7% H	84.4%	86.4% N	85.0% n	83.8%	80.8%	85.1%	78.5%	82.4%	82.0%	82.9%	87.0% S
No	216	21	37	88	18	27	26	122	94	27	41	42	40	63	131	19	47	16	183	34
	10.6%	12.8% C	7.1%	11.5% C	12.1% c	14.5% C	9.6%	12.4% I	8.9%	10.5%	10.0%	10.7%	10.2%	11.2%	10.2%	15.8%	10.1%	11.7%	11.5% T	7.3%
Depends	76	2	20	26	6	7	15	37	39	12	8	9	21	24	42	7	18	7	58	18
	3.7%	1.2%	3.8% B	3.3% B	4.0% b	3.8% b	5.8% B	3.7%	3.7%	4.8% k	1.9%	2.4%	5.3% KL	4.2% K	3.3%	5.7%	3.9%	5.5%	3.7%	3.9%
Don't know/No answer	39	1	10	15	2	5	7	22	18	1	7	7	3	21	19	-	17	1	31	9
	1.9%	0.5%	1.9% b	1.9% B	1.7%	2.8% b	2.6% b	2.2%	1.7%	0.3%	1.8% j	1.9% J	0.7%	3.7% JklM	1.5%		3.6% OR	0.8%	1.9%	1.9%
CHI-SQUARE		<----------18.185---------->						<----6.695---->		<----------10.518---------->					<----------7.222---------->				<----6.839---->	
SIGNIFICANCE		94.8%						96.5%		76.9%					69.9%				96.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,712	1,033	678	538	329	307	123	187	625	377	388	116	185	460	1,001	233	249	576	308	571
	83.8%	83.9%	83.6%	80.6%	84.7%	88.0%	89.8%	88.7%	78.7%	82.4%	90.6%	92.6%	88.3%	83.8%	85.5%	77.5%	77.7%	85.4%	84.4%	84.9%
					d	D	D	D			IJ	IJ	Ij	P	P			Q	Q	Q
No	216	132	84	88	37	30	11	15	109	54	24	8	18	63	109	42	49	63	38	65
	10.6%	10.7%	10.4%	13.2%	9.6%	8.6%	7.8%	7.0%	13.7%	11.8%	5.6%	6.1%	8.6%	11.6%	9.3%	13.8%	15.2%	9.4%	10.4%	9.7%
				eFgH					KLM	KL						O	RsT			
Depends	76	46	29	28	15	9	3	6	41	17	8	2	6	17	42	15	12	20	11	31
	3.7%	3.8%	3.6%	4.2%	3.8%	2.5%	2.4%	3.0%	5.2%	3.6%	1.8%	1.3%	3.0%	3.2%	3.6%	4.8%	3.6%	3.0%	3.0%	4.6%
									KL	l										
Don't know/No answer	39	20	19	13	7	3	-	3	19	10	9	-	-	8	19	12	11	15	8	5
	1.9%	1.7%	2.4%	2.0%	1.8%	0.9%		1.2%	2.4%	2.2%	2.0%			1.4%	1.7%	3.8%	3.4%	2.2%	2.2%	0.8%
																no	T	T		
CHI-SQUARE		<-----.042---->		<----------14.788---------->					<----------38.577---------->					<----------8.551---------->			<----------12.635---------->		
SIGNIFICANCE		2.1%				93.7%					100.0%				92.7%				95.1%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,712	687	633	1,320	392	97	95	113	59
	83.8%	90.9% CDE	84.4% E	87.7% CE	72.9%	76.2% I	75.6% I	75.3% I	60.3%
No	216	39	77	115	101	24	20	27	26
	10.6%	5.1%	10.2% B	7.6% B	18.8% BCD	18.9%	15.7%	18.2%	26.5%
Depends	76	19	24	43	33	5	8	6	10
	3.7%	2.5%	3.2%	2.9%	6.1% BCD	3.9%	6.6%	4.1%	10.5%
Don't know/No answer	39	11	16	28	12	1	3	4	3
	1.9%	1.5%	2.2%	1.8%	2.2%	1.1%	2.1%	2.4%	2.8%
CHI-SQUARE		<----------99.78---------->				<----------11.391----------			
SIGNIFICANCE		100.0%				92.3%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	292	23	57	114	23	34	41	159	133	40	49	51	61	87	173	26	65	23	240	52
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	301	30	57	98	35	39	42	167	134	36	42	53	61	105	173	24	76	24	249	52
Need to provide places to smoke	94	5	24	39	7	12	7	48	46	13	19	18	23	21	51	13	17	10	74	20
	32.2%	21.6%	41.7% bG	34.4% G	30.8%	36.3% G	16.4%	30.2%	34.5%	31.4%	38.7%	35.2%	37.2% n	24.2%	29.5%	51.8% OQ	26.7%	43.3%	30.8%	38.5%
Up to the individual/ Personal choice/Gov't no right to control it	60	5	7	27	5	8	8	36	24	5	11	11	10	23	34	2	16	7	53	7
	20.5%	20.0%	12.8%	24.0% c	19.8%	23.8%	19.5%	22.8%	17.8%	12.7%	22.3%	21.1%	16.8%	26.3% j	19.7%	9.1%	25.0% P	30.7% P	21.9%	14.0%
Some workplaces cannot be smoke-free	32	4	4	13	2	3	6	22	11	6	10	8	4	4	25	1	5	1	29	4
	11.1%	18.3%	7.0%	11.3%	8.4%	9.2%	15.4%	13.7%	8.1%	15.7% n	20.3% mN	15.2% n	7.2%	4.8%	14.4% Pr	4.4%	8.0%	4.7%	11.9%	7.6%
Smokers and non-smokers have rights/should not affect rights	27	3	7	8	3	4	4	17	10	1	7	4	9	6	15	4	6	1	21	7
	9.3%	10.9%	11.7%	7.1%	11.7%	10.5%	8.9%	10.6%	7.7%	3.0%	13.7% j	7.0%	15.4% J	7.2%	8.7%	17.5%	8.7%	3.8%	8.6%	12.8%
I smoke/need to smoke/ want to smoke	21	2	2	5	3	4	6	10	11	3	4	5	4	4	16	2	1	1	20	2
	7.3%	7.1%	2.9%	4.2%	13.3% c	12.6%	14.4% cd	6.4%	8.4%	8.7%	7.6%	9.0%	7.2%	4.6%	8.9% Q	8.4%	2.2%	4.7%	8.2%	3.2%
It depends on the job/ field of work/place of work	20	-	3	5	2	2	9	12	8	2	6	3	6	3	15	-	3	2	17	3
	7.0%		5.9%	4.0%	6.8%	4.6%	22.8% CDEF	7.6%	6.2%	5.2%	13.3%	5.5%	9.1%	4.0%	8.8%		4.6%	9.3%	7.1%	6.5%
Second-hand smoke not a hazard/problem	16	1	5	5	1	1	3	12	4	1	3	3	2	7	9	1	5	1	11	5
	5.3%	2.2%	9.0%	4.0%	5.4%	2.4%	8.3%	7.3%	3.0%	2.0%	5.8%	5.6%	4.0%	7.6%	5.2%	3.3%	7.0%	4.7%	4.4%	9.8%
Not practical to enforce	13	-	5	4	1	1	2	9	4	2	4	1	4	3	9	1	4	-	9	4
	4.6%		8.3%	3.9%	5.3%	3.9%	4.0%	5.6%	3.4%	4.8%	7.4%	2.9%	5.9%	3.2%	5.0%	4.4%	5.5%		3.9%	7.7%
Other things can be more polluting/irritating than smoking	11	2	1	3	-	2	2	5	5	-	-	3	2	5	8	-	2	-	9	1
	3.6%	7.5%	2.3%	3.0%		5.9%	5.0%	3.2%	4.1%			5.5%	3.8%	6.1%	4.9%		3.1%		3.8%	2.5%
They should not be smoking in the workplace	6	1	1	3	-	1	-	3	3	-	1	-	1	4	1	1	3	1	6	-
	2.2%	3.4%	2.1%	2.9%		3.2%		2.2%	2.2%		2.5%		1.8%	4.7%	0.6%	4.7%	5.0%	3.4%	2.7%	
Government spending money for non-smoking environment	5	2	1	2	-	-	-	4	1	-	-	3	-	2	4	-	1	-	4	1
	1.8%	9.3%	1.6%	2.0%				2.8%	0.6%			5.6%		2.7%	2.3%		2.0%		1.8%	1.7%
Other	31	2	2	16	3	2	6	14	17	9	1	3	4	11	20	2	8	1	29	2
	10.7%	10.3%	3.0%	13.8% C	14.8% c	6.5%	14.1% c	9.1%	12.6%	23.8% KLM	2.9%	6.4%	7.2%	12.4% K	11.4%	9.5%	12.2%	4.0%	12.3% T	3.3%
Don't know/No answer	10	1	3	6	1	-	-	6	3	3	-	-	2	5	4	1	5	-	7	3
	3.4%	2.2%	4.9%	5.2%	2.7%			4.0%	2.6%	7.4%			3.5%	5.4%	2.3%	4.3%	7.2%		2.9%	5.4%
CHI-SQUARE		<----62.68---->						<----9.867---->		<----56.63---->					<----34.025---->				<----13.882--->	
SIGNIFICANCE		15.6%*						17.2%*		40.0%*					11.6%*				46.6%*	

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	292	178	114	116	52	39	14	21	150	71	32	9	25	81	151	56	60	83	49	96
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	301	175	126	122	56	39	12	20	159	69	34	10	23	77	157	63	67	92	49	89
Need to provide places to smoke	94	59	35	33	18	11	6	9	38	32	9	3	10	26	50	15	14	35	18	27
	32.2%	33.1%	30.8%	28.4%	35.3%	29.2%	42.5%	43.0%	25.2%	45.8% Ik	28.6%	35.9%	39.6%	32.1%	33.3%	26.6%	23.1%	41.6% Qt	35.9%	28.1%
Up to the individual/ Personal choice/Gov't no right to control it	60	30	30	26	9	6	4	4	36	10	9	2	3	14	33	13	14	27	7	12
	20.5%	17.0%	26.1% b	21.9%	17.3%	16.5%	30.5%	18.1%	24.1% j	13.8%	27.1%	18.4%	11.7%	17.3%	21.7%	23.5%	23.8% t	32.0% ST	13.5%	12.8%
Some workplaces cannot be smoke-free	32	23	9	12	8	1	3	4	12	12	3	1	5	14	16	3	4	6	8	15
	11.1%	13.0%	8.2%	10.5% F	14.8% F	2.1%	21.1%	21.1% F	7.9%	16.5% i	10.1%	11.0%	19.3%	17.0% p	10.3%	5.7%	7.0%	6.7%	15.7%	15.6% qr
Smokers and non-smokers have rights/should not affect rights	27	15	12	11	3	2	2	1	21	4	2	-	1	7	17	3	5	7	3	11
	9.3%	8.6%	10.4%	9.9%	6.5%	5.1%	15.9%	5.7%	13.9% JM	5.3%	6.0%		2.6%	8.7%	11.0%	6.2%	8.8%	8.3%	6.6%	11.4%
I smoke/need to smoke/ want to smoke	21	11	10	6	4	2	3	2	15	2	1	-	2	3	15	2	4	2	3	11
	7.3%	6.2%	9.0%	5.5%	8.6%	4.8%	23.0%	11.5%	10.1% Jk	2.7%	3.2%		8.3%	4.0%	10.0% nP	3.2%	6.9%	2.5%	6.0%	11.4% R
It depends on the job/ field of work/place of work	20	13	7	5	5	3	2	2	10	6	3	-	1	3	16	1	1	6	4	9
	7.0%	7.4%	6.4%	4.2%	8.9%	8.6%	13.1%	10.5%	6.5%	8.8%	10.8%		4.1%	4.0%	10.5% nP	2.4%	1.4%	7.1% q	7.2%	9.9% Q
Second-hand smoke not a hazard/problem	16	8	7	9	3	2	-	1	8	3	-	2	2	2	6	8	4	4	3	4
	5.3%	4.7%	6.4%	7.8%	5.0%	5.3%		3.8%	5.3%	4.1%		22.8%	7.8%	3.0%	3.7%	13.4% NO	7.3%	4.5%	6.0%	3.8%
Not practical to enforce	13	9	4	6	4	-	1	2	9	-	1	1	2	4	5	4	3	3	1	6
	4.6%	5.3%	3.4%	5.0%	8.4%		8.0%	7.4%	6.2%		3.5%	11.0%	7.8%	4.7%	3.6%	7.5%	5.0%	3.7%	2.9%	6.1%
Other things can be more polluting/irritating than smoking	11	6	5	3	2	4	-	-	3	5	1	1	-	2	6	2	4	1	2	3
	3.6%	3.3%	4.1%	2.8%	3.8%	11.3%			1.9%	7.5%	3.9%	11.9%		2.6%	4.0%	4.2%	7.0%	1.6%	4.0%	3.2%
They should not be smoking in the workplace	6	3	4	2	2	1	-	-	4	1	1	-	1	1	3	2	2	3	-	1
	2.2%	1.6%	3.1%	1.7%	3.2%	2.9%			2.4%	0.8%	3.5%		4.9%	1.5%	2.0%	3.9%	3.6%	3.6%		1.3%
Government spending money for non-smoking environment	5	1	4	3	2	-	-	-	4	1	-	-	-	1	4	1	1	2	2	1
	1.8%	0.8%	3.4%	2.6%	4.3%				3.0%	1.1%				1.1%	2.6%	0.9%	0.8%	2.0%	4.1%	1.2%
Other	31	22	9	13	6	6	1	1	14	4	5	1	5	13	12	7	7	3	4	16
	10.7%	12.3%	8.1%	11.3%	12.0%	15.0%	8.1%	4.8%	9.7%	6.2%	14.5%	6.9%	20.6%	15.6% o	7.6%	12.6%	11.9% r	4.1%	8.4%	17.2% R
Don't know/No answer	10	6	4	4	1	1	-	-	8	1	1	-	1	4	3	2	4	2	1	3
	3.4%	3.3%	3.4%	3.7%	2.7%	2.9%			5.0%	1.6%	1.6%		2.6%	5.4%	2.3%	3.6%	6.1%	2.7%	1.8%	3.1%
CHI-SQUARE		<----10.609--->		<----------33.3---------->					<----------57.704---------->					<---------31.146--------->			<----------44.958---------->			
SIGNIFICANCE		22.0%*		.2%*					44.0%*					59.2%*			52.6%*			

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	292	58	100	158	134	29	28	33	36
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	301	61	107	168	133	26	29	33	38
Need to provide places to smoke	94	16	32	48	46	7	14	7	14
	32.2%	27.8%	32.2%	30.6%	34.0%	25.1%	48.5% H	20.5%	38.2%
Up to the individual/ Personal choice/Gov't no right to control it	60	12	22	34	26	4	2	7	10
	20.5%	20.3%	22.2%	21.5%	19.4%	12.6%	8.4%	22.2%	29.2% G
Some workplaces cannot be smoke-free	32	5	10	15	17	8	6	1	2
	11.1%	9.4%	9.7%	9.6%	12.9%	27.2% HI	22.1% H	2.6%	6.5%
Smokers and non-smokers have rights/should not affect rights	27	2	10	13	14	5	2	3	5
	9.3%	4.2%	10.2%	8.1%	10.8%	16.0%	6.9%	8.2%	14.2%
I smoke/need to smoke/ want to smoke	21	2	3	6	16	8	3	5	1
	7.3%	3.9%	3.3%	3.5%	11.9% BCD	26.3% I	10.1%	13.8%	2.1%
It depends on the job/ field of work/place of work	20	3	5	8	12	3	4	2	4
	7.0%	4.9%	5.0%	5.0%	9.3%	10.3%	14.4%	5.5%	10.1%
Second-hand smoke not a hazard/problem	16	3	6	9	7	-	1	2	3
	5.3%	5.5%	5.6%	5.5%	5.1%		3.5%	7.1%	7.0%
Not practical to enforce	13	4	5	9	4	-	1	2	1
	4.6%	6.9%	5.4%	6.0%	3.0%		4.0%	6.9%	1.5%
Other things can be more polluting/irritating than smoking	11	-	2	2	9	1	2	5	1
	3.6%		2.0%	1.3%	6.4% D	3.0%	7.0%	13.7%	3.1%
They should not be smoking in the workplace	6	1	4	5	1	-	-	-	1
	2.2%	1.4%	4.4%	3.3%	0.9%				3.4%
Government spending money for non-smoking environment	5	1	2	3	2	1	-	-	1
	1.8%	1.9%	1.9%	1.9%	1.7%	3.0%			3.9%
Other	31	8	15	23	8	1	-	5	1
	10.7%	14.7%	14.9% E	14.8% E	5.8%	3.9%		14.0%	2.2%
Don't know/No answer	10	4	3	8	2	-	-	2	-
	3.4%	7.5%	3.4%	4.9%	1.6%			6.2%	
CHI-SQUARE		<----------36.342---------->				<----------50.384---------->			
SIGNIFICANCE			18.2%*				73.1%*		

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very comfortable	892	80	220	345	60	61	126	440	452	96	168	190	197	228	607	37	183	55	704	188
	43.7%	48.1% F	42.7% F	45.2% F	41.5% f	33.0%	47.0% F	44.5%	42.9%	36.9%	40.7%	49.1% JKN	49.7% JKN	40.3%	47.0% PQ	31.3%	39.3%	40.5%	44.5%	40.9%
Somewhat comfortable	481	40	134	171	40	44	52	242	239	82	108	99	86	101	303	36	99	31	357	124
	23.5%	24.2%	26.0% G	22.3%	27.6% G	23.6%	19.6%	24.5%	22.7%	31.5% MN	26.3% N	25.6% N	21.8%	17.8%	23.4%	30.4% q	21.3%	22.8%	22.5%	27.0% s
Not very comfortable	186	12	60	62	8	22	22	86	100	38	54	29	25	39	122	15	33	11	127	58
	9.1%	7.1%	11.6% bdE	8.2%	5.8%	11.8% E	8.1%	8.7%	9.5%	14.6% LMN	13.1% LMN	7.4%	6.3%	7.0%	9.4%	12.8% q	7.1%	8.0%	8.1%	12.7% S
Not at all comfortable	189	13	38	67	21	29	21	103	86	29	42	29	37	52	115	19	36	18	157	33
	9.3%	8.0%	7.4%	8.7%	14.5% BCDG	15.8% BCDG	7.9%	10.4% i	8.2%	11.1%	10.3%	7.4%	9.3%	9.2%	8.9%	15.6% oQ	7.7%	13.6% q	9.9% t	7.1%
Not currently employed/ retired/self-employed	114	7	28	44	7	9	17	42	72	2	9	10	7	86	17	5	76	16	86	27
	5.6%	4.4%	5.5%	5.8%	4.9%	5.0%	6.5%	4.2%	6.8% H	0.9%	2.1%	2.6% j	1.7%	15.1% JKLM	1.3%	3.8%	16.3% OP	11.7% OP	5.5%	5.9%
Already have non-smoking policy	91	7	24	39	5	6	10	46	45	6	18	20	26	20	83	-	4	1	72	19
	4.4%	4.5%	4.6%	5.1%	3.2%	3.1%	3.8%	4.7%	4.3%	2.4%	4.4%	5.1% j	6.5% JN	3.5%	6.4% QR		1.0%	0.8%	4.6%	4.0%
Depends	28	1	6	11	1	5	5	9	18	5	6	3	4	10	15	4	8	-	22	6
	1.3%	0.5%	1.1%	1.5%	0.4%	2.5% e	1.7%	0.9%	1.7%	2.0%	1.5%	0.7%	1.0%	1.7%	1.2%	3.7%	1.7%		1.4%	1.2%
Don't know/No answer	63	5	6	25	3	10	14	21	41	2	6	8	14	31	29	3	26	4	57	6
	3.1%	3.3%	1.1%	3.2% C	2.0%	5.2% Ce	5.4% Ce	2.2%	3.9% H	0.6%	1.5%	2.0%	3.6% Jk	5.5% JKL	2.3%	2.4%	5.6% Op	2.7%	3.6% T	1.2%
TOP 2 BOX	1,373	120	354	516	100	105	178	682	691	178	276	290	283	329	909	73	283	85	1,060	313
	67.2%	72.3% F	68.7% F	67.5% F	69.2% F	56.6%	66.6% F	68.9%	65.6%	68.4% N	67.0% N	74.7% KN	71.6% N	58.1%	70.4% pQ	61.7%	60.6%	63.3%	67.0%	67.8%
BOTTOM 2 BOX	375	25	98	129	29	51	43	189	186	67	96	57	62	91	237	34	69	29	284	91
	18.4%	15.1%	19.0%	16.9%	20.2%	27.6% BCDeG	16.0%	19.1%	17.7%	25.7% LMN	23.4% LMN	14.8%	15.6%	16.1%	18.4% q	28.4% oQ	14.8%	21.6% q	18.0%	19.8%
CHI-SQUARE SIGNIFICANCE		<----------43.375----------> 94.6%*						<----12.729---> 95.2%*		<----------192.875----------> 100.0%*					<----------215.466----------> 100.0%*				<----15.419---> 98.3%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very comfortable	892	564	328	241	175	170	62	109	303	192	233	69	83	222	541	117	117	300	155	315
	43.7%	45.8% C	40.5%	36.1%	45.1% D	48.7% D	45.3% d	51.8% D	38.2%	42.0%	54.3% IJM	55.3% IJM	39.6%	40.5%	46.2% NP	39.0%	36.6%	44.5% Q	42.3%	46.9% Q
Somewhat comfortable	481	283	198	150	105	74	36	46	164	111	97	20	82	151	274	50	62	145	94	177
	23.5%	22.9%	24.5%	22.4%	26.9% f	21.3%	26.3%	22.0%	20.7%	24.3% L	22.6%	16.2%	38.9% IJKL	27.5% oP	23.4% P	16.6%	19.2%	21.5%	25.6% Q	26.3% QR
Not very comfortable	186	122	64	73	36	26	17	12	89	39	22	9	26	71	96	18	29	59	36	61
	9.1%	9.9%	7.9%	11.0% fH	9.2%	7.4%	12.6% h	5.8%	11.2% K	8.6% K	5.1%	7.2%	12.3% K	12.9% OP	8.2%	5.8%	9.1%	8.7%	10.0%	9.0%
Not at all comfortable	189	94	95	77	39	28	11	15	103	47	18	7	13	57	93	40	41	60	36	53
	9.3%	7.7%	11.7% B	11.6% fH	9.9%	7.9%	7.8%	7.1%	12.9% KLM	10.2% Kl	4.3%	5.3%	6.3%	10.4%	7.9%	13.2% O	12.7% rT	8.8%	9.8%	7.8%
Not currently employed/ retired/self-employed	114	59	55	63	8	17	3	6	58	18	21	13	1	11	57	43	41	44	13	16
	5.6%	4.8%	6.8% b	9.4% EFGH	1.9%	4.8% E	2.1%	2.9%	7.3% JkM	4.0% M	4.9% M	10.2% JkM	0.4%	2.1%	4.9% N	14.3% NO	12.8% RST	6.5% ST	3.4%	2.4%
Already have non-smoking policy	91	54	37	19	15	24	6	16	31	26	27	5	1	21	59	11	10	28	18	35
	4.4%	4.4%	4.6%	2.9%	4.0%	6.9% De	4.2%	7.6% De	3.9% M	5.7% M	6.2% iM	3.8% m	0.5%	3.8%	5.0%	3.7%	3.1%	4.2%	4.9%	5.2%
Depends	28	20	8	16	3	4	1	2	11	10	5	-	1	7	16	4	4	14	3	7
	1.3%	1.6%	1.0%	2.3% eh	0.8%	1.1%	0.8%	0.8%	1.3%	2.2%	1.1%		0.7%	1.3%	1.4%	1.5%	1.3%	2.0%	0.9%	1.0%
Don't know/No answer	63	37	25	28	8	7	1	4	35	14	6	2	3	9	35	18	17	25	11	10
	3.1%	3.0%	3.1%	4.2% eFG	2.2%	1.9%	0.8%	2.1%	4.4% KlM	3.0%	1.5%	1.9%	1.4%	1.6%	3.0% n	5.9% NO	5.2% T	3.7% T	3.0%	1.5%
TOP 2 BOX	1,373	846	527	391	280	245	98	155	467	304	329	89	165	373	815	167	179	445	248	492
	67.2%	68.7% c	64.9%	58.6%	72.0% D	70.0% D	71.7% D	73.7% D	58.9%	66.3% I	76.9% IJ	71.5% I	78.5% IJ	68.0% P	69.6% P	55.6%	55.8%	66.0% Q	67.9% Q	73.2% QRs
BOTTOM 2 BOX	375	216	159	151	74	54	28	27	191	86	40	16	39	128	189	57	70	118	72	113
	18.4%	17.5%	19.6%	22.6% FH	19.1% h	15.3%	20.4% h	12.9%	24.1% JKLm	18.8% Kl	9.4%	12.5%	18.6% K	23.3% O	16.2%	19.0%	21.9% t	17.6%	19.8%	16.8%
CHI-SQUARE		<----19.245--->		<----------82.865---------->					<----------128.165---------->					<---------92.698--------->			<----------70.742---------->			
SIGNIFICANCE		99.6%*				100.0%*					100.0%*				100.0%*				100.0%*		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Very comfortable	892	386	329	715	177	55	42	39	27
	43.7%	51.0% CE	43.9% E	47.5% E	33.0%	43.0% HI	33.5%	25.7%	27.5%
Somewhat comfortable	481	185	182	367	114	28	33	32	15
	23.5%	24.5%	24.3%	24.4%	21.2%	21.8%	26.7%	21.7%	15.7%
Not very comfortable	186	53	70	123	63	11	11	25	15
	9.1%	7.0%	9.3%	8.2%	11.7% BD	8.2%	8.7%	16.5% F	15.4%
Not at all comfortable	189	33	52	85	105	14	19	36	28
	9.3%	4.4%	6.9% B	5.6%	19.5% BCD	11.0%	14.9%	23.9% F	28.5% FG
Not currently employed/ retired/self-employed	114	41	54	95	18	1	8	3	5
	5.6%	5.5%	7.2% E	6.3% E	3.4%	0.9%	6.0% F	2.2%	5.3%
Already have non-smoking policy	91	27	32	59	31	14	7	5	4
	4.4%	3.6%	4.3%	3.9%	5.8%	11.3% H	5.9%	3.4%	4.6%
Depends	28	9	11	20	8	2	2	2	1
	1.3%	1.2%	1.4%	1.3%	1.4%	1.7%	1.5%	1.2%	0.8%
Don't know/No answer	63	22	20	42	21	3	4	8	2
	3.1%	2.9%	2.6%	2.8%	3.9%	2.0%	2.9%	5.2%	2.2%
TOP 2 BOX	1,373	571	511	1,082	291	83	75	71	42
	67.2%	75.5% CE	68.2% E	71.9% E	54.2%	64.8% HI	60.2% HI	47.4%	43.2%
BOTTOM 2 BOX	375	86	122	207	168	25	30	61	43
	18.4%	11.3%	16.2% B	13.8%	31.2% BCD	19.2%	23.6%	40.4% FG	43.9% FG
CHI-SQUARE		<-----167.028----->				<-----42.126----->			
SIGNIFICANCE		100.0%*				99.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,327	124	299	517	96	104	187	654	672	163	264	256	258	375	841	66	313	89	1,059	267
	64.9%	74.2%	58.1%	67.6%	66.5%	56.3%	69.9%	66.2%	63.8%	62.4%	64.1%	65.9%	65.3%	66.2%	65.1%	55.3%	67.0%	65.7%	67.0%	58.0%
		CdeF		CF	CF		CF								P		P		T	
No	560	35	189	183	42	59	52	257	303	85	127	106	102	135	367	42	106	38	389	170
	27.4%	20.7%	36.7%	23.9%	28.8%	32.1%	19.5%	26.0%	28.7%	32.8%	30.8%	27.2%	25.8%	23.8%	28.4%	35.0%	22.8%	28.1%	24.6%	36.9%
			BDEG		bG	BDG				mN	N				Q	Q				S
Depends	108	5	17	48	3	12	22	55	53	11	20	15	25	36	63	6	29	6	93	15
	5.3%	3.0%	3.4%	6.3%	2.3%	6.6%	8.3%	5.6%	5.1%	4.0%	4.8%	3.9%	6.2%	6.3%	4.8%	4.8%	6.1%	4.7%	5.9%	3.3%
				BCE		E	BCE							l					T	
Don't know/No answer	48	3	9	17	3	9	6	23	25	2	1	12	11	20	21	6	19	2	40	8
	2.4%	2.0%	1.8%	2.2%	2.3%	5.0%	2.2%	2.3%	2.4%	0.7%	0.3%	3.0%	2.7%	3.6%	1.6%	4.9%	4.1%	1.5%	2.5%	1.8%
						cd						JK	jK	JK			Or			
CHI-SQUARE		<----------54.073---------->						<----2.095---->		<----------11.916---------->					<----------9.737---------->				<----28.583--->	
SIGNIFICANCE				100.0%				64.9%				84.5%					86.4%		100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,327	802	525	423	257	236	95	149	482	292	308	91	136	347	790	177	200	439	220	462
	64.9%	65.1%	64.7%	63.4%	66.3%	67.4%	69.1%	70.9% d	60.8%	63.8%	72.0% IJm	72.9% Ij	64.8%	63.4%	67.4% P	58.8%	62.5%	65.1%	60.3%	68.7% qS
No	560	335	225	201	109	90	28	49	241	139	86	23	66	172	291	91	92	179	121	163
	27.4%	27.2%	27.7%	30.1% GH	28.0% g	25.8%	20.4%	23.0%	30.4% KL	30.3% KL	20.1%	18.3%	31.4% KL	31.3% O	24.8%	30.2% o	28.7%	26.5%	33.2% RT	24.3%
Depends	108	66	42	32	15	11	13	11	45	20	27	5	7	23	63	19	17	38	18	36
	5.3%	5.4%	5.2%	4.8%	3.8%	3.1%	9.7% dEF	5.2%	5.7%	4.4%	6.4% m	3.9%	3.3%	4.2%	5.4%	6.3%	5.2%	5.7%	4.9%	5.3%
Don't know/No answer	48	29	19	11	7	13	1	2	26	7	6	6	1	6	28	14	12	19	6	11
	2.4%	2.4%	2.4%	1.7%	1.9%	3.7% dGH	0.8%	0.9%	3.2% JkM	1.5%	1.5%	5.0% jkM	0.5%	1.1%	2.4% n	4.8% No	3.6%	2.8%	1.6%	1.7%
CHI-SQUARE		<-----.096---->		<----------17.545---------->					<----------27.622---------->					<---------11.361--------->			<----------10.427---------->			
SIGNIFICANCE		4.7%		97.5%					99.9%					97.7%			89.2%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,327	587	518	1,105	222	63	54	61	26
	64.9%	77.6% CDE	69.1% E	73.4% CE	41.2%	49.1% I	43.4% I	40.7% I	26.7%
No	560	115	184	299	261	50	63	74	60
	27.4%	15.2%	24.5% BD	19.8% B	48.6% BCD	38.7%	50.0%	49.6%	61.7% F
Depends	108	38	33	71	38	8	6	9	10
	5.3%	5.0%	4.4%	4.7%	7.0%	6.5%	5.1%	6.2%	9.9%
Don't know/No answer	48	17	14	31	17	7	2	5	2
	2.4%	2.2%	1.9%	2.1%	3.2%	5.7%	1.5%	3.6%	1.7%
CHI-SQUARE		<----------248.511---------->				<----------15.014---------->			
SIGNIFICANCE		100.0%				98.0%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,388	127	299	538	105	117	201	687	701	175	279	255	267	398	872	70	331	95	1,123	264
	67.9%	76.0% CF	58.2%	70.4% Cf	72.7% CF	63.3%	75.1% CF	69.5%	66.5%	67.3%	67.7%	65.7%	67.3%	70.4%	67.6% p	59.2%	70.9% P	70.6% p	71.0% T	57.3%
No	550	32	189	182	33	55	59	243	307	68	115	117	115	131	360	45	101	33	374	175
	26.9%	19.4%	36.6% BDEfG	23.8%	22.6%	29.9% Beg	21.9%	24.5%	29.1% H	26.0%	27.9%	30.1% N	29.1% N	23.2%	27.9% Q	38.3% OQR	21.6%	24.3%	23.7%	38.0% S
Depends	63	6	18	26	2	6	5	32	31	9	15	9	9	20	39	-	17	6	50	13
	3.1%	3.8%	3.6%	3.4%	1.7%	3.1%	1.7%	3.2%	3.0%	3.4%	3.7%	2.4%	2.4%	3.5%	3.0%		3.6%	4.5%	3.2%	2.9%
Don't know/No answer	42	1	8	18	4	7	3	27	15	8	3	7	5	17	19	3	18	1	34	8
	2.1%	0.8%	1.6%	2.4% b	3.0%	3.8% bg	1.2%	2.8% I	1.4%	3.3% k	0.7%	1.8%	1.2%	3.0% KM	1.5%	2.5%	3.9% OR	0.6%	2.1%	1.8%
CHI-SQUARE	<----------43.939---------->							<----4.675---->		<----------8.018---------->					<----------18.334---------->				<----37.22---->	
SIGNIFICANCE	100.0%							90.3%		56.8%					99.5%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	1,388	649	566	1,215	173	57	42	35	21
	67.9%	85.8% CDE	75.5% E	80.7% CE	32.2%	44.2% HI	33.4%	23.1%	21.8%
No	550	83	142	225	325	60	73	105	73
	26.9%	11.0%	18.9% BD	14.9% B	60.4% BCD	46.9%	58.0%	70.4% FG	74.7% FG
Depends	63	15	28	43	21	9	4	5	1
	3.1%	1.9%	3.8% B	2.8%	3.8%	7.1% I	3.3%	3.3%	1.3%
Don't know/No answer	42	10	14	23	19	2	7	5	2
	2.1%	1.3%	1.8%	1.6%	3.5% BD	1.8%	5.3%	3.2%	2.3%
CHI-SQUARE		<----------609.258---------->				<----------27.552---------->			
SIGNIFICANCE		100.0%				100.0%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,388	846	542	430	268	248	99	147	489	302	328	102	151	364	826	182	203	464	238	478
	67.9%	68.7%	66.8%	64.4%	68.9%	71.0% D	72.0% d	69.5%	61.7%	65.9%	76.6% IJ	81.8% IJM	71.9% I	66.4% p	70.5% P	60.5%	63.3%	68.8% q	65.1%	71.0% Qs
No	550	327	222	202	110	87	31	55	248	141	85	20	46	157	294	93	94	176	109	166
	26.9%	26.6%	27.4%	30.2% fg	28.4%	25.0%	22.7%	26.1%	31.3% KLM	30.8% KLM	19.8%	15.6%	22.1%	28.6%	25.1%	30.8% o	29.4%	26.1%	29.7% t	24.7%
Depends	63	34	29	24	4	6	6	6	33	8	9	2	8	16	37	10	9	24	13	18
	3.1%	2.8%	3.6%	3.6% EF	1.1%	1.6%	4.5% e	2.8%	4.2% JkL	1.8%	2.2%	1.5%	3.8%	2.9%	3.1%	3.2%	2.7%	3.6%	3.4%	2.6%
Don't know/No answer	42	24	18	12	6	9	1	3	23	7	6	1	5	11	15	16	15	10	6	11
	2.1%	2.0%	2.2%	1.8%	1.6%	2.4%	0.8%	1.5%	2.9% jkl	1.4%	1.5%	1.0%	2.2%	2.1%	1.3%	5.5% NO	4.6% RST	1.5%	1.7%	1.6%
CHI-SQUARE		<----1.461---->		<----------15.363---------->					<----------45.433---------->					<----------7.395---------->			<----------6.929---------->			
SIGNIFICANCE		51.8%		94.8%					100.0%					88.4%			67.3%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,451	133	318	564	108	123	206	719	732	184	294	264	276	418	912	70	347	101	1,173	278
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,453	162	310	483	159	136	203	742	711	155	254	272	282	475	888	67	379	99	1,180	273
Very likely	583	44	112	236	43	43	105	273	311	37	87	105	131	219	343	26	162	44	493	91
	40.2%	33.0%	35.3%	41.8% Bc	40.2%	35.2%	51.1% BCDEF	37.9%	42.4% h	20.0%	29.7% J	39.7% JK	47.3% JKl	52.5% JKL	37.6%	37.5%	46.6% O	43.7%	42.0% T	32.8%
Somewhat likely	489	48	107	187	38	47	62	242	247	77	119	100	86	102	340	26	86	32	390	99
	33.7%	36.5%	33.7%	33.1%	35.3%	38.4%	30.0%	33.6%	33.8%	41.9% MN	40.4% MN	37.7% N	31.3% N	24.4%	37.3% Q	37.6% Q	24.8%	31.5%	33.2%	35.7%
Not very likely	185	18	64	57	14	16	17	95	91	35	51	32	29	37	115	9	43	15	122	64
	12.8%	13.2%	20.1% bDEfG	10.2%	12.8%	13.2%	8.1%	13.2%	12.4%	19.1% lMN	17.4% lMN	12.1%	10.5%	8.8%	12.6%	12.8%	12.4%	14.6%	10.4%	23.0% S
Not at all likely	145	19	28	62	8	8	20	85	60	30	26	19	25	42	89	6	42	6	125	20
	10.0%	14.4% cEF	8.8%	11.1% f	7.2%	6.3%	9.8%	11.9% I	8.2%	16.2% KLMn	9.0%	7.3%	9.2%	10.1%	9.8%	9.1%	12.0% R	5.9%	10.6% t	7.3%
Depends	31	2	4	14	4	6	2	17	14	4	8	7	1	11	18	1	10	1	31	1
	2.2%	1.3%	1.2%	2.5%	4.0% cg	4.8% bcg	0.9%	2.4%	1.9%	2.0%	2.6% m	2.5% m	0.5%	2.6% M	2.0%	1.6%	2.8%	1.2%	2.6% T	0.3%
Don't know/No answer	17	2	3	8	1	3	-	7	9	2	3	2	3	7	7	1	5	3	14	2
	1.1%	1.6%	1.0%	1.4%	0.5%	2.0%		1.0%	1.3%	0.8%	0.9%	0.6%	1.1%	1.6%	0.7%	1.4%	1.3%	3.0%	1.2%	0.9%
TOP 2 BOX	1,072	92	219	423	81	90	167	515	558	114	206	205	217	321	683	53	248	76	882	190
	73.9%	69.5%	68.9%	74.9% c	75.5%	73.6%	81.1% BCd	71.6%	76.2% h	61.9%	70.1%	77.5% Jk	78.7% JK	76.9% Jk	74.9%	75.1%	71.4%	75.2%	75.2% T	68.5%
BOTTOM 2 BOX	331	37	92	120	21	24	37	180	151	65	78	51	54	79	204	15	85	21	246	84
	22.8%	27.6% G	28.9% DEFG	21.2%	20.0%	19.6%	17.9%	25.0% I	20.6%	35.3% kLMN	26.5% lmN	19.4%	19.7%	18.9%	22.4%	21.9%	24.4%	20.5%	21.0%	30.3% S
CHI-SQUARE SIGNIFICANCE		<----48.162----> 100.0%*						<--7.203--> 87.4%*		<----96.906----> 100.0%*					<----22.663----> 96.9%*				<--41.345--> 100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,451	880	571	454	272	254	105	153	522	310	337	104	159	380	863	192	211	488	251	495
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,453	850	603	462	269	261	100	144	545	305	339	104	141	346	888	202	221	515	245	466
Very likely	583	364	220	194	99	98	44	72	213	117	157	52	38	112	378	84	97	210	90	184
	40.2%	41.3%	38.5%	42.7%	36.5%	38.6%	42.4%	47.3% E	40.8% M	37.7% M	46.6% iJM	50.2% iJM	24.2%	29.6%	43.8% N	44.0% N	46.0% ST	43.0% st	35.8%	37.1%
Somewhat likely	489	289	200	141	102	88	34	54	150	128	107	30	67	130	295	59	57	159	70	202
	33.7%	32.8%	35.1%	31.0%	37.4% d	34.6%	32.3%	35.7%	28.7%	41.3% IKL	31.8%	28.8%	42.1% IKL	34.3%	34.2%	30.6%	27.0%	32.6%	27.9%	40.7% QRS
Not very likely	185	113	73	62	35	36	13	14	71	32	37	13	31	75	91	19	26	51	49	60
	12.8%	12.8%	12.7%	13.6%	12.9%	14.2%	12.3%	9.3%	13.7%	10.4%	10.9%	12.8%	19.3% JK	19.8% OP	10.5%	10.0%	12.3%	10.3%	19.4% QRT	12.1%
Not at all likely	145	88	57	41	27	21	14	11	65	25	27	6	19	52	69	24	21	45	37	41
	10.0%	10.0%	9.9%	9.1%	10.1%	8.3%	12.9%	7.1%	12.5% JKL	8.1%	8.0%	5.6%	12.2% 1	13.6% O	8.0%	12.3% o	10.1%	9.3%	15.0% RT	8.3%
Depends	31	18	13	11	7	7	-	-	12	3	9	3	4	7	19	3	7	14	3	7
	2.2%	2.1%	2.3%	2.4%	2.6%	2.6%			2.2%	1.1%	2.7%	2.6%	2.3%	2.0%	2.2%	1.8%	3.2%	2.8%	1.2%	1.3%
Don't know/No answer	17	8	8	5	1	4	-	1	11	4	-	-	-	3	11	2	3	9	2	2
	1.1%	0.9%	1.5%	1.1%	0.4%	1.7%		0.7%	2.2%	1.4%				0.8%	1.3%	1.3%	1.4%	1.9% T	0.7%	0.5%
TOP 2 BOX	1,072	652	420	335	201	186	78	126	363	245	264	82	105	243	673	143	154	369	160	386
	73.9%	74.1%	73.6%	73.8%	74.0%	73.3%	74.7%	82.9% DEF	69.4%	79.0% IM	78.4% IM	79.0% IM	66.3%	63.8%	78.0% N	74.6% N	73.0% S	75.6% S	63.7%	77.8% S
BOTTOM 2 BOX	331	201	129	103	62	57	26	25	137	58	64	19	50	127	160	43	47	96	86	101
	22.8%	22.9%	22.7%	22.7% h	23.0%	22.5%	25.3%	16.4%	26.2% JKl	18.6%	18.9%	18.4%	31.5% JKL	33.4% OP	18.5%	22.3%	22.4%	19.6%	34.3% QRT	20.4%
CHI-SQUARE SIGNIFICANCE		<----1.247----> 13.0%*		<----------17.23----------> 62.9%*					<----------48.687----------> 100.0%*					<---------43.654---------> 100.0%*			<----------41.324----------> 100.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,451	663	594	1,257	194	66	46	40	22
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,453	657	614	1,271	182	60	43	38	20
Very likely	583	309	240	549	35	10	6	3	8
	40.2%	46.5% CE	40.5% E	43.7% E	17.8%	15.5%	12.2%	8.0%	35.3% H
Somewhat likely	489	229	202	431	58	22	12	15	3
	33.7%	34.5%	34.0%	34.3%	30.0%	33.7%	25.6%	38.8% I	15.0%
Not very likely	185	67	74	140	45	15	11	10	5
	12.8%	10.0%	12.4%	11.2%	23.3% BCD	23.2%	24.2%	26.0%	21.2%
Not at all likely	145	42	57	99	46	13	16	10	5
	10.0%	6.3%	9.7% B	7.9%	23.9% BCD	20.3%	35.5%	24.3%	23.5%
Depends	31	12	16	28	3	1	1	1	-
	2.2%	1.9%	2.6%	2.2%	1.7%	1.7%	2.4%	2.8%	
Don't know/No answer	17	5	5	10	6	4	-	-	1
	1.1%	0.8%	0.8%	0.8%	3.3%	5.7%			5.0%
TOP 2 BOX	1,072	538	442	980	93	32	17	19	11
	73.9%	81.0% CE	74.5% E	77.9% E	47.8%	49.2%	37.8%	46.9%	50.3%
BOTTOM 2 BOX	331	108	131	239	91	29	27	20	10
	22.8%	16.3%	22.1% B	19.0%	47.2% BCD	43.5%	59.7%	50.3%	44.7%
CHI-SQUARE		<----------114.399---------->				<----------14.023---------->			
SIGNIFICANCE		100.0%*				70.1%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	896	74	204	348	72	53	146	421	475	96	165	159	181	286	562	44	226	55	713	183
	43.9%	44.3% F	39.6% F	45.5% CF	50.0% CF	28.4%	54.6% BCDF	42.5%	45.1%	36.8%	40.0%	41.1%	45.8% J	50.6% JKL	43.5%	37.1%	48.5% oP	40.6%	45.1% T	39.6%
No	917	68	264	328	58	102	98	473	444	152	221	196	167	176	626	60	164	54	680	237
	44.9%	40.9%	51.2% BDEG	42.9% g	39.9%	55.0% BDEG	36.7%	47.8% I	42.2%	58.3% lMN	53.6% MN	50.4% MN	42.1% N	31.2%	48.5% Qr	50.6% Q	35.1%	40.2%	43.0%	51.4% S
Depends	97	9	16	39	6	13	15	48	50	9	13	18	28	28	58	7	20	10	83	14
	4.8%	5.3%	3.0%	5.1% c	4.3%	7.1% C	5.5%	4.8%	4.7%	3.5%	3.3%	4.6%	7.0% jK	5.0%	4.5%	5.6%	4.3%	7.5%	5.3% T	3.0%
Don't know/No answer	132	16	32	50	8	18	9	48	85	4	13	15	20	75	46	8	56	16	105	28
	6.5%	9.6% G	6.2% g	6.6% G	5.8%	9.5% G	3.2%	4.8%	8.0% H	1.4%	3.1%	3.8% j	5.1% J	13.3% JKLM	3.5%	6.7%	12.1% Op	11.7% O	6.6%	6.0%
CHI-SQUARE		<----------41.182---------->						<----3.834---->		<----------58.975---------->					<----------19.398---------->				<----11.976--->	
SIGNIFICANCE		100.0%						85.3%		100.0%					99.6%				99.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	896	540	356	272	162	166	61	106	300	200	222	73	94	229	533	122	145	301	143	305
	43.9%	43.8%	43.9%	40.8%	41.8%	47.5% D	44.2%	50.4% De	37.7%	43.8% I	51.8% IJ	58.1% IJM	44.8% i	41.8%	45.5%	40.5%	45.3%	44.7% s	39.1%	45.3% s
No	917	558	360	319	186	151	66	88	383	215	164	41	102	284	489	139	137	280	194	302
	44.9%	45.3%	44.4%	47.8%	47.8%	43.3%	48.4%	41.9%	48.3% KL	46.9% KL	38.4%	32.5%	48.7% KL	51.8% O	41.7%	46.1%	42.7%	41.5%	53.0% QRT	44.9%
Depends	97	60	37	29	20	16	6	7	39	23	22	2	8	19	63	12	14	33	18	31
	4.8%	4.9%	4.5%	4.4%	5.2%	4.6%	4.5%	3.1%	4.9% L	5.1% L	5.1% L	1.7%	3.7%	3.5%	5.4% n	4.0%	4.4%	5.0%	4.9%	4.6%
Don't know/No answer	132	74	58	47	20	16	4	10	72	19	20	10	6	16	87	28	25	60	11	35
	6.5%	6.0%	7.2%	7.0% G	5.2%	4.6%	3.0%	4.6%	9.1% JKM	4.2%	4.8%	7.7% m	2.9%	2.9%	7.4% N	9.3% N	7.7% S	8.8% ST	3.0%	5.2% s
CHI-SQUARE		<-----.169---->		<----------8.172---------->					<----------32.227---------->					<---------12.406--------->			<----------8.88---------->			
SIGNIFICANCE		8.1%		58.3%					100.0%					98.5%			82.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	896	439	366	804	92	24	26	18	13
	43.9%	58.0% CDE	48.8% E	53.4% CE	17.1%	19.0%	21.0%	12.3%	13.5%
No	917	219	295	514	403	83	93	121	81
	44.9%	29.0%	39.3% BD	34.1% B	75.0% BCD	65.2%	74.4%	80.7% F	83.6% F
Depends	97	42	35	77	21	10	2	5	1
	4.8%	5.5%	4.7%	5.1%	3.8%	7.6% GI	1.5%	3.3%	1.1%
Don't know/No answer	132	56	54	111	22	11	4	6	2
	6.5%	7.5% E	7.2% E	7.4% E	4.0%	8.2% I	3.2%	3.7%	1.7%
CHI-SQUARE		<----------325.561---------->				<----------16.602---------->			
SIGNIFICANCE		100.0%				98.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,013	79	199	409	82	79	166	492	521	112	209	181	205	296	655	48	234	65	840	174
	49.6%	47.5% C	38.6%	53.5% CF	56.7% bCF	42.5%	61.9% BCDF	49.7%	49.5%	42.9%	50.8% j	46.7%	51.7% J	52.3% Jl	50.7% P	40.3%	50.2% p	47.9%	53.1% T	37.6%
No	724	61	232	242	41	78	70	369	355	128	171	167	130	124	499	50	119	41	514	210
	35.4%	36.4% eG	45.1% BDEG	31.7%	28.5%	42.1% DEG	26.2%	37.3% i	33.7%	49.1% kMN	41.6% MN	43.1% MN	32.9% N	21.9%	38.7% QR	42.5% QR	25.5%	30.1%	32.5%	45.5% S
Do not go to bars/ taverns	198	19	67	58	15	20	19	75	123	3	13	19	44	117	71	13	93	18	136	62
	9.7%	11.4%	12.9% DG	7.5%	10.4%	10.9%	7.1%	7.5%	11.7% H	1.0%	3.1% j	5.0% J	11.1% JKL	20.6% JKLM	5.5%	10.6% o	20.0% OPr	13.6% O	8.6%	13.4% S
Depends	42	2	5	24	4	2	5	25	17	8	8	9	6	9	31	-	6	3	37	5
	2.1%	1.0%	1.0%	3.1% BCF	3.1%	1.1%	1.8%	2.5%	1.6%	3.1%	1.9%	2.4%	1.5%	1.6%	2.4%		1.4%	2.6%	2.3% t	1.1%
Don't know/No answer	66	6	12	32	2	6	8	29	37	10	11	11	11	21	35	8	14	8	55	11
	3.2%	3.7%	2.3%	4.1% cE	1.4%	3.4%	3.0%	2.9%	3.5%	3.8%	2.7%	2.8%	2.8%	3.7%	2.7%	6.6%	2.9%	5.9%	3.5%	2.3%
CHI-SQUARE		<----------74.795---------->						<----12.843--->		<----------181.263---------->					<----------103.743---------->				<----44.694--->	
SIGNIFICANCE		100.0%						99.5%		100.0%					100.0%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,013	643	370	293	196	194	74	113	317	224	265	83	114	269	610	124	153	352	158	348
	49.6%	52.2% C	45.6%	43.8%	50.5% D	55.5% D	53.7% D	53.4% D	39.9%	48.8% I	61.9% IJm	66.4% IJM	54.2% I	49.1% P	52.0% P	41.4%	47.9%	52.2% S	43.2%	51.7% S
No	724	424	300	245	154	114	50	73	322	182	113	25	76	234	377	105	110	199	168	243
	35.4%	34.5%	37.0%	36.6%	39.8% F	32.5%	36.4%	34.6%	40.6% KL	39.7% KL	26.4%	19.7%	36.1% KL	42.6% OP	32.2%	34.9%	34.2%	29.6%	45.9% QRT	36.1% R
Do not go to bars/ taverns	198	101	96	91	28	26	9	9	103	35	32	12	8	19	125	50	41	89	22	44
	9.7%	8.2%	11.9% B	13.6% EFGH	7.1%	7.3%	6.7%	4.2%	13.0% JKM	7.6% m	7.5% m	9.9% M	3.8%	3.5%	10.7% N	16.7% NO	12.7% ST	13.2% ST	6.1%	6.5%
Depends	42	25	17	14	4	7	2	9	16	7	9	3	7	11	22	9	7	12	7	16
	2.1%	2.0%	2.1%	2.1%	0.9%	2.1%	1.5%	4.1% E	2.0%	1.6%	2.2%	2.4%	3.2%	2.0%	1.9%	3.1%	2.1%	1.7%	1.9%	2.4%
Don't know/No answer	66	38	28	25	7	9	2	8	36	10	9	2	5	15	38	12	10	23	11	22
	3.2%	3.1%	3.4%	3.8% E	1.7%	2.6%	1.7%	3.7%	4.5% JKL	2.3%	2.1%	1.6%	2.6%	2.8%	3.2%	3.9%	3.2%	3.4%	2.9%	3.3%
CHI-SQUARE		<----11.898--->		<----------41.483---------->					<----------85.02---------->					<---------57.178--------->			<----------47.203---------->			
SIGNIFICANCE		99.2%		100.0%					100.0%					100.0%			100.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	1,013	513	426	939	74	27	18	10	7
	49.6%	67.9% CDE	56.8% E	62.4% CE	13.9%	21.5% HI	14.4% H	6.6%	6.7%
No	724	120	189	310	414	83	97	129	86
	35.4%	15.9%	25.3% BD	20.6% B	77.1% BCD	64.5%	77.6% F	86.1% F	88.2% FG
Do not go to bars/ taverns	198	87	84	171	27	6	7	7	4
	9.7%	11.5% E	11.2% E	11.3% E	5.0%	4.5%	5.6%	4.9%	3.9%
Depends	42	18	18	36	6	3	-	1	1
	2.1%	2.3%	2.4%	2.4% E	1.1%	2.6%		0.7%	1.2%
Don't know/No answer	66	18	32	50	16	9	3	3	-
	3.2%	2.4%	4.3%	3.3%	2.9%	7.0% H	2.4%	1.7%	
CHI-SQUARE		<----------732.978---------->				<----------25.717---------->			
SIGNIFICANCE		100.0%				99.8%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,055	81	204	433	86	81	170	517	538	120	217	190	211	305	686	48	241	68	876	179
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,053	102	202	368	125	87	169	537	516	101	185	195	214	345	668	45	261	66	873	180
Very likely	448	32	69	194	37	32	84	210	238	21	55	84	113	168	279	17	112	32	392	56
	42.5%	39.9%	33.7%	44.7% C	43.0%	39.5%	49.5% C	40.6%	44.3%	17.9%	25.1%	44.0% JK	53.6% JKl	55.1% JKL	40.8%	36.2%	46.4%	46.8%	44.8% T	31.2%
Somewhat likely	347	28	74	140	28	23	54	170	177	41	94	67	71	73	237	18	65	24	280	68
	32.9%	34.2%	36.3%	32.4%	32.6%	28.5%	31.9%	32.9%	32.9%	34.0% n	43.5% MN	35.3% N	33.7% N	23.9%	34.5% Q	36.8%	26.9%	34.9%	31.9%	37.7%
Not very likely	145	10	45	49	10	14	17	81	64	33	39	25	20	25	106	5	29	5	101	44
	13.7%	12.3%	22.2% BDEG	11.2%	11.0%	17.9% g	9.9%	15.6% i	12.0%	27.6% kLMN	17.9% MN	13.3% n	9.4%	8.2%	15.5% R	11.2%	12.0%	6.6%	11.5%	24.7% S
Not at all likely	88	7	15	39	9	8	9	45	42	20	21	11	5	29	49	7	27	5	78	10
	8.3%	8.7%	7.3%	9.1%	10.5%	9.9%	5.4%	8.8%	7.8%	16.7% LMn	9.7% M	5.9% m	2.5%	9.4% M	7.1%	14.2%	11.1% o	8.0%	8.9% t	5.3%
Depends	9	-	-	4	1	2	2	4	5	1	4	1	-	3	6	1	2	-	9	-
	0.8%			0.9%	0.7%	2.6%	1.3%	0.7%	0.9%	0.7%	1.7%	0.6%		1.0%	0.8%	1.7%	1.0%		1.0%	
Don' t know/No answer	19	4	1	7	2	1	3	8	11	4	5	2	2	7	9	-	6	2	17	2
	1.8%	4.8% c	0.5%	1.7%	2.1%	1.7%	2.0%	1.5%	2.1%	3.1%	2.1%	1.0%	0.8%	2.3%	1.3%		2.6%	3.6%	1.9%	1.0%
TOP 2 BOX	795	60	143	334	65	55	139	380	416	62	149	151	184	241	516	35	177	56	672	123
	75.4%	74.1%	70.0%	77.1% c	75.6%	68.0%	81.4% CF	73.5%	77.2%	51.9%	68.6% J	79.3% JK	87.3% JKLN	79.1% JK	75.3%	73.0%	73.4%	81.7%	76.7% T	69.0%
BOTTOM 2 BOX	232	17	60	88	19	22	26	126	106	53	60	37	25	54	155	12	56	10	179	54
	22.0%	21.1%	29.5% DG	20.3%	21.6%	27.8% G	15.3%	24.4% i	19.8%	44.4% KLMN	27.6% lMN	19.2% M	11.9%	17.6% m	22.6% r	25.4%	23.1%	14.7%	20.4%	30.0% S
CHI-SQUARE SIGNIFICANCE		<----------32.512----------> 96.2%*						<----3.832----> 57.1%*		<----------120.978----------> 100.0%*					<----------16.634----------> 83.6%*				<----30.599----> 100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,055	668	387	307	200	201	76	121	333	231	274	86	121	280	632	134	160	363	165	364
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,053	640	413	312	197	206	73	114	350	225	274	86	107	255	646	141	168	381	160	340
Very likely	448	277	171	133	70	87	38	56	144	96	128	46	31	83	291	66	84	156	75	130
	42.5%	41.4%	44.2%	43.3% e	35.2%	43.1%	49.6% E	46.1% e	43.4% M	41.7% M	46.7% M	53.3% jM	25.5%	29.7%	46.1% N	49.2% N	52.7% RT	42.9% t	45.7% T	35.7%
Somewhat likely	347	229	119	92	66	70	27	44	101	87	82	26	47	96	212	38	39	122	49	137
	32.9%	34.2%	30.7%	30.0%	33.3%	34.7%	35.3%	36.2%	30.4%	37.8% ik	29.9%	30.2%	38.7%	34.2%	33.6%	28.5%	24.3%	33.7% Q	30.0%	37.5% Q
Not very likely	145	97	47	45	42	27	6	12	44	26	37	10	27	60	74	10	19	46	20	60
	13.7%	14.6%	12.3%	14.7% g	20.9% dfGH	13.4%	7.4%	9.8%	13.1%	11.2%	13.6%	11.1%	22.6% IJkL	21.5% OP	11.7%	7.7%	11.7%	12.6%	12.4%	16.5%
Not at all likely	88	52	36	27	17	13	6	9	29	12	24	4	16	36	35	16	15	24	17	31
	8.3%	7.8%	9.2%	8.9%	8.4%	6.3%	7.7%	7.3%	8.7%	5.4%	8.7%	4.3%	13.2% JL	12.8% O	5.6%	12.2% O	9.3%	6.6%	10.2%	8.6%
Depends	9	5	4	5	2	1	-	-	4	3	1	1	-	3	4	1	1	3	2	2
	0.8%	0.7%	1.1%	1.5%	1.2%	0.6%			1.1%	1.2%	0.4%	1.2%		1.1%	0.7%	0.9%	0.8%	0.9%	1.2%	0.6%
Don' t know/No answer	19	9	10	5	2	4	-	1	11	6	1	-	-	2	15	2	2	12	1	4
	1.8%	1.3%	2.6%	1.6%	0.9%	1.9%		0.7%	3.2% K	2.7% k	0.5%			0.7%	2.4% N	1.5%	1.2%	3.4% qST	0.5%	1.1%
TOP 2 BOX	795	505	290	225	137	157	64	100	246	184	210	72	77	179	503	104	123	278	125	266
	75.4%	75.6%	74.9%	73.3%	68.5%	77.9% E	84.9% DE	82.3% DE	73.8% m	79.5% M	76.7% M	83.4% IM	64.2%	63.9%	79.7% N	77.7% N	77.1%	76.6%	75.7%	73.2%
BOTTOM 2 BOX	232	149	83	72	59	40	11	21	73	38	61	13	43	96	109	27	34	70	37	91
	22.0%	22.4%	21.4%	23.6% g	29.4% FGH	19.7%	15.1%	17.1%	21.9%	16.6%	22.4%	15.4%	35.8% IJKL	34.4% OP	17.3%	19.9%	21.0%	19.1%	22.6%	25.1% r
CHI-SQUARE		<----3.341---->		<----------20.197---------->					<----------34.41---------->					<---------47.935--------->			<----------20.487---------->			
SIGNIFICANCE		49.7%*				78.9%*					99.5%*				100.0%*				94.2%*		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,055	531	444	975	81	31	18	11	8
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,053	523	453	976	77	27	18	12	7
Very likely	448	251	185	436	12	4	-	3	3
	42.5%	47.2% E	41.8% E	44.7% E	15.0%	12.2%		23.8%	42.7%
Somewhat likely	347	176	147	323	24	10	7	2	-
	32.9%	33.2%	33.0%	33.1%	30.2%	31.5%	38.5%	22.4%	
Not very likely	145	63	58	121	24	10	7	2	1
	13.7%	11.9%	13.1%	12.5%	29.2% BCD	31.2%	40.8%	16.1%	15.8%
Not at all likely	88	31	43	73	14	6	3	-	3
	8.3%	5.8%	9.6% B	7.5%	17.8% BD	20.2%	17.1%		41.5%
Depends	9	6	3	9	-	-	-	-	-
	0.8%	1.1%	0.7%	0.9%					
Don' t know/No answer	19	4	8	13	6	2	1	4	-
	1.8%	0.8%	1.9%	1.3%	7.8% BD	5.0%	3.5%	37.7% FG	
TOP 2 BOX	795	427	332	759	36	13	7	5	3
	75.4%	80.4% CE	74.8% E	77.9% E	45.2%	43.6%	38.5%	46.2%	42.7%
BOTTOM 2 BOX	232	94	101	195	38	16	10	2	4
	22.0%	17.7%	22.7%	20.0%	47.1% BCD	51.4% H	57.9% H	16.1%	57.3%
CHI-SQUARE SIGNIFICANCE		<----------52.889----------> 100.0%*				<----------15.929----------> 80.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	955	91	186	393	74	69	141	424	532	114	201	183	177	267	607	43	217	72	792	163
	46.8%	54.9% CF	36.1%	51.4% CF	51.5% CF	37.5%	52.8% CF	42.8%	50.5% H	43.9%	48.9%	47.1%	44.7%	47.2%	47.0% P	36.3%	46.4% P	53.6% P	50.1% T	35.4%
No	1,005	71	313	340	64	103	113	524	481	139	203	196	201	261	647	66	221	58	722	282
	49.2%	42.9%	60.9% BDEG	44.5%	44.2%	55.7% BDEG	42.2%	53.0% I	45.6%	53.2% n	49.4%	50.5%	50.9%	46.2%	50.1%	55.9% R	47.4%	43.0%	45.7%	61.2% S
Depends	45	1	9	19	2	7	8	21	24	4	5	4	9	21	22	5	13	3	36	9
	2.2%	0.3%	1.8% B	2.4% B	1.5%	3.8% B	2.8% B	2.1%	2.3%	1.5%	1.2%	1.0%	2.3%	3.7% jKL	1.7%	4.5%	2.7%	2.3%	2.3%	2.0%
Don' t know/No answer	38	3	6	13	4	6	6	20	17	4	2	6	8	17	15	4	16	1	31	6
	1.8%	1.9%	1.2%	1.6%	2.9%	3.1%	2.2%	2.1%	1.6%	1.5%	0.5%	1.5%	2.1% K	3.0% K	1.2%	3.3%	3.4% Or	1.1%	2.0%	1.3%
CHI-SQUARE	<----------54.405---------->							<----12.154--->		<----------14.253---------->					<----------11.948---------->				<----33.918--->	
SIGNIFICANCE	100.0%							99.8%		92.5%					93.7%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	955	601	354	303	175	164	62	107	327	213	229	74	100	250	569	124	146	323	156	325
	46.8%	48.8% C	43.7%	45.3%	45.0%	46.9%	45.4%	50.9%	41.1%	46.5% i	53.4% IJ	59.5% IJM	47.7%	45.6%	48.6% P	41.2%	45.5%	47.9%	42.7%	48.3% s
No	1,005	585	420	334	205	177	70	97	431	224	186	47	103	286	554	157	152	317	199	331
	49.2%	47.4%	51.8% b	50.0%	52.9%	50.8%	50.9%	45.8%	54.3% jKL	48.8% L	43.5%	37.5%	49.2% L	52.1% o	47.3%	52.2%	47.4%	47.1%	54.4% qR	49.3%
Depends	45	27	18	18	6	2	3	4	18	14	5	1	6	10	24	10	12	20	7	7
	2.2%	2.2%	2.3%	2.7% F	1.6%	0.6%	2.2%	1.9%	2.2%	3.0% kl	1.2%	0.8%	2.6%	1.8%	2.0%	3.2%	3.7% T	2.9% T	1.8%	1.1%
Don' t know/No answer	38	19	18	13	2	6	2	3	19	8	8	3	1	3	24	10	11	14	4	9
	1.8%	1.6%	2.2%	2.0% E	0.6%	1.8%	1.5%	1.3%	2.3% M	1.7%	1.8%	2.1%	0.5%	0.5%	2.1% N	3.4% N	3.4% St	2.1%	1.1%	1.3%
CHI-SQUARE SIGNIFICANCE		<-----4.64----> 90.2%		<----------8.276----------> 59.3%					<----------28.636----------> 100.0%					<----------7.121----------> 87.0%			<----------13.392----------> 96.3%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	955	451	352	804	152	49	45	22	19
	46.8%	59.7% CDE	47.0% E	53.4% CE	28.2%	38.3% HI	36.2% HI	15.0%	20.0%
No	1,005	271	363	634	371	76	79	122	73
	49.2%	35.8%	48.5% BD	42.1% B	69.0% BCD	59.8%	62.9%	81.3% FG	75.5% FG
Depends	45	18	17	35	11	1	1	4	3
	2.2%	2.3%	2.3%	2.3%	2.0%	0.7%	1.0%	2.5%	3.5%
Don' t know/No answer	38	16	17	33	4	2	-	2	1
	1.8%	2.2% E	2.2% E	2.2% E	0.8%	1.2%		1.2%	1.1%
CHI-SQUARE		<----------153.713---------->				<----------28.729---------->			
SIGNIFICANCE		100.0%				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?

BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home- maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	938	90	189	386	67	65	140	418	519	102	183	180	193	265	597	47	210	72	770	168
	45.9%	53.9% CF	36.8%	50.5% CF	46.6% CF	35.4%	52.3% CF	42.3%	49.3% H	39.2%	44.6%	46.5% j	48.8% J	46.9% j	46.2%	39.2%	44.9%	53.5% Pq	48.7% T	36.4%
No	1,028	69	314	345	72	110	117	539	489	153	223	200	191	255	673	64	222	56	744	283
	50.3%	41.4%	61.0% BDEG	45.2%	50.0% b	59.5% BDeG	43.6%	54.5% I	46.4%	58.7% lMN	54.2% N	51.7% N	48.2%	45.0%	52.1% qR	53.8% r	47.5%	41.1%	47.1%	61.4% S
Depends	23	2	5	7	1	4	4	9	14	3	3	3	4	9	7	3	6	3	18	5
	1.1%	1.0%	1.0%	1.0%	0.9%	2.0%	1.5%	0.9%	1.3%	1.1%	0.7%	0.8%	1.0%	1.6%	0.5%	2.6%	1.3%	2.1%	1.1%	1.1%
Don' t know/No answer	55	6	6	26	4	6	7	23	32	3	2	4	8	37	15	5	29	5	50	5
	2.7%	3.7% c	1.2%	3.4% C	2.6%	3.2%	2.7%	2.3%	3.0%	1.0%	0.5%	1.1%	1.9% k	6.6% JKLM	1.1%	4.4%	6.2% O	3.4%	3.1% T	1.1%
CHI-SQUARE SIGNIFICANCE		<----------47.255----------> 100.0%						<----12.833---> 99.8%		<----------12.921----------> 88.5%*					<----------14.316----------> 97.4%*				<----25.722---> 100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?

BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	938	585	353	284	182	161	63	104	324	217	220	70	97	225	572	127	137	320	160	314
	45.9%	47.5% c	43.5%	42.5%	46.9%	46.0%	45.8%	49.6% d	40.8%	47.3% I	51.3% I	55.8% I	46.2%	41.1%	48.8% NP	42.3%	42.9%	47.5%	43.7%	46.6%
No	1,028	605	422	354	197	181	72	104	435	229	189	51	111	312	561	149	157	318	202	348
	50.3%	49.1%	52.1%	53.0%	50.8%	51.7%	52.8%	49.4%	54.8% KL	49.9% kl	44.0%	41.0%	53.1% KL	57.0% OP	47.9%	49.4%	48.9%	47.2%	55.2% R	51.7%
Depends	23	12	11	11	3	-	1	-	8	5	5	-	1	6	9	6	7	10	1	5
	1.1%	1.0%	1.3%	1.7%	0.9%		0.8%		1.1%	1.0%	1.2%		0.3%	1.0%	0.7%	2.0%	2.3% St	1.4% S	0.3%	0.8%
Don' t know/No answer	55	30	25	18	6	8	1	2	27	8	15	4	1	5	30	19	19	26	3	6
	2.7%	2.4%	3.1%	2.7% Gh	1.4%	2.3%	0.6%	1.0%	3.4% jM	1.7% m	3.4% M	3.2% m	0.4%	0.9%	2.6% N	6.4% NO	6.0% ST	3.9% ST	0.9%	0.9%
CHI-SQUARE		<----2.962---->		<----------12.158---------->					<----------21.502---------->					<---------15.203--------->			<----------11.83---------->			
SIGNIFICANCE		77.3%		85.6%*					99.4%*					99.6%			93.4%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	938	427	357	784	153	47	46	27	17
	45.9%	56.5% CE	47.7% E	52.1% E	28.5%	36.8% HI	36.8% HI	18.3%	17.0%
No	1,028	295	362	657	371	78	78	116	77
	50.3%	39.0%	48.4% BD	43.7% B	68.9% BCD	61.3%	62.6%	77.8% FG	79.4% FG
Depends	23	6	12	18	5	-	-	2	2
	1.1%	0.8%	1.7%	1.2%	0.9%			1.5%	2.4%
Don' t know/No answer	55	28	17	45	9	2	1	4	1
	2.7%	3.8% E	2.3%	3.0%	1.7%	1.9%	0.6%	2.4%	1.1%
CHI-SQUARE		<----------128.23---------->				<----------26.543----------			
SIGNIFICANCE		100.0%				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very comfortable	456	41	97	176	35	38	70	256	200	58	84	95	79	137	286	26	113	24	381	75
	22.3%	24.3%	18.8%	23.0% c	24.3%	20.3%	26.1% C	25.9% I	18.9%	22.3%	20.3%	24.6%	20.1%	24.2%	22.2%	21.6%	24.3% r	17.7%	24.1% T	16.2%
Somewhat comfortable	505	45	131	175	34	50	70	263	242	57	116	108	107	112	336	38	89	36	385	119
	24.7%	27.1%	25.5%	22.9%	23.7%	26.9%	26.1%	26.5% i	23.0%	22.0%	28.2% jN	27.7% N	27.0% N	19.8%	26.0% Q	32.2% Q	19.0%	26.7% q	24.4%	25.9%
Not very comfortable	508	30	150	191	33	44	60	219	290	87	101	97	97	122	328	27	109	38	370	138
	24.9%	18.1%	29.2% BeG	25.0% B	22.5%	23.8%	22.5%	22.1%	27.5% H	33.6% KLMN	24.6%	24.9%	24.5%	21.6%	25.4%	23.0%	23.3%	28.4%	23.4%	30.0% S
Not at all comfortable	464	42	113	178	32	45	55	201	263	50	101	70	91	146	284	22	117	31	358	107
	22.7%	25.1%	21.9%	23.3%	21.8%	24.3%	20.7%	20.3%	25.0% H	19.0%	24.4% L	18.2%	22.9%	25.7% JL	22.0%	18.8%	25.0%	22.9%	22.6%	23.1%
Depends	63	5	12	29	5	3	10	29	34	5	5	11	17	23	37	2	19	4	51	12
	3.1%	2.9%	2.3%	3.8% f	3.1%	1.7%	3.7%	2.9%	3.2%	1.9%	1.1%	2.7%	4.2% K	4.1% jK	2.9%	2.0%	4.0%	2.8%	3.2%	2.6%
Don' t know/No answer	47	4	12	16	7	5	3	22	25	3	5	7	6	25	19	3	21	2	36	10
	2.3%	2.5%	2.3%	2.1%	4.6% G	3.0%	1.0%	2.2%	2.3%	1.3%	1.2%	1.9%	1.4%	4.4% JKLM	1.5%	2.5%	4.5% Or	1.6%	2.3%	2.3%
TOP 2 BOX	961	86	228	351	69	87	140	519	442	115	200	203	186	249	623	64	202	60	767	194
	47.0%	51.4% c	44.3%	45.9%	48.0%	47.2%	52.2% Cd	52.5% I	41.9%	44.2%	48.6%	52.3% jN	47.0%	44.1%	48.2% q	53.8% Q	43.3%	44.4%	48.5% T	42.1%
BOTTOM 2 BOX	973	72	263	369	64	89	115	419	553	137	202	167	187	268	612	50	225	69	728	245
	47.6%	43.2%	51.1% beG	48.3%	44.2%	48.1%	43.1%	42.4%	52.5% H	52.6% L	49.1%	43.1%	47.3%	47.4%	47.4%	41.8%	48.3%	51.3%	46.0%	53.1% S
CHI-SQUARE SIGNIFICANCE		<----------20.957----------> 60.0%*						<----24.831---> 100.0%*		<----------42.017----------> 100.0%*					<----------17.579----------> 87.1%*				<----17.077---> 99.8%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very comfortable	456	292	164	149	79	83	37	46	178	92	105	28	46	118	252	82	80	145	72	158
	22.3%	23.7% c	20.2%	22.3%	20.4%	23.9%	27.2%	21.8%	22.4%	20.1%	24.5%	22.1%	21.8%	21.5%	21.5%	27.3% nO	24.8%	21.4%	19.6%	23.5%
Somewhat comfortable	505	300	205	172	99	79	33	63	168	119	127	42	44	141	306	53	73	159	91	178
	24.7%	24.4%	25.2%	25.7%	25.4%	22.6%	24.3%	29.9% f	21.2%	25.9% i	29.6% IM	33.8% IM	20.8%	25.6% P	26.1% P	17.6%	22.9%	23.7%	25.0%	26.5%
Not very comfortable	508	310	198	155	103	100	28	52	172	125	100	32	77	142	298	65	54	176	102	175
	24.9%	25.2%	24.5%	23.1%	26.5%	28.7% dg	20.8%	24.9%	21.6%	27.2% I	23.4%	25.2%	36.7% IJKL	25.9%	25.5%	21.7%	16.7%	26.0% Q	28.0% Q	26.0% Q
Not at all comfortable	464	269	195	154	91	75	32	37	222	107	69	19	38	127	259	70	86	168	81	127
	22.7%	21.9%	24.0%	23.0%	23.5%	21.4%	23.5%	17.7%	27.9% jKLM	23.4% KL	16.2%	15.4%	18.0%	23.2%	22.1%	23.2%	26.9% T	25.0% T	22.1%	18.9%
Depends	63	35	28	19	10	5	4	11	28	7	21	3	3	12	35	15	12	14	12	24
	3.1%	2.8%	3.5%	2.9%	2.5%	1.6%	3.1%	5.1% F	3.5% Jm	1.5%	4.8% JM	2.7%	1.6%	2.1%	3.0%	4.9% N	3.7%	2.1%	3.3%	3.6%
Don' t know/No answer	47	26	21	20	7	6	2	1	27	9	6	1	3	9	21	16	16	12	8	10
	2.3%	2.1%	2.6%	2.9% H	1.7%	1.8%	1.2%	0.5%	3.3% KLM	1.9%	1.4%	0.8%	1.2%	1.6%	1.8%	5.2% NO	5.0% RST	1.8%	2.1%	1.5%
TOP 2 BOX	961	592	369	321	178	163	70	109	346	211	232	70	89	258	558	135	153	304	163	337
	47.0%	48.1%	45.5%	48.0%	45.8%	46.5%	51.4%	51.8%	43.6%	46.0%	54.1% IJM	55.9% IjM	42.6%	47.1%	47.7%	44.9%	47.7%	45.1%	44.6%	50.1% r
BOTTOM 2 BOX	973	579	393	308	194	175	61	90	393	232	170	51	115	269	557	135	140	344	183	302
	47.6%	47.0%	48.5%	46.2%	50.0% h	50.1% h	44.3%	42.6%	49.6% Kl	50.6% Kl	39.6%	40.6%	54.7% KL	49.1%	47.6%	44.9%	43.6%	51.0% QT	50.1% q	44.8%
CHI-SQUARE SIGNIFICANCE		<----4.545----> 66.3%*		<----------17.881----------> 66.9%*					<----------64.603----------> 100.0%*					<---------18.088---------> 97.9%*			<----------26.372----------> 99.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Very comfortable	456	173	172	345	111	30	21	31	21
	22.3%	22.8%	23.0%	22.9%	20.6%	23.1%	16.6%	20.8%	21.7%
Somewhat comfortable	505	229	184	413	92	19	24	26	14
	24.7%	30.3% CE	24.5% E	27.4% E	17.1%	15.1%	19.2%	17.3%	14.7%
Not very comfortable	508	201	195	396	112	30	33	25	16
	24.9%	26.6% E	26.0% E	26.3% E	20.9%	23.6%	26.4%	16.8%	16.6%
Not at all comfortable	464	120	162	282	182	40	41	52	39
	22.7%	15.8%	21.7% B	18.7%	33.9% BCD	31.4%	32.7%	34.5%	40.5%
Depends	63	24	25	49	14	3	4	5	1
	3.1%	3.1%	3.3%	3.2%	2.7%	2.4%	3.4%	3.1%	0.5%
Don' t know/No answer	47	10	11	21	26	6	2	11	6
	2.3%	1.3%	1.5%	1.4%	4.8% BCD	4.4%	1.7%	7.4% G	6.0%
TOP 2 BOX	961	402	356	758	203	49	45	57	35
	47.0%	53.1% CE	47.5% E	50.3% E	37.7%	38.2%	35.8%	38.2%	36.4%
BOTTOM 2 BOX	973	321	357	678	295	70	74	77	56
	47.6%	42.5%	47.7% B	45.0%	54.8% BCD	55.0%	59.1%	51.3%	57.1%
CHI-SQUARE		<----------87.5---------->				<----------10.093---------->			
SIGNIFICANCE		100.0%*				39.2%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	43	146	162	45	56	69	283	244	71	100	128	111	110	363	38	87	28	398	129
Very likely	343	34	88	123	27	27	44	168	175	57	74	84	64	61	235	24	55	24	265	78
	63.8%	80.4% CDFG	59.3%	65.0% f	85.2% CDFG	50.8%	60.6%	59.6%	68.4% H	67.4%	62.1%	68.3%	59.4%	62.4%	62.1%	61.9%	67.0%	83.0% Opq	65.3%	59.2%
Somewhat likely	91	3	31	34	2	12	9	49	42	16	26	17	19	12	65	9	13	3	62	29
	16.9%	6.9%	21.2% BEg	17.8% BE	7.7%	21.8% BE	12.0%	17.4%	16.4%	19.2%	22.3% n	13.9%	17.5%	12.9%	17.1%	23.0%	15.3%	10.0%	15.4%	21.6%
Not very likely	25	-	10	10	1	-	4	17	7	5	1	5	6	6	18	1	3	-	15	9
	4.6%		6.8%	5.1%	3.7%		4.9%	6.1% i	2.8%	6.2% k	1.0%	3.8%	5.9% K	6.1% K	4.8%	2.0%	4.3%		3.7%	7.1%
Not at all likely	42	3	12	9	1	9	8	23	19	5	12	12	8	6	32	3	5	1	32	10
	7.8%	8.1%	8.3% E	4.9%	1.7%	16.0% DE	11.2% E	8.2%	7.4%	5.8%	10.1%	9.5%	7.2%	6.1%	8.5%	7.9%	6.0%	3.7%	7.8%	7.9%
Depends	27	-	5	9	-	6	6	16	10	1	5	4	9	6	21	2	4	-	24	3
	5.0%		3.3%	4.8%		11.5% c	8.9%	5.8%	4.1%	1.4%	4.4%	3.5%	8.4% J	6.1% j	5.5%	5.2%	4.7%		5.9% T	2.0%
Don' t know/No answer	10	2	2	4	1	-	2	8	2	-	-	1	2	6	7	-	2	1	8	3
	1.9%	4.5%	1.1%	2.4%	1.7%		2.5%	2.9%	0.9%			1.0%	1.7%	6.5% Lm	1.9%		2.6%	3.3%	1.9%	2.1%
TOP 2 BOX	434	36	120	157	29	39	53	217	217	73	100	101	83	73	299	33	67	26	327	107
	80.7%	87.4% fG	80.5%	82.8%	92.9% CDFG	72.6%	72.6%	77.0%	84.8% H	86.6% mn	84.4%	82.2%	76.8%	75.2%	79.2%	84.9%	82.4%	93.0% O	80.6%	80.9%
BOTTOM 2 BOX	67	3	22	19	2	9	12	40	26	10	13	16	14	12	50	4	8	1	47	20
	12.4%	8.1%	15.1% E	10.0%	5.4%	16.0% e	16.0% e	14.4%	10.2%	11.9%	11.1%	13.3%	13.1%	12.2%	13.3% R	9.9%	10.3%	3.7%	11.5%	15.0%
CHI-SQUARE SIGNIFICANCE	<----40.211----> 99.5%*							<----5.759----> 78.2%*		<----17.22----> 62.8%*					<----8.52----> 25.7%*				<----8.542----> 92.6%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	527	317	210	190	115	78	34	39	258	120	77	17	45	159	262	101	103	150	118	153
Very likely	343	210	133	126	74	47	24	23	160	79	56	12	29	112	165	62	65	93	74	109
	63.8%	63.6%	64.1%	65.5%	64.5%	60.9%	64.6%	56.0%	62.6%	63.5%	68.7%	73.8%	57.7%	63.3%	63.9%	64.6%	62.9%	63.3%	60.9%	67.0%
Somewhat likely	91	55	36	34	21	11	5	7	40	19	15	-	16	35	41	13	13	26	27	25
	16.9%	16.7%	17.2%	17.5%	18.5%	14.8%	14.7%	16.8%	15.7%	15.5%	18.8%		32.8% IJk	19.9%	16.0%	13.8%	12.7%	17.5%	22.3% q	15.3%
Not very likely	25	17	7	6	2	6	2	3	12	6	4	-	1	8	12	3	6	8	7	3
	4.6%	5.3%	3.4%	3.0%	1.6%	8.2% e	4.8%	6.0%	4.6%	4.9%	5.2%		2.8%	4.6%	4.5%	3.5%	5.8%	5.1%	5.8%	1.8%
Not at all likely	42	28	14	14	10	7	4	4	26	10	2	2	1	14	23	5	10	9	7	17
	7.8%	8.5%	6.8%	7.5%	8.3%	8.6%	9.6%	9.3%	10.3% KM	8.2% km	2.4%	10.5%	2.3%	8.0%	8.7%	5.6%	9.3%	6.1%	5.5%	10.3%
Depends	27	18	9	9	8	1	2	4	11	10	3	2	1	6	13	7	5	10	5	7
	5.0%	5.4%	4.2%	4.8% f	7.1% F	1.1%	6.2%	9.3% f	4.2%	8.0% m	3.6%	12.6%	2.2%	3.6%	5.1%	7.5%	5.1%	6.8%	4.0%	4.0%
Don' t know/No answer	10	2	9	3	-	5	-	1	7	-	1	1	1	1	5	5	4	2	2	2
	1.9%	0.5%	4.2% B	1.6%		6.4%		2.7%	2.7%		1.4%	3.1%	2.2%	0.5%	1.8%	4.9% n	4.3%	1.1%	1.5%	1.5%
TOP 2 BOX	434	266	168	160	96	59	29	30	200	98	71	12	45	147	207	75	78	119	101	134
	80.7%	80.3%	81.3%	83.1%	83.0%	75.6%	79.4%	72.8%	78.3%	79.0%	87.4% i	73.8%	90.5% Ij	83.2%	79.9%	78.5%	75.5%	80.8%	83.2%	82.4%
BOTTOM 2 BOX	67	46	21	20	11	13	5	6	38	16	6	2	3	22	34	9	16	17	14	20
	12.4%	13.8%	10.2%	10.5%	9.9%	16.8%	14.4%	15.3%	14.8% kM	13.0% m	7.6%	10.5%	5.1%	12.7%	13.2%	9.1%	15.1%	11.2%	11.3%	12.1%
CHI-SQUARE		<----1.668---->		<----------12.268---------->					<----------25.287---------->					<----------4.582--------->			<----------11.893---------->			
SIGNIFICANCE		20.3%*		27.5%*					93.5%*					19.9%*			54.6%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	538	-	-	-	538	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	527	-	-	-	527	119	123	148	98
Very likely	343	-	-	-	343	90	85	88	56
	63.8%				63.8%	70.5% HI	67.7%	58.5%	57.0%
Somewhat likely	91	-	-	-	91	18	22	30	18
	16.9%				16.9%	14.4%	17.3%	19.8%	18.3%
Not very likely	25	-	-	-	25	8	4	9	2
	4.6%				4.6%	5.9%	3.3%	6.3%	2.3%
Not at all likely	42	-	-	-	42	6	8	15	11
	7.8%				7.8%	4.7%	6.6%	10.0%	11.2%
Depends	27	-	-	-	27	3	5	7	8
	5.0%				5.0%	2.5%	4.3%	4.7%	8.1%
Don' t know/No answer	10	-	-	-	10	3	1	1	3
	1.9%				1.9%	2.0%	0.7%	0.7%	3.0%
TOP 2 BOX	434	-	-	-	434	109	106	117	73
	80.7%				80.7%	84.9%	85.1%	78.3%	75.4%
BOTTOM 2 BOX	67	-	-	-	67	14	12	24	13
	12.4%				12.4%	10.6%	9.9%	16.3%	13.5%
CHI-SQUARE	<----------.0---------->					<----------14.429---------->			
SIGNIFICANCE	.0%*					72.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Strongly support	861	79	220	321	65	57	120	389	472	77	156	169	180	269	534	43	211	63	666	195
	42.1%	47.3% F	42.7% F	42.0% F	44.9% F	30.5%	44.7% F	39.4%	44.7% H	29.7%	37.8% J	43.6% J	45.4% JK	47.6% JK	41.4%	36.5%	45.3% p	46.8%	42.1%	42.3%
Generally support	551	35	152	214	35	46	69	277	274	104	129	95	98	121	363	31	113	37	414	137
	27.0%	20.9%	29.6% B	28.0% B	24.4%	24.8%	25.7%	28.0%	26.0%	39.9% KLMN	31.4% LMN	24.5%	24.8%	21.4%	28.1%	25.7%	24.2%	27.7%	26.2%	29.6%
Generally oppose	250	21	72	80	18	32	28	115	135	30	56	53	48	60	171	11	50	14	187	63
	12.3%	12.5%	13.9% d	10.4%	12.4%	17.4% DG	10.6%	11.7%	12.8%	11.6%	13.6%	13.7%	12.1%	10.6%	13.2%	9.2%	10.7%	10.4%	11.8%	13.7%
Strongly oppose	291	27	59	108	23	40	34	164	126	40	60	55	55	79	183	27	58	16	235	56
	14.2%	15.9%	11.5%	14.1%	16.1%	21.6% CDG	12.6%	16.6% I	12.0%	15.3%	14.7%	14.2%	13.8%	13.9%	14.1%	22.7% OQR	12.3%	12.2%	14.9%	12.1%
Depends	39	2	7	21	1	2	6	19	20	2	5	8	8	15	20	4	12	2	32	7
	1.9%	1.0%	1.3%	2.7% bce	1.0%	1.2%	2.3%	1.9%	1.9%	0.9%	1.2%	2.1%	2.0%	2.6% j	1.5%	3.2%	2.6%	1.6%	2.0%	1.5%
Don' t know/No answer	51	4	5	21	2	8	11	24	27	7	5	7	8	22	21	3	23	2	47	4
	2.5%	2.3%	1.0%	2.8% C	1.2%	4.4% Ce	4.2% CE	2.5%	2.5%	2.7%	1.3%	1.8%	2.0%	3.8% Klm	1.7%	2.6%	4.8% OR	1.4%	3.0% T	0.8%
TOP 2 BOX	1,412	114	372	535	100	102	188	666	745	181	285	264	278	391	897	74	324	100	1,080	332
	69.1%	68.3% F	72.3% F	70.0% F	69.4% F	55.3%	70.3% F	67.4%	70.7%	69.5%	69.2%	68.2%	70.2%	69.0%	69.5%	62.2%	69.5%	74.4% p	68.3%	71.9%
BOTTOM 2 BOX	541	47	131	187	41	72	62	280	261	70	117	108	102	138	353	38	107	30	422	119
	26.5%	28.4%	25.4%	24.5%	28.4%	39.1% BCDEG	23.2%	28.3% i	24.8%	27.0%	28.3%	28.0%	25.8%	24.5%	27.4% q	31.9% q	23.0%	22.6%	26.7%	25.8%
CHI-SQUARE		<----------36.703---------->						<---12.482--->		<----------51.198---------->					<----------18.905---------->				<---4.928--->	
SIGNIFICANCE				98.7%*				98.6%*				100.0%*				90.9%*			70.5%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Strongly support	861	540	321	266	156	147	63	106	293	183	216	74	85	198	535	119	147	298	127	286
	42.1%	43.8% c	39.6%	39.8%	40.2%	41.9%	46.0%	50.4% DEf	36.9%	40.0%	50.5% IJM	59.0% IJkM	40.5%	36.2%	45.6% Np	39.7%	45.7% S	44.2% S	34.7%	42.5% S
Generally support	551	327	224	176	115	107	37	51	186	134	114	34	76	170	306	70	60	187	103	200
	27.0%	26.5%	27.6%	26.4%	29.7%	30.7%	27.2%	24.3%	23.5%	29.3% I	26.7%	27.2%	36.0% IK	31.0% oP	26.1%	23.3%	18.7%	27.8% Q	28.3% Q	29.8% Q
Generally oppose	250	154	97	79	55	52	13	19	114	61	40	10	23	66	140	42	39	74	58	78
	12.3%	12.5%	11.9%	11.9%	14.2% h	15.0% H	9.7%	9.2%	14.4% KL	13.3% kl	9.3%	7.7%	10.9%	12.1%	12.0%	13.9%	12.3%	10.9%	15.8% Rt	11.5%
Strongly oppose	291	162	129	111	54	36	18	26	151	63	42	8	23	94	142	50	55	89	58	86
	14.2%	13.2%	15.8%	16.6% F	13.8%	10.3%	13.0%	12.2%	19.0% JKLM	13.8% kL	9.8%	6.1%	10.9%	17.1% O	12.2%	16.6% o	17.2% t	13.2%	15.9%	12.8%
Depends	39	20	19	15	3	1	3	7	20	5	10	-	1	6	26	6	5	11	9	13
	1.9%	1.7%	2.3%	2.3% eF	0.8%	0.4%	2.4%	3.3% eF	2.5% jM	1.2%	2.3% m		0.6%	1.1%	2.2%	1.9%	1.5%	1.6%	2.4%	1.9%
Don' t know/No answer	51	29	22	20	5	6	2	1	30	10	6	-	2	14	22	14	15	15	11	10
	2.5%	2.3%	2.7%	3.1% EH	1.3%	1.7%	1.6%	0.5%	3.8% KM	2.3%	1.4%		1.0%	2.6%	1.9%	4.6% O	4.6% rT	2.3%	2.9%	1.5%
TOP 2 BOX	1,412	867	545	442	271	254	100	158	479	318	331	108	161	368	840	190	206	485	230	486
	69.1%	70.4%	67.2%	66.2%	69.9%	72.7% D	73.2%	74.8% D	60.4%	69.4% I	77.2% IJ	86.2% IJKM	76.6% Ij	67.1%	71.7% nP	63.0%	64.4%	72.0% QS	63.0%	72.3% QS
BOTTOM 2 BOX	541	316	225	190	109	88	31	45	265	124	82	17	46	160	283	92	94	163	116	163
	26.5%	25.7%	27.8%	28.5% H	28.0% h	25.3%	22.8%	21.4%	33.4% JKLM	27.2% KL	19.1%	13.8%	21.9% l	29.2% O	24.1%	30.5% O	29.4% rt	24.2%	31.7% RT	24.3%
CHI-SQUARE SIGNIFICANCE		<----5.921----> 79.5%*		<----------30.838----------> 98.6%*					<----------73.723----------> 100.0%*					<---------24.352---------> 99.8%*			<----------27.062----------> 99.2%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Strongly support	861	439	338	776	85	30	22	15	10
	42.1%	58.0% CDE	45.0% E	51.6% CE	15.8%	23.6% HI	17.5%	10.3%	10.5%
Generally support	551	198	226	425	126	31	31	31	20
	27.0%	26.3%	30.2% E	28.2% E	23.5%	24.1%	24.5%	20.8%	20.4%
Generally oppose	250	63	78	142	109	30	28	31	14
	12.3%	8.4%	10.4%	9.4%	20.2% BCD	23.6%	22.7%	20.8%	14.2%
Strongly oppose	291	32	72	104	187	27	36	67	48
	14.2%	4.3%	9.6% BD	6.9% B	34.8% BCD	21.2%	28.9%	44.5% FG	49.7% FG
Depends	39	9	17	26	13	6	2	3	2
	1.9%	1.2%	2.2%	1.7%	2.5%	4.3%	1.6%	1.8%	2.3%
Don' t know/No answer	51	14	19	33	18	4	6	3	3
	2.5%	1.9%	2.5%	2.2%	3.3%	3.2%	4.8%	1.9%	2.8%
TOP 2 BOX	1,412	637	564	1,201	211	61	53	46	30
	69.1%	84.3% CDE	75.2% E	79.8% CE	39.2%	47.7% HI	42.0%	31.0%	30.9%
BOTTOM 2 BOX	541	96	150	246	296	57	64	98	62
	26.5%	12.7%	20.0% BD	16.3% B	55.0% BCD	44.8%	51.5%	65.3% FG	63.9% F
CHI-SQUARE		<----------530.931---------->				<----------33.4---------->			
SIGNIFICANCE		100.0%*				99.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.