

POR-2003-1415



WAVE 8 SURVEYS

THE HEALTH EFFECTS OF TOBACCO
AND HEALTH WARNING MESSAGES
ON CIGARETTE PACKAGES

SURVEY OF ADULTS AND ADULT SMOKERS

FINAL REPORT

Prepared for: Health Canada

POR-03-69

Prepared by: Environics Research Group Limited

March 2004

pn5441

Environics Research Group Limited

33 Bloor Street East, Suite 900
Toronto, Ontario
Canada M4W 3H1

tel: 416.920.9010
fax: 416.920-3299
<http://www.environics.net>

117606 1040304

132.

278112

TABLE OF CONTENTS

1.0	INTRODUCTION	3
2.0	SMOKING STATUS	
	A. Smoking Behaviour and Brands.....	4
	B. Quit Attempts and Potential Quitters	4
		6
3.0	HEALTH EFFECTS OF SMOKING	9
	A. General and Top-of-mind Effects	9
	B. Sources of Information about Health Effects	12
	C. Specific Health Effects Caused by Smoking	14
	D. Specific Health Effects Caused by Second-Hand Smoke	21
	E. Health Effects Caused by Hydrogen Cyanide	25
4.0	HEALTH WARNING MESSAGES	27
	A. Recall and Reads per Day	27
	B. Impact of Current Messages	38
	C. Assessment of Current Messages	40
	D. Avoidance of Messages	42
5.0	SLIDE AND INSERT	43
	A. Recall and Reads per Day of Slide.....	43
	B. Assessment of Information on Slide	44
	C. The Insert	45
6.0	TOXIC SUBSTANCES	46
	A. Awareness of Toxic Substances.....	46
	B. Reads per Day and Impact of Information about Toxic Substances.....	51
	APPENDICES	
	Survey Methods	
	Questionnaires	

1.0 INTRODUCTION

Envronics Research Group Limited was commissioned by Health Canada to conduct surveys of the general population, including adult smokers and non-smokers. The main objective of the surveys was to provide information to assist in the evaluation of the impact of new health warning messages on tobacco packaging on public and consumer knowledge and behaviours. The new health warning messages began appearing on the major tobacco brands on approximately January 1, 2001 and on all brands as of approximately June 30, 2001.

The surveys assessed sources of information about the effects of tobacco, awareness and knowledge of the health effects of tobacco, and the extent to which specific diseases are believed to be caused by tobacco. As well, the surveys looked at perceptions of the health effects of chemicals or toxic substances in cigarettes, particularly hydrogen cyanide. The surveys also measured awareness and recall of the new warning messages on the exterior of the packages, as well as on the package slides and inserts, their effect on knowledge and behaviours, including behaviours intended to avoid the new labels. Finally, the survey examined awareness of chemicals or toxic substances present in cigarettes, and recall of the information on toxic chemicals printed on the side of cigarette packages.

One goal of these surveys was to conduct the sampling and questionnaire design to allow comparison with seven previous waves of surveys: surveys conducted by Environics in July and August 2003, after the labels had been appearing on all brands for approximately two years; surveys conducted in December 2002, after the labels had been appearing on most brands for almost two years; surveys conducted in July 2002, after the new labels had been appearing on all brands for at least a year; surveys conducted in November and December 2001, after the new labels had been appearing on all brands for at least six months; surveys conducted in July 2001, after the new labels had appeared on all brands; surveys conducted in March and April 2001, a few months after the new health warning messages were first introduced into the marketplace; and baseline surveys, which were conducted in November and December 2000 prior to the introduction of the new health warning messages into the marketplace.

The general population survey, which included adult smokers and non-smokers, is based on a sample size of 912 Canadians. This was conducted between November 28 and December 9, 2003. An additional oversample of 762 smokers was conducted to achieve a final sample size of 1,005 adult smokers. This survey was conducted between November 28 and December 20, 2003.

A survey based on a sample of 912 has a margin of error of approximately plus or minus 3.2 percentage points, 19 times in 20. The corresponding margin for a sample of 1,005 is plus or minus 3.1 percentage points, 19 times in 20.

This report summarizes the findings of the research for the adult general population and adult smokers. In the tables included in this report, we present results for the general population (GP), smokers (S), non-smokers (NS) and potential quitters (PQ). The sample sizes of these groups are:

General population:	912
Smokers:	1,005
Non-smokers:	669
Potential quitters:	630

Appended to this report are copies of the English and French questionnaires and a description of the survey methods.

2.0 SMOKING STATUS

A. Smoking Behaviour and Brands

From the survey, two in ten Canadian adults (20%) smoke cigarettes every day and five percent smoke occasionally. Among smokers, 87 percent smoke every day and 13 percent smoke occasionally.

More than five in ten Canadian adults (54%) report having smoked at least 100 cigarettes in their life. Almost all adult smokers (99%) say the same. Four in ten non-smokers (39%) also report having smoked at least 100 cigarettes in their life.

Among adult smokers who smoke every day, about one-half (48%) report smoking more than 15 cigarettes per day, which includes nine percent who say they smoke more than 25 cigarettes per day. About one-third (36%) say they smoke between ten and 15 cigarettes per day. Fifteen percent report smoking fewer than ten cigarettes per day.

Cigarette Consumption Per Day Everyday Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	DEC 2003
Less than 10 cigarettes per day	13	12	12	13	13	15	11	15
10 to 15 cigarettes per day	36	39	35	38	37	38	36	36
16 to 20 cigarettes per day	20	21	21	20	20	20	23	19
21 to 25 cigarettes per day	23	21	23	20	21	20	23	20
26 or more cigarettes per day	8	6	7	8	9	8	7	9

Q.3

On average, how many cigarettes do you smoke per day?

Subsample: Smoke every day

Cigarette Consumption

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Every day	25	89	-	88	23	88	-	87	25	87	-	85	20	89	-	88	22	84	-	82	18	84	-	82	16	86	-	85	20	87	-	87
Occasionally (less than every day)	5	11	-	12	5	12	-	13	6	13	-	15	5	11	-	12	6	16	-	18	6	16	-	18	7	14	-	15	5	13	-	13
Not at all	70	-	100	-	71	-	100	-	69	-	100	-	76	-	100	-	72	-	100	-	76	-	100	-	77	-	100	-	75	-	100	-

Q.1

At the present time, do you smoke cigarettes (manufactured or roll your own) every day, occasionally or not at all?

Among adult smokers who smoke every day, women and younger adults are more likely than average to report smoking 15 or fewer cigarettes per day.

Among adult smokers who smoke occasionally, eight in ten (81%) report smoking fewer than ten cigarettes per day. Thirteen percent smoke between ten and 15 cigarettes per day, and five percent smoke more than 15 cigarettes per day.

Among adult smokers, Player's Light Regular Size is most often mentioned as their regular brand of cigarettes (10%). Smaller proportions mention No. Seven Tobacco (7%), DuMaurier King Size (6%), Export "A" Regular Size (5%), Player's Light King Size (5%) and DuMaurier Regular Size (5%). Fifty-seven percent mention some other brand.

When adult smokers are asked if they smoke any other brands of cigarettes, seven in ten (72%) say they do not smoke any other brand.

Cigarette Consumption Per Day Occasional Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Less than 10 cigarettes per day	74	75	66	64	69	76	75	81
10 to 15 cigarettes per day	21	18	21	23	23	17	17	13
16 or more cigarettes per day	4	4	11	11	6	7	4	5

Q.4

On the days that you smoke, about how many cigarettes do you smoke?

Subsample: Smoke occasionally

B. Quit Attempts and Potential Quitters

Eight in ten adult smokers (80%) report having tried to quit smoking. Two in ten (20%) say they have not tried to quit smoking.

Among adult smokers who have tried to quit smoking, two-thirds (68%) say they have stopped smoking for at least 24 hours one or more times in the past year, in an attempt to quit smoking; this includes 23 percent who have tried once, 17 percent who have tried twice, nine percent who have tried three times and 19 percent who have tried more than three times. One-third (33%) say they have not attempted to quit smoking in the past year.

Among adult smokers who have tried to quit smoking, those who are older, those who smoke every day, those who are not potential quitters and those who smoke more than 25 cigarettes per day are more likely than others to say they have not attempted to quit smoking in the past year.

Quit Attempts Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Yes	77	79	78	77	79	78	80	80
No	23	21	22	23	21	22	20	20

Q.6

Have you ever tried to quit smoking?

Subsample: Smokers

Number of Times Tried to Quit Smoking Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Once	20	22	21	19	24	19	24	23
Twice	14	15	12	16	16	19	15	17
Three times	10	8	9	8	9	10	11	9
More than three times	16	14	14	16	18	18	17	19
Not in the past year	40	41	42	40	33	33	33	33
dk/na	1	1	2	*	1	1	*	*

* Less than one percent

Q.7

In the past year, how many times have you stopped smoking for at least 24 hours because you were trying to quit smoking?

Subsample: Smokers who have tried to quit smoking

When it comes to potential quitters, just over six in ten adult smokers (63%) report they are now seriously thinking of quitting smoking. Not surprisingly, this number is lower among those who have never tried to quit smoking, or who have not tried to quit in the past year.

Among adult smokers who are seriously thinking about quitting smoking, one-half (50%) say they will try to quit within the next 30 days. Forty percent say they will try to quit within the next six months. Six percent say they will not try within the next six months, and four percent do not know when they will try to quit.

Potential Quitters Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Yes	56	58	54	61	64	62	61	63
No	43	41	45	38	35	37	38	37

Q. 8a

Are you now seriously thinking of quitting smoking?

Subsample: Smokers

Potential Quitters Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Within the next 30 days	38	33	34	43	39	46	35	50
Within the next 6 months	45	48	49	44	48	41	48	40
Not within the next 6 months	9	10	11	9	8	10	12	6
dk/na	7	9	5	4	5	3	6	4

Q. 8b

When do you think you will try to quit?

Subsample: Smokers who are seriously thinking of quitting smoking

Among adult smokers who are seriously thinking about quitting smoking, the largest proportion say they would use will power to go "cold turkey" (48%) to try to quit. Almost four in ten would use the nicotine patch (37%). Smaller proportions would use Zyban (10%) or nicotine gum (9%). Twenty-four percent mention other ways or methods, and five percent do not know what methods they would use.

There has been no significant change since the July-August 2003 survey in the proportion of smokers who report that they are seriously thinking of quitting. The current survey suggests an increase in the proportion of potential quitters who think they will try to quit within the next 30 days; this may be related to the timing of the previous and current surveys. The current survey was in field in the month prior to New Year's Day – a time when a greater number of smokers may have been planning to try to quit as a New Year's resolution. Similar patterns were noted in the November-December 2001 survey and the November-December 2002 survey, both of which showed increases from the levels reported in surveys conducted in the summer. It should be noted, however, that the proportion who say they will quit in the next 30 days found in the current survey is greater than the proportions found in any previous survey.

Ways to Quit Smokers

	Nov-Dec 2000	MAR-APR 2001	JULY 2001	Nov-Dec 2001	JULY 2002	Nov-Dec 2002	JULY-AUG 2003	Dec 2003
Will power/cold turkey/just stop	47	50	48	45	50	47	45	48
Nicotine patch	23	25	21	31	31	37	36	37
Zyban	19	16	12	12	10	12	8	10
Nicotine gum	5	6	4	8	10	9	9	9
Cut back gradually	5	6	7	5	4	3	5	4
Chew gum/candy/food	1	3	2	3	5	4	5	3
More exercise/get physically fit	1	2	2	3	2	2	2	3
Distract yourself	*	1	2	1	1	1	1	2
Seek doctor/professional advice	2	1	1	1	1	1	1	2
Prescription drugs	*	–	2	1	2	2	2	1
Avoid other smokers/smoking situations	*	1	1	1	1	2	1	1
Self-help program	1	2	1	2	2	1	1	1
Hypnosis	2	2	2	1	2	1	1	1
Drink fluids	*	*	1	*	1	*	2	1
Acupuncture	1	1	1	1	1	1	1	1
Clinic/group program	2	*	–	1	*	1	1	*
Laser treatment	–	–	–	–	–	–	–	*
Mouthwash/spray	*	–	1	–	–	–	–	–
Other	3	2	3	2	2	1	4	4
None/nothing	*	1	*	1	1	*	*	–
dk/na	5	2	6	6	6	5	7	5

* Less than one percent

Q. 8c

If you were to quit smoking at some point in the future, what ways or methods do you think you would use?
Subsample: Smokers who are seriously thinking of quitting smoking

3.0 HEALTH EFFECTS OF SMOKING

A. General and Top-of-mind Effects

More than eight in ten Canadians (85%) think that cigarette smoking is a major health problem in Canada. One in ten (12%) think it is a minor problem. Only two percent think it is not a health problem. Among adult smokers, about seven in ten (72%) say it is a major health problem and about two in ten (22%) say it is a minor problem. Only four percent think it is not a health problem.

The results of the current survey show no significant change since July-August 2003 in the numbers of Canadian adults or adult smokers who say smoking is a major health problem.

The view that cigarette smoking is a major health problem in Canada is lower among smokers aged 35 or older. It is higher

among potential quitters, occasional smokers, those who smoke fewer than ten cigarettes per day and among those who have tried to quit at least once in the past year.

When asked, top-of-mind, what specific human health effects or diseases can be caused by smoking cigarettes, Canadian adults are most likely to mention lung cancer (52%). Smaller proportions mention cancer in general (37%), emphysema (30%), heart attack/disease/angina (28%), lung disease (21%), oral cancer including throat cancer (13%), asthma (12%) and respiratory problems/difficulty breathing/shortness of breath (10%). Fifty-five percent mention a variety of other human health effects or diseases.

Among adult smokers, the largest number mention lung cancer (48%), followed by cancer in general (35%), heart

attack/disease/angina (31%), emphysema (28%), lung disease (19%), asthma (11%), oral cancer including throat cancer (10%), respiratory problems (8%) and stroke (8%). Four in ten smokers (39%) mention other effects or diseases.

The results of the current survey show no significant changes since the July-August 2003 survey among either the general population or smokers in top-of-mind mentions of the health effects or diseases caused by smoking. In comparison with the baseline survey, there has been a decrease among the general population in the number who mention lung cancer, and increases in the numbers who mention cancer in general, emphysema and oral cancer. The number of adult smokers mentioning cancer in general and emphysema is higher in the current survey than in the baseline survey.

Smoking as a Health Problem

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Major	87	72	91	81	85	70	91	78	84	68	88	78	83	69	88	77	85	69	90	77	86	72	89	81	87	69	91	76	85	72	89	80
Minor	10	21	7	15	12	23	7	17	12	23	10	15	12	23	9	18	12	24	7	18	11	22	8	16	10	22	8	18	12	22	9	16
Not a problem	2	5	1	2	2	4	1	2	3	6	2	3	3	5	2	3	2	5	1	3	3	4	2	2	2	7	1	4	2	4	1	3
dk/na	1	2	1	1	1	3	1	2	2	4	1	4	2	3	1	2	1	2	1	1	1	2	1	2	1	3	1	2	1	1	1	1

Q.9

In general, do you think that cigarette smoking is a major health problem, a minor health problem or not a health problem in Canada?

Health Effects of Smoking – Top-of-mind

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Cancer – lung	57	49	59	51	59	53	59	53	58	49	58	50	58	46	61	48	54	47	55	46	58	48	59	50	54	49	54	49	52	48	54	51
Cancer in general	32	31	33	32	34	28	36	29	33	31	34	34	38	34	40	35	38	36	41	39	38	39	38	41	36	32	38	33	37	35	38	35
Emphysema	23	24	23	25	24	22	25	26	25	23	25	25	31	27	31	29	30	29	31	29	36	30	36	31	29	31	27	31	30	28	31	30
Heart attack/disease/argina	27	29	25	34	30	33	29	35	33	34	32	36	37	35	35	40	32	35	33	36	30	34	28	36	27	34	24	38	28	31	28	34
Lung disease/lungs (unspecified)	18	20	17	20	18	16	17	17	20	18	21	19	19	20	18	22	16	17	18	18	16	20	15	21	19	19	18	20	21	19	22	19
Cancer – oral (tongue, lips, mouth, throat)	7	7	8	8	14	9	15	9	11	11	11	11	14	12	15	12	11	12	11	13	15	11	14	12	11	10	11	10	13	10	14	12
Asthma	10	8	11	9	14	9	15	10	12	10	14	11	15	10	16	9	11	12	11	12	14	12	14	13	13	10	14	10	12	11	13	11
Respiratory problems/difficulty breathing/shortness of breath	8	8	9	9	9	8	9	9	9	8	9	10	14	11	14	12	14	11	14	12	11	8	12	9	9	9	10	11	10	8	10	9
Stroke	3	4	3	5	6	7	6	7	3	7	2	9	6	7	6	7	6	10	5	10	6	7	6	7	5	9	3	10	6	8	5	8
Bronchitis/chronic bronchitis	4	4	4	5	3	3	3	3	4	5	4	6	7	6	6	6	3	5	4	5	6	6	6	6	4	5	4	5	5	4	5	5
Second-hand smoke	2	1	2	1	1	1	1	1	2	1	2	1	2	1	2	1	4	1	5	1	2	2	2	1	2	1	2	1	4	2	4	1
Blood circulation problems/blood clots	5	4	5	5	6	4	7	4	4	4	4	5	5	6	5	6	3	6	3	6	6	5	5	6	3	5	3	6	3	4	3	5
Gum disease/tooth loss/mouth disease	1	1	2	1	3	2	3	3	3	4	2	1	3	4	2	4	4	4	3	4	2	5	2	5	3	4	3	3	3	4	2	4
Allergies	1	*	1	*	2	1	2	1	2	1	3	1	4	1	4	1	1	1	2	1	2	1	2	1	3	1	3	1	2	1	2	1
High blood pressure	1	1	2	1	3	1	4	2	2	2	2	2	4	3	3	3	3	1	3	2	3	2	4	3	3	2	2	3	2	2	2	2
Addiction	2	2	2	1	2	1	2	1	1	1	1	1	2	2	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	1	1
Bad breath	2	1	2	1	1	1	1	1	*	1	*	1	2	1	2	1	1	1	1	1	1	1	1	*	1	1	1	1	2	1	2	1
Yellow teeth/fingers/effect on appearance	2	1	2	1	*	1	1	1	3	2	3	2	2	2	2	2	1	1	1	1	2	2	3	2	1	1	1	1	2	2	2	2
Cancer – other	*	1	*	1	1	2	2	3	2	1	1	2	2	1	2	1	2	2	2	3	1	1	2	1	1	1	1	1	2	1	3	1
Cancer – breast	2	1	2	2	2	1	2	1	1	*	1	*	1	1	2	*	1	1	1	1	1	*	1	1	2	*	2	*	1	1	1	1
Brain damage/disease	*	*	*	*	*	*	–	–	1	1	1	4	1	2	1	2	*	1	*	1	2	1	1	1	1	1	1	1	1	1	1	1
Poor physical condition/loss of energy	1	2	2	3	2	2	2	2	1	1	1	2	3	3	3	4	2	2	3	2	2	2	2	2	1	1	1	1	1	2	2	3
Wrinkles/premature aging	1	1	1	1	2	1	2	1	1	1	1	2	2	2	2	2	1	1	*	1	2	1	2	1	1	1	1	1	1	1	1	1
Preterm birth/premature birth	1	1	1	1	1	1	1	*	2	1	2	1	2	1	3	1	1	*	1	*	1	1	1	1	1	1	1	*	1	1	1	1
Impotence/sexual dysfunction	*	*	*	*	2	3	1	3	1	2	1	2	2	2	1	2	1	2	1	2	1	3	1	2	1	2	1	2	1	2	1	2
Smaller babies/reduced growth of babies during pregnancy	1	1	1	1	2	1	2	2	1	1	2	1	2	1	2	1	2	1	2	1	1	*	1	*	1	1	*	1	1	1	1	1

* Less than one percent

Continued ...

Q.10

What specific human health effects or diseases, if any, can you think of that can be caused by smoking cigarettes? Are there any others?

Health Effects of Smoking – Top-of-mind Continued

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Coughing	*	1	*	1	*	*	*	1	1	1	1	2	2	2	1	2	1	1	*	1	1	1	1	1	1	1	1	*	1	*	1	*	
Death/premature death	1	*	1	*	1	*	1	1	1	*	1	-	2	1	2	1	1	*	1	*	1	*	1	1	1	1	1	1	1	*	1	*	
Effect on the fetus/unborn child	1	*	1	*	1	1	2	1	1	*	1	*	1	1	1	1	1	*	1	*	1	*	1	*	1	1	1	1	1	*	1	1	
Skin irritations/conditions	*	*	-	1	*	-	-	-	*	*	*	-	1	1	1	1	1	1	*	1	-	1	*	1	*	1	*	1	*	1	*	1	1
Throat disease/problems	-	*	-	*	1	*	1	*	1	1	1	1	1	*	*	*	1	1	*	*	1	1	1	1	1	1	*	1	*	1	*	*	
Diabetes	1	*	1	*	1	*	1	*	*	*	*	1	1	*	1	*	1	1	1	1	1	*	*	*	*	1	*	1	1	1	-	1	-
Eating/nutrition issues	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	*	*	*	*	1	*	1	*
Hardening of the arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
COPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
Headaches	*	*	-	*	*	1	*	1	*	*	*	1	1	1	1	1	1	1	1	2	*	1	1	1	*	1	*	1	1	1	1	1	1
Miscarriages/still births	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
Eye disease/problems	*	*	1	-	*	*	*	-	-	-	-	-	1	*	1	1	*	*	1	1	*	1	*	*	*	*	*	*	*	*	*	*	*
Liver damage/disease	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	1	*	*	*	*	*	*	*	*	*	*
Air pollution/environmental damage	1	1	1	1	*	*	*	*	1	*	1	*	1	1	*	1	1	*	1	*	*	1	1	*	*	*	1	1	*	*	*	*	
Birth defects/problems with pregnancy	-	-	-	-	-	*	-	-	*	-	*	-	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	*	*	*	-	
Stomach problems	*	*	*	-	*	*	*	*	1	1	1	1	*	1	1	1	*	1	1	1	1	1	1	1	1	1	1	1	*	1	*	*	
Kidney disease/problems	*	-	*	-	-	*	-	-	*	*	*	*	-	-	-	-	*	*	*	*	*	1	2	1	2	*	*	*	1	*	*	*	*
Osteoporosis/problems with bones	*	*	-	*	*	-	*	-	-	-	-	-	*	*	*	-	-	*	-	*	*	*	1	*	*	*	*	1	*	*	*	*	
Dizziness/nausea	-	*	-	*	-	*	-	-	-	*	-	1	1	1	1	1	-	*	-	*	-	*	-	*	-	*	-	*	*	-	*	-	-
Immune system problems	1	*	1	-	-	-	-	-	*	*	*	*	1	*	1	*	1	*	1	*	1	*	-	*	-	*	-	*	*	-	*	-	*
Arthritis	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	1	*	1	*	1	*	1	1	*	*	1	*	-	*	-	*	
Gangrene	*	-	*	-	*	*	*	*	-	-	-	-	*	-	1	-	-	*	-	-	*	*	*	*	-	*	-	*	-	*	-	*	
Fire accidents/burns	-	-	-	-	-	-	-	-	*	*	*	*	-	*	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-
Multiple Sclerosis	-	-	-	-	-	*	-	*	*	*	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other	1	2	2	2	2	3	3	4	2	2	2	4	3	1	4	1	1	2	2	1	2	2	1	2	4	4	4	6	5	4	5	4	
None	2	4	*	2	2	5	1	3	2	4	2	2	*	2	*	1	2	3	1	2	1	2	*	1	1	3	1	2	1	2	1	2	
dk/na	1	2	1	1	1	2	1	1	1	4	1	3	1	2	1	2	1	3	1	3	1	3	1	2	2	2	2	1	2	3	1	3	

* Less than one percent

* Less than one percent

Q.10

What specific human health effects or diseases, if any, can you think of that can be caused by smoking cigarettes? Are there any others?

B. Sources of Information about Health Effects

When asked, top-of-mind, where they have recently seen or heard information that talks about the health effects of smoking cigarettes, seven in ten Canadian adults (70%) mention television and three in ten mention newspapers (30%). Fewer mention cigarette packages (23%), magazines (16%), radio (15%), word of mouth/family/friends (11%), doctor/doctor's office (6%) and billboards (5%). Thirty-one percent mention other sources of information and six percent say nowhere.

Among adult smokers, more than seven in ten mention television (73%) and more than four in ten mention cigarette

packages (43%). Fewer mention newspapers (22%), radio (14%), magazines (12%), word of mouth/family/friends (9%), doctor/doctor's office (7%) and billboards (7%). Twenty-nine percent mention other sources and five percent say nowhere.

The current survey finds increases of five and eight points, respectively, since July-August 2003 among the general population and among adult smokers in the numbers who mention television as a source of information. The number of Canadian adults, and particularly adult smokers, who have seen health information on cigarette packages increased significantly between November-December 2000 and March-April 2001, and then remained essentially unchanged through July 2002. These numbers declined seven points among the

general population and ten points among adult smokers in the November-December 2002 survey, and then remained essentially unchanged in the July-August 2003 survey. The current survey finds a decline of five points among the general population and eight points among adult smokers in the numbers who have seen health information on cigarette packages; among the general population, this represents a return to the level found in the baseline survey, but among smokers, the number who have seen health information on cigarette packages is ten points higher than that found in the baseline survey.

Smokers aged 18 to 34 are more likely than smokers in general to mention seeing this information on cigarette packages.

Sources of Information About Health Effects

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Television	62	65	61	67	66	60	68	62	64	55	67	54	68	64	67	66	62	61	63	61	69	68	69	70	65	65	64	66	70	73	70	73	
Newspapers	25	21	27	21	30	22	34	21	27	21	30	22	34	21	35	21	31	24	33	24	33	24	34	24	28	21	29	24	30	22	32	22	
Cigarette packages	20	33	14	32	32	57	21	59	33	57	22	57	34	60	25	59	34	58	26	57	27	48	21	48	28	51	20	50	23	43	17	44	
Magazines	18	13	20	12	19	12	22	13	15	10	16	11	20	13	21	14	18	14	21	14	17	13	18	13	18	13	19	13	16	12	17	13	
Radio	11	9	12	10	13	10	13	11	11	10	13	10	15	12	14	12	13	13	13	14	13	13	13	14	12	11	13	13	15	14	16	15	
Word of mouth/family/friends	3	4	3	4	8	8	8	10	9	9	10	10	11	8	11	10	9	8	9	9	13	9	13	11	10	8	11	8	11	9	12	10	
Doctor/doctor's office	9	8	8	10	8	8	6	8	7	7	8	8	6	8	6	10	5	8	4	9	8	8	7	10	7	7	7	9	6	7	6	8	
Billboards	5	5	5	5	6	5	5	6	5	4	5	4	4	6	4	6	6	5	5	5	5	7	5	9	5	5	5	6	5	7	4	7	
Workplace	2	2	3	3	2	1	2	2	3	1	3	2	4	3	3	4	3	2	3	2	2	3	2	4	5	2	5	2	4	3	3	4	
News	4	4	4	3	3	3	2	3	7	6	6	6	3	3	3	3	5	3	5	3	2	3	2	4	5	3	5	3	3	2	4	2	
Internet/website	1	1	*	1	2	2	1	2	2	2	2	2	3	2	2	3	1	2	2	2	2	4	2	4	3	2	3	3	3	3	3	3	
School/university	3	3	3	4	2	2	2	2	2	2	3	2	4	3	3	3	2	2	2	1	4	2	5	2	2	1	2	1	3	4	3	3	
Advertising/media in general	1	1	1	*	1	*	1	*	1	1	1	1	1	1	1	1	*	1	*	1	1	2	*	2	2	1	2	2	2	1	2	1	
Hospitals/medical clinics	-	*	-	-	1	*	*	1	1	*	1	*	1	2	1	2	1	1	2	1	2	2	2	2	2	2	1	2	2	2	1	2	1
Pamphlets/brochures/flyers	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	
Health associations/agencies	1	*	1	*	1	*	2	1	1	1	1	1	1	1	1	*	1	1	1	1	1	*	1	1	1	*	1	*	2	*	2	1	
Bus/public transportation	*	*	*	*	*	*	-	-	1	-	1	-	2	1	1	1	1	1	1	1	3	2	3	3	1	2	1	2	2	2	2	2	2
Books/scientific journals	1	1	1	1	1	*	1	1	2	1	2	1	1	*	1	*	1	1	1	1	2	1	3	1	*	*	*	*	2	1	2	1	
Posters	1	*	1	1	*	-	*	-	1	*	2	1	1	1	*	1	1	1	1	1	2	1	3	2	1	1	1	1	1	1	*	1	*
Stores	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
Public areas and buildings	1	2	1	2	1	1	1	2	2	2	2	2	2	4	1	4	4	3	4	3	5	3	5	4	1	1	1	1	*	*	*	*	
Other tobacco product packages	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	2	*	1	*	1	1	2	1	2	*	2	*	3	*	2	-	2	
Everywhere	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Other	1	1	1	*	*	1	1	1	1	1	1	1	1	*	1	1	1	1	1	1	*	1	*	1	5	5	5	4	4	5	4	5	
Nowhere	9	7	10	5	6	3	7	4	5	5	6	5	4	3	5	3	8	4	9	4	5	4	6	3	8	5	10	4	6	5	6	4	
dk/na	2	1	2	1	2	1	2	1	2	1	2	1	2	1	3	1	1	1	2	2	1	1	2	1	1	1	1	1	1	1	1	1	
* Less than one percent																																	

*Less than one percent

Q.11

Thinking generally about information which talks about the health effects of smoking cigarettes, where have you seen or heard any of this kind of information recently? Anywhere else?

c. Specific Health Effects Caused by Smoking

In this section of the survey, respondents were read a list of health effects and diseases, and were asked the extent to which they agreed or disagreed that each can be caused by smoking cigarettes.

Nine in ten Canadian adults strongly agree that lung cancer (92%) can be caused by smoking cigarettes. Large majorities also strongly agree that smoking can cause throat cancer (79%), heart disease (74%), mouth cancer (73%) and emphysema (71%). Smaller majorities strongly agree that smoking can cause asthma (68%), chronic bronchitis (67%), gum or mouth diseases (63%), premature death (63%), smaller babies or reduced growth of babies during pregnancy (56%), stroke (56%), and wrinkles and premature aging (50%).

Fewer than half of Canadian adults strongly agree that smoking can cause premature birth or preterm birth (43%), blood clots (32%), miscarriages (27%), stomach ulcers (27%), impotence in men (21%), infertility (20%), bladder cancer (17%), gangrene (10%), hepatitis (6%), Multiple Sclerosis (6%), arthritis (6%), acne (6%) and Alzheimer's Disease (5%).

Among adult smokers, majorities strongly agree that lung cancer (83%), throat cancer (71%), heart disease (67%), emphysema (66%), asthma (61%), mouth cancer (61%), chronic bronchitis (59%), gum or mouth diseases (55%), stroke (54%) and premature death (52%) can be caused by smoking cigarettes.

Fewer than half of adult smokers strongly agree that smaller babies or reduced growth of babies during pregnancy (45%), wrinkles and premature aging (40%), premature birth or preterm birth (35%), blood clots (32%), impotence in men (23%), miscarriages (21%), stomach ulcers (20%), infertility (18%), bladder cancer (13%), gangrene (7%), acne (7%), Alzheimer's Disease (6%), arthritis (5%), Multiple Sclerosis (5%) and hepatitis (5%) can be caused by smoking.

The results of the current survey suggest that there have been slight decreases since the July-August 2003 survey in the proportions of Canadian adults who strongly agree that smaller babies can be caused by smoking cigarettes. Comparison with the baseline survey suggests that there have been decreases since 2000 in the numbers of Canadian adults who strongly agree that throat cancer, asthma, chronic bronchitis, premature death, smaller babies, wrinkles and premature aging, blood clots, stomach ulcers, acne, Multiple Sclerosis and Alzheimer's Disease can be caused by smoking.

Among adult smokers, the current results suggest that there have been slight increases since the July-August 2003 survey in the numbers who strongly agree that asthma and stomach ulcers can be caused by smoking. Comparison with the baseline survey suggests that there have been increases since 2000 in the numbers who strongly agree that gum or mouth diseases, stroke, impotence in men, miscarriages, blood clots and infertility can be caused by smoking.

Among smokers, potential quitters are more likely than non-potential quitters ("hard-core" smokers) to strongly agree that smoking can cause many of these human health effects and diseases, notably heart disease, asthma, lung cancer, emphysema, blood clots, stroke, throat cancer, gum or mouth diseases, premature death, premature birth, smaller babies and chronic bronchitis. Occasional smokers more likely than everyday smokers to strongly agree that smoking can cause lung cancer, mouth cancer, throat cancer, premature death, smaller babies, heart disease, stroke and infertility.

Younger adult smokers are more likely than smokers in general to strongly agree that smoking can cause most of these health effects and diseases. Female smokers are more likely than male smokers to strongly agree that smoking can cause mouth cancer, wrinkles and premature aging, and premature birth. Male smokers are more likely to strongly agree that smoking can cause miscarriages.

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Lung cancer																																
Strongly agree	94	82	96	88	92	81	94	87	91	78	95	84	90	80	93	86	90	81	93	86	92	82	95	88	89	81	92	85	92	83	95	88
Somewhat agree	5	12	3	9	6	13	4	10	6	16	3	12	8	13	6	10	8	13	6	10	7	14	5	11	9	13	7	10	6	12	5	9
Somewhat disagree	*	2	*	2	1	2	1	1	1	2	1	1	1	3	1	2	1	2	*	2	1	1	1	1	1	3	1	3	*	2	-	1
Strongly disagree	1	3	*	1	1	2	1	2	1	3	1	1	1	3	*	2	1	2	*	1	*	2	*	*	*	3	*	2	1	2	1	1
dk/na	*	*	*	*	1	1	1	*	*	2	-	1	*	1	-	1	*	1	*	*	*	1	-	*	1	1	*	1	*	1	*	1
Throat cancer																																
Strongly agree	85	71	87	79	82	68	84	74	80	67	84	74	80	70	84	75	78	67	83	72	81	72	83	77	80	69	83	73	79	71	83	77
Somewhat agree	11	22	10	17	14	23	11	19	13	23	12	18	17	22	14	19	18	25	14	21	14	22	13	19	16	23	13	20	16	22	14	19
Somewhat disagree	1	2	*	1	1	4	2	3	1	4	1	2	2	3	1	3	2	3	1	5	2	2	1	1	2	3	2	3	2	3	1	2
Strongly disagree	1	3	1	2	1	3	1	2	3	3	2	1	1	3	*	1	1	3	1	3	1	3	*	1	1	4	1	3	2	3	1	2
dk/na	2	1	2	1	2	3	2	1	2	3	2	5	1	2	*	2	2	3	1	3	2	2	2	1	1	1	1	1	1	1	1	1
Heart disease																																
Strongly agree	76	65	78	73	73	64	75	71	70	63	70	72	75	67	76	75	73	65	76	72	73	67	74	74	72	66	72	73	74	67	77	73
Somewhat agree	18	24	17	20	19	26	18	23	22	23	22	19	19	22	18	19	21	26	19	21	20	25	20	21	21	23	21	20	18	25	16	21
Somewhat disagree	3	5	2	4	3	3	2	2	3	5	3	3	2	5	2	3	4	5	3	4	4	3	4	2	3	5	4	3	3	3	3	3
Strongly disagree	2	5	1	2	2	5	2	3	3	6	2	3	2	4	1	2	1	3	1	2	2	4	1	2	2	5	2	3	3	4	3	2
dk/na	1	1	1	1	3	2	4	1	3	3	3	3	2	2	2	1	1	1	1	1	2	2	1	1	2	1	2	1	2	1	2	1
Mouth cancer																																
Strongly agree	73	60	78	68	73	56	77	62	72	58	76	66	72	62	77	67	73	61	78	68	76	63	78	69	73	62	76	65	73	61	77	66
Somewhat agree	16	25	13	21	18	26	16	25	19	26	16	23	20	24	19	22	19	24	17	22	16	24	15	22	20	26	18	26	19	26	16	24
Somewhat disagree	3	6	2	3	3	8	2	5	4	7	3	5	4	6	2	4	3	6	2	5	4	4	3	3	3	5	3	4	3	4	2	4
Strongly disagree	3	5	3	3	3	5	2	5	3	6	2	3	2	5	1	4	2	5	1	3	1	5	1	3	2	5	1	4	3	5	2	4
dk/na	5	4	5	4	3	4	3	2	3	4	3	3	2	4	2	3	3	4	2	3	3	3	3	3	2	2	2	2	2	2	2	2

* Less than one percent

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Emphysema																																
Strongly agree	74	64	76	70	72	63	75	70	68	57	72	64	72	63	75	68	71	64	73	70	73	66	73	71	69	63	70	68	71	66	74	71
Somewhat agree	12	18	11	17	13	16	11	13	15	21	12	18	12	19	10	17	13	19	11	16	13	17	13	15	14	19	12	15	14	18	12	16
Somewhat disagree	3	4	3	3	3	5	2	4	4	6	4	4	3	5	4	4	4	5	3	3	4	5	3	4	4	4	4	4	5	5	4	4
Strongly disagree	5	6	3	4	2	4	2	4	3	6	2	4	2	5	2	3	1	4	1	3	2	4	2	3	3	5	3	4	2	4	2	3
dk/na	6	8	6	6	9	11	10	10	10	10	9	10	11	9	10	8	11	8	12	8	8	8	8	8	11	9	11	9	7	7	7	6
Asthma																																
Strongly agree	74	61	76	65	71	56	74	61	63	55	66	62	70	58	73	64	65	56	69	61	68	62	70	66	66	56	70	62	68	61	70	67
Somewhat agree	17	23	17	21	19	27	17	25	23	26	21	23	20	23	20	21	21	26	20	22	21	23	21	21	22	26	21	23	21	23	21	21
Somewhat disagree	4	7	3	7	5	7	4	6	5	8	5	7	5	8	4	7	7	8	6	8	4	7	3	5	5	8	4	7	4	6	4	3
Strongly disagree	4	7	3	5	4	7	3	6	5	8	4	5	3	8	2	6	4	7	3	6	4	6	4	5	3	8	2	6	4	7	3	6
dk/na	1	3	1	3	2	3	2	2	4	4	3	3	2	3	1	3	3	3	2	3	3	2	2	2	4	2	3	2	2	2	2	2
Chronic bronchitis																																
Strongly agree	71	59	75	64	68	53	72	60	64	52	68	61	67	58	70	64	65	55	69	61	68	58	70	64	66	57	68	61	67	59	69	67
Somewhat agree	20	25	19	23	22	31	20	29	24	30	23	27	23	27	22	24	25	28	23	25	21	28	20	26	22	28	21	27	24	27	23	22
Somewhat disagree	3	6	2	5	3	6	2	3	4	6	2	4	6	7	4	5	4	6	3	6	5	6	4	5	4	5	4	4	4	7	3	5
Strongly disagree	3	6	3	4	4	6	2	4	3	7	2	4	2	5	1	3	2	5	2	3	3	5	4	4	4	6	3	5	3	5	2	3
dk/na	3	4	2	4	3	5	3	4	5	6	5	5	3	3	3	4	4	5	4	5	2	3	2	2	4	3	4	3	3	3	3	3
Gum or mouth diseases																																
Strongly agree	63	49	67	56	62	48	66	53	61	51	65	59	63	55	66	60	61	53	64	59	63	55	64	62	64	56	65	60	63	55	68	61
Somewhat agree	20	29	19	25	23	33	21	32	26	27	26	26	25	28	25	27	27	29	26	26	25	30	25	29	26	29	26	27	25	31	21	28
Somewhat disagree	6	9	6	8	5	8	3	7	5	9	4	6	5	6	4	5	5	8	4	7	5	6	5	5	3	6	2	6	4	6	4	5
Strongly disagree	6	9	4	6	5	8	4	6	4	8	2	4	4	7	1	5	4	7	3	5	4	6	4	3	4	6	3	4	4	6	3	4
dk/na	5	4	4	5	5	4	6	3	4	5	3	5	3	4	3	4	3	3	3	2	2	2	3	2	4	3	4	2	3	2	4	2
Premature death																																
Strongly agree	67	49	73	57	61	46	67	54	61	48	65	57	64	50	69	55	61	47	67	53	58	52	70	61	63	51	66	57	63	52	68	58
Somewhat agree	20	25	19	23	21	26	19	24	22	25	21	22	21	25	18	25	24	26	22	25	21	25	19	23	21	26	19	23	21	24	20	23
Somewhat disagree	4	11	3	10	6	9	4	8	7	9	6	8	7	10	6	9	8	12	5	12	5	10	3	7	5	9	5	8	7	10	5	7
Strongly disagree	5	10	4	7	7	13	4	10	6	12	4	7	5	11	4	8	4	10	3	7	4	9	3	6	5	11	4	8	5	10	4	8
dk/na	4	5	2	4	6	6	6	5	4	6	4	6	3	4	3	4	3	5	3	4	3	4	4	3	5	3	6	3	3	4	3	5

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Smaller babies/reduced growth of babies during pregnancy																																
Strongly agree	65	43	70	55	62	41	67	43	56	44	60	51	59	44	64	47	57	43	63	47	62	47	66	51	60	45	65	47	56	45	62	51
Somewhat agree	18	23	16	21	20	27	17	27	24	25	24	25	24	28	23	28	25	26	24	25	22	26	22	27	23	25	21	27	25	25	23	24
Somewhat disagree	5	9	4	9	5	10	4	11	5	10	4	7	6	11	4	11	6	10	3	9	6	9	6	9	5	10	3	9	6	11	5	9
Strongly disagree	6	12	4	9	6	13	4	11	6	13	3	9	4	11	1	8	6	12	4	10	5	12	3	9	5	13	4	9	6	12	4	10
dk/na	7	8	6	7	8	9	8	8	8	9	9	7	7	7	7	6	6	9	6	9	5	6	4	4	7	7	7	7	7	7	6	7
Stroke																																
Strongly agree	52	42	56	48	49	42	53	48	46	44	46	53	46	45	46	49	52	48	53	54	52	47	53	54	56	51	55	56	56	54	57	60
Somewhat agree	25	26	24	26	23	26	22	24	26	23	27	21	27	23	28	24	25	27	25	25	27	30	26	28	27	29	27	28	29	27	28	27
Somewhat disagree	7	9	6	7	8	9	7	7	9	9	9	8	7	9	7	8	8	8	7	8	8	9	7	6	9	6	7	7	8	7	5	
Strongly disagree	6	11	4	8	7	10	5	9	7	10	5	6	7	10	5	7	6	8	5	5	5	9	5	6	4	7	4	5	6	8	5	5
dk/na	10	12	9	11	13	13	13	11	13	14	13	12	13	13	14	12	9	10	9	8	7	6	7	5	6	4	8	3	3	3	3	3
Wrinkles and premature aging																																
Strongly agree	56	43	60	51	52	36	57	42	47	35	50	42	51	38	54	42	48	35	53	40	51	40	54	47	48	37	50	41	50	40	55	45
Somewhat agree	19	23	19	21	21	27	21	27	24	26	24	24	24	26	24	27	26	28	24	27	24	26	24	26	25	26	25	27	24	26	22	26
Somewhat disagree	10	13	9	12	9	13	7	12	10	13	8	12	11	13	11	11	11	16	8	16	12	14	10	11	9	14	8	13	11	14	10	11
Strongly disagree	10	15	8	11	11	17	8	13	11	19	9	15	8	17	5	13	9	15	8	12	7	16	7	11	10	18	8	14	10	15	9	13
dk/na	5	6	4	6	7	7	7	6	8	6	8	7	7	6	6	7	7	5	8	5	6	5	6	4	8	5	9	5	4	5	4	5
Premature birth or preterm birth																																
Strongly agree	46	32	50	36	42	29	46	32	40	31	44	35	43	33	46	38	44	31	50	34	46	35	48	39	43	33	46	37	43	35	48	41
Somewhat agree	26	29	27	29	32	28	30	30	30	30	28	30	30	31	31	31	28	30	26	31	27	29	27	30	27	27	27	29	30	27	30	27
Somewhat disagree	9	12	8	11	10	15	8	15	10	14	9	14	10	13	8	13	11	15	8	14	10	14	9	12	10	14	9	13	10	15	9	11
Strongly disagree	8	12	6	9	6	14	3	12	7	14	5	10	5	13	4	10	5	12	3	9	7	14	5	11	7	15	4	10	6	13	4	11
dk/na	11	14	9	14	12	13	12	12	13	11	14	11	11	10	12	9	13	11	14	12	11	9	10	8	13	12	13	11	10	10	9	10

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Blood clots																																
Strongly agree	36	26	37	31	29	26	31	31	29	26	30	31	28	30	28	32	28	28	29	32	31	30	29	36	33	32	31	37	32	32	33	38
Somewhat agree	27	29	26	28	32	29	33	29	30	30	32	31	38	31	38	33	31	32	31	31	33	32	35	32	29	27	32	27	33	32	33	32
Somewhat disagree	14	18	14	19	12	15	10	14	15	14	13	11	13	15	14	13	18	16	14	14	13	15	12	14	11	14	12	12	13	13	13	11
Strongly disagree	8	13	7	10	8	13	7	11	8	14	6	11	6	12	4	9	8	11	7	8	8	12	8	8	9	13	9	9	8	13	6	9
dk/na	16	13	16	12	19	17	20	16	18	16	18	16	14	13	16	12	16	13	18	14	14	11	15	11	17	14	16	15	13	10	14	10
Miscarriages																																
Strongly agree	29	17	34	20	24	17	25	19	26	18	28	21	27	20	30	21	29	19	33	21	25	21	25	24	29	21	30	24	27	21	31	24
Somewhat agree	31	27	32	28	35	29	36	30	30	26	33	29	33	29	34	31	32	29	33	29	34	27	37	27	31	25	33	29	32	27	33	29
Somewhat disagree	14	19	12	19	13	19	11	20	15	19	13	17	16	17	16	19	16	21	13	20	18	19	16	20	11	17	10	16	16	21	13	17
Strongly disagree	10	19	8	15	10	19	8	18	10	19	7	13	8	18	5	15	8	16	6	13	8	19	6	15	11	21	8	16	10	18	9	14
dk/na	15	18	14	18	18	16	20	13	19	18	19	20	15	16	15	14	15	15	16	16	15	14	15	13	19	15	20	15	15	13	14	15
Stomach ulcers																																
Strongly agree	31	20	34	25	25	16	28	19	23	17	24	22	21	17	22	19	25	18	27	21	25	20	26	24	24	16	25	19	27	20	29	24
Somewhat agree	27	29	27	30	30	28	32	30	33	29	34	31	38	30	41	32	31	30	32	30	31	29	32	30	31	32	30	33	30	28	31	30
Somewhat disagree	16	21	15	19	17	21	15	19	20	20	20	18	19	22	18	20	19	24	19	23	19	21	19	21	19	21	19	20	21	22	20	19
Strongly disagree	12	21	9	17	14	21	9	19	13	21	10	17	12	21	8	17	12	19	10	15	13	21	11	17	13	21	11	16	12	20	8	17
dk/na	14	10	15	9	14	14	16	13	12	13	12	12	11	10	12	12	12	10	12	10	12	9	12	8	14	10	15	11	11	10	12	11
Impotence in men																																
Strongly agree	20	14	23	18	21	16	22	17	21	19	21	23	19	22	19	24	20	19	22	22	20	23	21	28	23	22	22	25	21	23	22	27
Somewhat agree	28	23	30	25	29	26	30	29	26	25	27	27	33	29	33	31	33	29	33	29	33	31	32	31	26	27	28	29	32	30	33	31
Somewhat disagree	18	19	17	19	14	18	12	16	15	17	17	16	17	17	19	15	19	18	18	18	17	15	16	14	15	16	15	17	17	16	17	15
Strongly disagree	15	26	12	20	15	23	10	19	15	23	10	17	11	18	8	15	11	22	8	17	11	19	11	16	12	21	11	16	12	19	9	14
dk/na	19	18	19	18	22	17	26	18	23	17	25	18	20	14	22	14	17	13	19	13	18	12	20	11	23	15	25	13	17	13	19	13

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Infertility																																
Strongly agree	19	12	22	16	16	13	16	15	16	14	17	18	16	15	17	17	18	14	21	16	17	17	17	21	20	16	21	16	20	18	22	22
Somewhat agree	28	22	29	23	30	22	34	23	29	24	31	27	33	28	34	32	30	25	32	26	30	27	32	29	26	27	27	29	30	27	32	29
Somewhat disagree	18	24	17	24	18	22	15	21	20	22	19	21	20	19	21	18	23	24	20	24	21	22	20	21	17	21	15	21	20	20	19	17
Strongly disagree	16	27	11	22	14	24	10	21	13	21	10	15	13	24	9	20	11	22	8	18	14	22	12	19	15	22	13	19	15	23	12	19
dk/na	20	15	21	16	23	19	26	20	22	19	23	19	19	14	19	14	18	15	19	16	18	12	19	11	21	15	23	15	15	13	16	13
Bladder cancer																																
Strongly agree	20	11	23	13	15	11	17	11	13	12	13	16	18	13	18	13	14	11	17	12	15	13	15	16	14	12	15	14	17	13	19	15
Somewhat agree	21	19	21	22	22	22	22	24	28	19	32	21	23	20	25	22	23	21	24	22	23	23	23	24	24	22	24	23	23	22	23	24
Somewhat disagree	23	26	22	24	22	22	21	21	22	25	22	25	27	25	28	27	26	26	25	28	27	25	27	23	23	24	23	24	25	25	25	24
Strongly disagree	15	26	12	22	16	25	13	21	14	23	11	18	14	24	10	20	15	25	12	20	15	23	14	20	16	25	14	20	16	24	13	21
dk/na	21	19	21	19	24	21	28	23	23	20	22	20	18	18	18	19	22	18	23	20	20	15	21	16	23	17	24	19	19	15	20	16
Gangrene																																
Strongly agree	13	6	15	7	9	5	11	7	8	4	9	5	8	8	9	9	7	5	7	6	9	6	9	7	8	5	8	6	10	7	12	9
Somewhat agree	16	12	17	12	16	11	18	13	15	11	17	13	19	12	21	13	13	11	14	12	18	13	20	13	18	11	19	12	14	12	15	13
Somewhat disagree	22	23	21	23	19	21	19	21	20	23	21	24	24	21	26	20	24	24	24	24	25	22	26	22	20	23	19	22	23	24	23	24
Strongly disagree	26	41	23	38	29	38	23	34	28	41	24	35	28	40	24	39	30	41	27	37	26	43	22	41	26	40	25	37	31	39	27	34
dk/na	23	19	24	21	27	24	29	26	28	22	28	23	20	19	21	19	25	20	28	21	23	17	23	17	28	21	30	23	22	18	24	20
Acne																																
Strongly agree	11	5	11	6	6	4	7	6	6	4	7	5	5	4	5	4	6	4	6	4	5	5	4	6	5	5	6	6	6	7	6	8
Somewhat agree	12	10	14	12	18	13	19	14	15	11	16	12	15	12	17	14	14	10	16	12	16	11	19	12	15	10	15	11	15	12	18	13
Somewhat disagree	26	26	25	27	21	23	23	23	25	22	28	23	29	24	30	24	29	26	29	26	31	27	30	27	24	23	25	24	28	27	27	25
Strongly disagree	33	46	30	41	33	43	27	40	32	46	27	41	31	45	27	41	30	45	26	41	30	46	29	42	31	47	27	42	33	42	28	38
dk/na	18	13	20	14	22	17	25	18	22	18	22	19	19	15	21	17	21	15	24	17	17	12	18	13	24	16	27	17	18	13	20	15

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

Specific Health Effects Caused by Smoking

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Multiple Sclerosis																																
Strongly agree	10	5	11	5	6	4	7	5	4	3	5	4	5	4	5	5	5	4	5	4	5	5	5	6	6	6	5	6	6	5	6	5
Somewhat agree	12	11	10	13	12	11	12	11	14	11	16	11	16	12	17	12	16	13	16	15	15	14	15	16	11	10	12	11	14	13	16	14
Somewhat disagree	27	24	28	24	19	22	18	22	25	24	26	24	26	22	28	22	23	24	23	24	27	23	28	23	22	24	21	26	26	25	26	26
Strongly disagree	24	37	23	33	31	35	27	33	25	34	22	31	29	38	25	37	27	35	25	31	25	36	24	33	28	36	26	32	28	35	25	30
dk/na	27	24	28	25	32	28	36	29	31	27	32	30	24	24	25	25	29	24	32	26	27	22	28	22	34	25	36	26	26	22	26	24
Hepatitis																																
Strongly agree	8	5	9	6	6	4	7	4	5	3	5	4	5	3	5	3	5	4	5	5	4	4	4	4	6	4	6	3	6	5	6	6
Somewhat agree	14	9	15	10	12	10	13	10	12	10	12	11	14	9	16	10	11	8	13	8	14	10	14	12	10	9	11	11	13	10	15	10
Somewhat disagree	20	23	20	22	21	22	20	22	24	24	25	26	24	25	26	24	26	25	25	27	26	24	26	24	25	23	23	24	28	26	28	28
Strongly disagree	34	44	31	44	35	41	30	41	34	41	32	35	34	44	28	44	34	44	31	41	35	48	33	47	33	47	31	43	35	44	31	39
dk/na	24	19	24	19	26	23	29	23	25	22	26	24	23	19	25	19	24	18	26	18	21	14	22	13	27	18	29	19	19	15	20	16
Arthritis																																
Strongly agree	9	5	10	6	5	4	6	6	5	4	5	5	5	4	5	4	5	4	4	5	6	5	7	6	4	5	5	5	6	5	7	7
Somewhat agree	15	9	16	11	17	13	18	13	15	11	16	12	18	13	20	15	15	11	17	12	17	14	17	16	16	12	17	13	15	14	16	15
Somewhat disagree	27	29	25	29	26	24	28	25	27	27	28	30	29	27	30	27	31	30	31	30	30	29	30	29	27	27	25	30	31	27	32	27
Strongly disagree	31	44	29	40	32	42	26	40	31	42	28	34	29	42	25	41	30	40	26	37	30	41	28	39	30	43	29	38	30	41	26	36
dk/na	17	12	20	14	20	17	22	16	22	16	23	19	19	14	20	14	19	15	22	16	17	11	19	10	22	13	24	14	18	13	19	15
Alzheimer's Disease																																
Strongly agree	11	5	12	6	5	3	7	4	4	3	5	4	6	3	6	3	4	3	5	3	5	5	5	6	6	5	6	5	5	6	6	5
Somewhat agree	15	10	15	12	14	11	16	14	14	12	14	16	17	15	17	17	15	12	16	14	16	11	18	12	13	11	14	12	16	12	18	13
Somewhat disagree	26	25	25	26	21	23	22	24	28	23	31	25	27	23	30	24	26	27	26	29	32	28	31	29	25	26	25	28	28	26	28	26
Strongly disagree	27	43	25	38	32	40	26	38	29	41	24	33	28	40	25	37	28	38	24	34	26	41	24	37	27	40	25	34	29	40	25	35
dk/na	22	16	23	17	27	22	29	21	26	21	26	22	21	18	22	19	27	19	29	21	21	16	23	16	29	19	30	21	21	17	23	19

Q.12

I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following ...

D. Specific Health Effects Caused by Second-Hand Smoke

In this section of the survey, respondents were read a list of possible health effects in non-smokers, and were asked about the extent to which they agreed or disagreed that each can be caused by second-hand smoke.

Majorities of Canadian adults strongly agree that second-hand smoke can cause asthma attacks in children (64%), lung cancer in non-smokers (63%), bronchitis in children (54%) and chest infections in children (53%). Fewer than half strongly agree that second-hand smoke can cause heart disease in non-smoking adults (38%), strokes in non-smoking adults (29%), SIDS (Sudden Infant Death Syndrome) or crib death (19%), and ear infections in children (18%). Few strongly agree that second-hand smoke can cause Alzheimer's Disease (5%), arthritis (4%) and Multiple Sclerosis (4%) in non-smoking adults.

One-half of adult smokers strongly agree that asthma attacks in children (52%) can be caused by second-hand smoke; and more than four in ten each strongly agree that lung cancer in non-smokers (46%), bronchitis in children (46%) and chest infections in children (44%) can be caused by second-hand

smoke. Three in ten say the same about heart disease in non-smoking adults (31%). Fewer strongly agree that strokes in non-smoking adults (23%), ear infections in children (17%), SIDS (16%), and Multiple Sclerosis (5%), Alzheimer's Disease (4%) and arthritis in non-smoking adults (4%) can be caused by second-hand smoke.

The results of the current survey suggest that there has been a slight increase since July-August 2003 in the number of adult Canadians who strongly agree that lung cancer in non-smokers can be caused by second-hand smoke. Comparison with the November-December 2000 baseline survey suggests that there have been declines in the proportions of Canadian adults who strongly agree that bronchitis, chest infections and ear infections in children, and Alzheimer's Disease, arthritis and Multiple Sclerosis in non-smoking adults, can be caused by second-hand smoke; there has been a slight increase in the number who strongly agree that lung cancer in non-smokers can be caused by second-hand smoke.

Among adult smokers, the current results suggest that there has been an increase since the July-August 2003 survey in the number who strongly agree that second-hand smoke can cause lung cancer in non-smokers. Comparison with the November-December 2000 baseline survey suggests that there have been

increases in the proportions of adult smokers who strongly agree that lung cancer in non-smokers, and strokes and heart disease in non-smoking adults can be caused by second-hand smoke.

Female smokers are more likely than male smokers to strongly agree that second-hand smoke causes asthma attacks and bronchitis in children, and SIDS. Younger adult smokers, especially those aged 18 to 24, are more likely than smokers in general to strongly agree that second-hand smoke causes most of these health effects and diseases in non-smokers.

As well, potential quitters are more likely than "hard-core" smokers to strongly agree that second-hand smoke causes most of these health effects and diseases in non-smokers, notably, asthma and bronchitis in children, lung cancer in non-smokers and heart disease in non-smoking adults. Occasional smokers are more likely to strongly agree that second-hand smoke can cause lung cancer in non-smokers and chest infections in children.

Specific Health Effects Caused by Second-Hand Smoke

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Asthma attacks in children																																	
Strongly agree	67	52	71	52	65	51	70	55	58	47	63	54	62	52	65	58	58	48	62	54	66	55	68	59	61	49	65	53	64	52	68	57	
Somewhat agree	22	31	21	30	23	29	21	28	26	32	24	30	28	29	26	28	29	33	26	30	24	29	23	27	26	32	25	32	26	30	23	27	
Somewhat disagree	3	6	3	6	5	10	4	9	5	7	4	7	5	8	5	6	5	7	4	7	5	6	5	6	5	7	4	5	5	7	4	6	
Strongly disagree	4	8	3	9	5	8	3	6	6	10	4	5	4	8	2	5	5	8	4	6	3	7	2	6	4	10	3	8	3	9	3	7	
dk/na	3	3	2	3	3	3	3	2	5	4	6	4	2	3	3	3	3	3	4	2	2	3	2	2	4	2	3	2	2	2	2	2	
Lung cancer in non-smokers																																	
Strongly agree	59	38	64	43	56	34	62	38	51	35	59	41	52	34	58	38	51	32	59	37	64	46	68	52	59	39	63	42	63	46	69	52	
Somewhat agree	26	34	26	32	29	33	27	34	31	32	29	34	33	36	32	37	32	37	29	38	25	32	24	30	29	35	28	35	26	32	23	30	
Somewhat disagree	6	10	4	11	6	15	5	13	9	12	7	10	7	14	6	12	8	14	5	11	6	10	5	10	5	12	3	11	6	9	5	7	
Strongly disagree	7	15	4	11	6	13	3	12	8	17	4	10	6	13	3	11	6	13	3	11	4	10	3	7	4	12	4	9	5	11	3	9	
dk/na	3	3	1	3	2	4	3	4	2	4	1	4	2	3	2	3	3	3	3	3	1	2	1	1	2	2	2	2	1	2	1	2	
Bronchitis in children																																	
Strongly agree	60	45	64	50	58	42	60	49	52	39	56	47	54	46	58	52	52	41	58	47	56	45	58	43	56	44	59	47	54	46	57	51	
Somewhat agree	26	31	25	32	29	34	29	32	31	33	30	32	32	33	31	32	34	37	29	36	30	35	29	34	31	34	30	34	31	34	30	31	
Somewhat disagree	5	9	4	7	5	9	4	7	6	9	5	8	6	8	7	6	5	10	5	8	7	8	7	7	5	9	4	7	7	9	6	7	
Strongly disagree	5	10	4	7	5	10	3	9	7	13	4	7	4	8	1	6	4	9	4	7	5	9	5	7	3	9	3	7	5	9	4	8	
dk/na	4	5	3	5	3	5	4	4	4	6	4	6	4	4	3	3	4	4	5	3	2	4	2	3	4	4	4	5	3	2	3	2	
Chest infections in children																																	
Strongly agree	57	42	60	48	53	40	57	44	49	38	51	45	47	42	51	48	50	37	56	42	54	44	57	50	52	43	55	47	53	44	55	48	
Somewhat agree	27	35	26	33	31	34	30	31	31	32	32	33	35	34	36	34	34	37	30	36	32	35	30	34	34	35	33	35	31	34	31	33	
Somewhat disagree	6	8	5	6	5	10	4	10	7	10	6	8	7	9	6	8	6	12	5	10	6	9	5	8	6	9	4	6	9	10	8	8	
Strongly disagree	6	11	5	9	6	10	4	8	8	13	5	7	6	10	3	6	5	9	4	7	4	9	4	5	4	11	4	8	5	9	3	8	
dk/na	5	4	4	4	4	6	5	6	5	6	6	7	4	5	3	4	4	5	4	5	4	4	4	4	4	3	4	3	3	3	3	3	

Q.13

Here is a list of health effects and diseases affecting non-smokers that may or may not be caused by breathing in second-hand smoke from cigarettes that other people are smoking. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that second-hand smoke can cause each of the following ...

Specific Health Effects Caused by Second-Hand Smoke

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Heart disease in non-smoking adults																																
Strongly agree	41	26	44	31	36	23	42	26	34	25	38	30	34	23	39	27	35	24	39	28	38	33	40	38	40	27	43	31	38	31	41	36
Somewhat agree	33	33	35	34	27	35	35	35	36	32	37	35	38	35	39	38	35	36	35	37	36	34	35	34	33	32	33	33	33	35	33	34
Somewhat disagree	12	17	10	16	12	17	11	17	14	18	13	15	13	17	12	17	14	18	12	17	14	15	14	13	11	19	9	19	14	15	14	13
Strongly disagree	10	20	8	15	11	19	7	16	11	20	8	14	11	19	7	15	10	17	8	14	9	15	7	12	10	18	9	13	11	16	8	14
dk/na	5	5	4	5	5	6	5	5	5	5	5	6	4	5	3	4	5	4	6	4	4	4	4	4	6	3	7	3	4	3	4	4
Strokes in non-smoking adults																																
Strongly agree	26	16	29	20	22	14	25	17	18	14	20	16	20	14	23	15	23	16	27	19	23	20	24	24	29	20	30	23	29	23	31	27
Somewhat agree	28	26	29	28	32	27	32	27	35	26	37	31	31	27	33	29	31	28	32	30	34	27	37	28	31	30	32	31	33	32	35	32
Somewhat disagree	18	21	17	19	16	20	15	19	19	22	19	20	20	22	19	23	21	23	18	21	20	22	18	21	17	19	15	20	18	18	17	16
Strongly disagree	16	24	14	19	16	25	12	22	16	24	12	18	16	24	13	21	14	24	12	20	13	22	12	19	13	25	13	20	14	22	11	20
dk/na	12	13	11	13	14	14	16	15	13	13	12	14	12	13	13	12	10	10	11	9	10	8	9	8	10	6	11	6	6	5	6	5
SIDS (Sudden Infant Death Syndrome) or Crib Death																																
Strongly agree	19	13	21	16	16	10	17	11	15	10	15	13	14	12	15	12	18	12	20	14	18	16	17	20	17	14	18	15	19	16	20	17
Somewhat agree	19	16	20	16	21	17	22	18	20	17	21	19	22	20	24	22	23	22	22	22	25	20	26	20	19	17	21	18	23	21	24	23
Somewhat disagree	21	21	21	21	17	19	18	20	19	21	20	22	24	20	25	18	19	21	18	22	21	19	22	19	21	21	19	20	20	21	19	19
Strongly disagree	24	38	21	33	25	35	20	32	26	35	22	29	20	34	16	33	19	32	16	27	18	32	17	28	21	33	19	30	22	30	20	27
dk/na	17	13	17	14	21	19	23	19	20	16	22	17	20	15	20	15	20	13	24	15	17	13	17	13	21	15	23	17	16	13	16	13
Ear infections in children																																
Strongly agree	24	16	25	20	16	13	17	14	15	13	14	15	15	14	16	14	14	12	15	15	16	15	15	17	15	14	16	13	18	17	18	20
Somewhat agree	19	16	19	18	22	19	22	20	19	16	21	19	19	19	20	21	23	18	25	19	23	17	24	19	20	21	19	24	21	20	21	20
Somewhat disagree	23	25	22	26	22	24	22	24	25	24	26	24	26	23	27	24	27	27	25	28	24	26	24	26	22	24	21	25	25	24	24	23
Strongly disagree	22	31	20	25	22	32	18	29	24	35	20	29	25	34	21	30	21	31	19	26	23	32	22	28	23	32	22	27	24	29	22	27
dk/na	13	10	14	11	17	13	17	14	17	12	19	13	15	11	16	11	15	12	16	12	15	10	15	10	20	10	22	11	12	8	14	9

Q.13

Here is a list of health effects and diseases affecting non-smokers that may or may not be caused by breathing in second-hand smoke from cigarettes that other people are smoking. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that second-hand smoke can cause each of the following ...

Specific Health Effects Caused by Second-Hand Smoke

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Alzheimer's Disease in non-smoking adults																																
Strongly agree	9	4	11	4	4	3	5	3	3	2	4	3	5	3	5	3	4	3	4	3	5	4	5	6	5	4	5	4	5	4	4	5
Somewhat agree	10	8	10	10	12	8	13	9	9	8	10	11	11	8	12	10	11	8	12	9	13	8	14	9	12	8	13	9	14	10	16	12
Somewhat disagree	26	23	26	25	23	20	25	21	27	24	29	24	28	25	30	26	28	26	29	28	30	24	31	25	27	23	25	25	30	26	31	25
Strongly disagree	36	52	33	47	37	51	29	47	35	49	29	43	37	49	32	47	35	48	30	44	34	50	30	46	32	51	30	46	34	46	29	43
dk/na	19	13	20	14	24	18	27	20	25	17	28	19	19	14	21	14	22	15	25	16	18	13	20	13	24	14	27	16	18	13	19	15
Multiple Sclerosis in non-smoking adults																																
Strongly agree	8	4	10	5	3	3	3	3	4	2	4	3	4	3	5	3	4	3	4	3	3	3	3	3	5	3	5	3	4	5	4	6
Somewhat agree	9	7	10	8	10	8	10	9	11	9	11	11	10	9	11	9	13	10	14	11	14	9	15	11	10	10	11	11	14	11	15	11
Somewhat disagree	28	23	29	25	22	20	24	18	25	24	26	24	31	25	33	26	28	25	28	26	28	24	30	26	27	24	25	25	28	25	30	25
Strongly disagree	33	48	31	43	37	47	30	44	34	46	29	40	34	45	28	42	31	44	28	41	32	47	29	43	31	45	29	41	32	42	28	40
dk/na	21	18	21	18	28	22	32	25	26	19	28	22	21	18	23	19	23	18	27	20	23	17	23	17	27	19	30	20	21	17	23	18
Arthritis in non-smoking adults																																
Strongly agree	8	5	10	5	4	3	4	4	5	3	5	4	3	2	4	2	3	2	3	3	4	4	4	5	6	3	7	4	4	4	3	4
Somewhat agree	10	6	11	8	9	7	10	7	9	6	10	8	12	8	12	10	13	9	13	10	11	9	11	11	12	8	12	9	11	9	13	10
Somewhat disagree	27	25	28	27	27	22	29	23	29	24	30	28	32	25	36	25	29	26	30	28	32	27	33	28	26	25	25	25	32	26	33	26
Strongly disagree	38	54	34	49	38	52	30	48	37	52	31	42	37	53	31	51	37	51	31	48	37	50	35	46	35	53	32	49	36	48	32	44
dk/na	16	10	18	11	22	16	26	18	20	14	23	17	16	12	18	13	19	12	23	12	16	10	18	11	21	11	23	13	17	13	19	15

Q.13

Here is a list of health effects and diseases affecting non-smokers that may or may not be caused by breathing in second-hand smoke from cigarettes that other people are smoking. Based on what you know or believe, please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that second-hand smoke can cause each of the following ...

E. Health Effects Caused by Hydrogen Cyanide

When asked, top-of-mind, more than six in ten Canadian adults (64%) say they cannot name any specific health effects or diseases that can be caused by hydrogen cyanide. Another five percent say hydrogen cyanide does not cause any health effects or diseases. Death (10%) is the most common response offered by those mentioning a specific effect, followed by cancer in general (7%), lung disease/cancer (4%) and respiratory problems/loss of breath (4%). Twenty-three percent mention some other health effect or disease that can be caused by hydrogen cyanide.

Two-thirds of smokers (66%) cannot name any health effects that can be caused by hydrogen cyanide, and five percent say

there are no health effects. Smaller proportions mention death (8%), cancer in general (6%), respiratory problems/loss of breath (5%), lung disease/cancer (5%) and heart disease/attack (5%). Twenty percent mention other effects.

The results of the current survey find that the number of Canadian adults who now say hydrogen cyanide does not cause any health effects or diseases is similar to the number found in July-August 2003, and is a total of 26 points lower than that found in the baseline survey. The number of Canadian adults who cannot name any specific health effects or diseases that can be caused by hydrogen cyanide is unchanged from that found in the July-August 2003 survey, and is a total of 21 points higher than that found in the baseline survey.

As well, the results of the current survey find that the number of adult smokers who now say hydrogen cyanide does not cause any health effects or diseases is down four points from the number found in July-August 2003, and is a total of 22 points lower than that found in the baseline survey. There has been an increase of four points since July-August 2003 in the number of adult smokers who cannot name any specific health effects or diseases that can be caused by hydrogen cyanide; this number is now 12 points higher than that found in the baseline survey.

Health Effects Caused by Hydrogen Cyanide

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Death	12	9	14	10	12	8	13	9	10	7	11	9	10	8	10	10	8	6	9	8	9	7	10	6	8	7	8	7	10	8	9	8	
Cancer – general	2	2	3	2	3	2	4	2	4	2	4	3	5	2	5	3	5	4	5	5	6	5	6	5	7	4	8	4	7	6	7	7	
Lung disease/cancer	2	1	2	2	4	3	4	4	4	4	4	5	4	3	4	4	4	4	4	4	7	8	7	9	5	7	5	8	4	5	4	6	
Respiratory problems/loss of breath	1	1	1	1	3	2	3	2	4	4	3	5	2	3	2	3	4	5	4	7	4	4	4	4	5	5	5	4	4	5	4	6	
Heart disease/attack	2	1	1	1	2	2	2	3	2	2	2	3	3	2	3	3	3	3	3	3	4	5	4	5	3	4	3	4	3	5	2	6	
Poisoning	3	2	2	2	2	2	1	2	1	2	1	2	1	1	1	1	2	1	2	1	2	1	2	2	1	1	1	1	3	1	3	1	
Damage to cells/artries/blood	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	3	2	3	3	1	2	1	3	2	2	2	2	
Brain damage/memory loss/stroke	2	1	2	1	1	1	1	1	2	2	2	2	2	3	2	3	1	1	2	2	3	2	3	3	2	3	2	5	2	3	3	4	
Headache	3	1	3	1	1	1	1	1	2	1	2	1	1	2	1	2	2	2	2	2	2	3	2	3	2	2	1	3	1	1	2	2	
Dizziness	1	*	1	*	*	*	1	*	1	1	1	1	1	1	1	1	2	1	1	1	2	2	1	2	1	2	*	2	1	1	1	1	
Mouth cancer/disease	*	-	*	-	*	*	*	*	-	*	-	*	1	*	1	*	1	*	1	1	1	1	1	2	1	2	*	2	1	1	1	1	
Stomach aches	1	1	1	*	1	*	1	*	1	*	1	1	1	1	1	1	1	1	2	1	1	*	1	2	1	1	1	1	1	1	1	1	
Throat cancer	*	*	1	1	1	*	1	-	*	1	*	1	*	*	1	*	1	1	2	1	1	*	1	*	1	1	1	1	1	1	1	1	
Liver cancer/disease	*	*	*	*	*	-	*	-	*	*	*	-	-	*	-	*	-	*	-	*	*	*	1	*	1	1	1	1	1	1	1	1	1
Lung damage	*	*	*	*	-	-	-	-	-	-	-	-	2	2	2	2	1	1	1	1	1	1	2	1	*	1	*	1	1	1	1	1	
Burning in body/organs	-	-	-	-	*	-	*	-	1	*	1	-	-	-	-	-	*	-	*	-	*	*	1	1	*	1	1	1	1	1	1	1	
Damage to nervous system	1	*	1	*	*	-	*	*	-	-	-	-	*	*	1	*	1	1	1	1	1	1	1	1	*	1	*	1	1	*	1	*	
Addiction	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
Vertigo	*	-	*	-	*	*	*	*	1	*	1	*	1	1	*	1	1	*	*	1	*	*	1	1	1	1	1	1	1	*	1	*	1
Nausea	1	1	1	*	*	*	*	*	1	1	*	*	1	1	*	1	1	1	1	1	1	1	1	1	1	1	1	1	*	*	*	*	
Pregnancy/complications	*	*	*	*	*	-	*	-	1	*	1	*	1	*	1	*	-	-	-	-	*	*	1	*	*	1	1	1	*	*	*	*	*
Weakness	1	*	1	*	*	*	*	*	*	-	*	-	1	1	1	1	1	*	1	*	1	1	*	*	*	*	1	1	*	*	*	*	-
Other	1	2	1	2	1	1	1	1	1	2	1	2	2	1	3	1	3	2	3	2	2	1	2	1	1	1	1	1	3	4	3	5	
None	31	27	28	25	26	31	24	31	13	11	11	10	17	16	15	15	8	6	6	7	5	9	4	8	7	9	7	8	5	5	5	5	
dk/na	43	54	42	53	49	50	49	49	62	67	63	64	57	62	58	60	66	61	67	59	64	61	64	61	64	62	65	63	64	66	65	64	

* Less than one percent

Q.36

What specific health effects or diseases, if any, can you name that can be caused by hydrogen cyanide? Are there any others?

4.0 HEALTH WARNING MESSAGES

A. Recall and Reads per Day

An overwhelming majority of Canadians (92%) say they have seen health warning messages on cigarette packages. Smokers (99%) express virtually unanimous recall.

The results of the current survey find no significant differences from previous surveys in the number of adult Canadians or adult smokers who say they have seen health warning messages on cigarette packages.

Three-quarters of Canadian adults (75%) say they have seen, read or heard about the health warning messages that began appearing on cigarette packages in Canada at the beginning of 2001, and another four percent say they may have. Two in ten (20%) say they have not. Eighty-nine percent of adult smokers say they have seen them, and three percent say they may have. Only seven percent say they have not seen them.

Recall of Health Warning Messages on Cigarette Packages

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Yes	90	98	86	99	88	98	84	98	87	99	82	99	89	100	86	100	90	100	86	100	92	99	89	100	90	99	88	99	92	99	89	99
No	10	2	14	1	11	2	15	2	12	1	17	1	11	*	14	*	10	*	14	*	8	*	10	*	8	1	11	1	8	1	10	1

* Less than one percent

Q.14

Have you ever seen health warning messages on cigarette packages?

It should be noted that in the November-December 2002 survey, the July-August 2003 survey and in the current survey, when asked about "health warning messages that are now on cigarette packages in Canada" in this question, respondents were provided with the additional explanatory phrase "that is, the new messages that began appearing on cigarette packages at the beginning of 2001" in order to clarify the meaning of the question.

Comparison with the baseline survey shows that awareness of the health warning messages that began appearing on cigarette packages at the beginning of 2001 remains considerably higher in the current survey than that found in November-December 2000 (up 39 points among adult Canadians and 44 points among adult smokers), when respondents were asked about "health warning messages that might appear on cigarette packages in the near future."

Almost eight in ten Canadian adults (78%) say they have seen the new health warning messages on cigarette packages themselves. Two in ten (21%) have not.

Adult smokers are more likely than Canadians in general to say they have seen these health warning messages on cigarette packages themselves; 96 percent say they have seen them, and three percent say they have not.

Awareness of Current Health Warning Messages

	NOV-DEC 2000*				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Yes	36	45	30	46	74	87	69	89	71	82	66	85	67	84	63	85	64	80	58	81	69	88	63	91	69	89	69	90	75	89	70	91
Maybe	4	3	5	3	4	2	5	2	6	3	7	3	5	2	5	2	3	2	3	2	6	2	7	2	6	2	8	2	4	3	5	2
No	60	52	65	51	21	10	26	8	22	13	26	11	28	13	31	12	31	17	36	17	23	9	28	6	22	8	26	8	20	7	23	7

Q.15

Have you seen, read or heard anything about the health warning messages that are now on cigarette packages in Canada that is, the new messages that began appearing on cigarette packages at the beginning of 2001?

* November-December 2000 question referred to "Health warning messages that might appear on cigarette packages in the near future"

Note: Slightly different question wording as of November-December 2002

The number of adult Canadians who have seen these warning messages on cigarette packages is similar to that found in July-August 2003, but has increased 19 points since March-April 2001. The number of smokers who say they have seen these warning messages on cigarette packages is essentially unchanged from July-August 2003, and is ten points higher than that found in March-April 2001.

Among adult smokers, 94 percent say they have seen these new health warning messages on their main brand of cigarettes. Just five percent have not.

The current survey finds no change since July-August 2003 in the number of adult smokers who have seen these health warning messages that began appearing in early 2001 on their main brand. However, this number is 34 points higher than that found in March-April 2001.

Ten percent of Canadian adults report that they look at or read health warning messages on cigarette packages several times a day, and eight percent do this about once a day. More than one-half (a total of 55%) look at or read these health warning

messages less frequently, including 35 percent who say they do this less than once a week. Just under three in ten (27%) say they never look at or read these health warning messages.

Have Seen Current Health Warning Messages on Main Brand of Cigarette Packages Smokers

	MAR-APR 2001	JULY 2001	NOV-DEC 2001	JULY 2002	NOV-DEC 2002	JULY-AUG 2003	DEC 2003
Yes	60	71	87	85	96	94	94
No	38	27	12	14	4	6	5
dk/na	2	2	1	1	*	1	1

* Less than one percent

Q.17

Have you seen any of these health warning messages on (main brand - Q5a)?

Subsample: Smokers

Note: Slightly different question wording as of November-December 2002

Have Seen Current Health Warning Messages on Cigarette Packages

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Yes	59	86	48	88	59	87	49	89	60	90	51	91	63	86	54	87	75	96	68	97	75	95	70	96	78	96	73	97
No	40	13	51	11	38	12	49	10	39	9	47	9	36	13	45	13	25	3	31	2	23	4	29	3	21	3	26	3
dk/na	1	1	1	*	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	*	1	*

* Less than one percent

Q.16

Have you seen any of these health warning messages on any cigarette packages themselves?

Note: Slightly different question wording as of November-December 2002

Among adult smokers, 26 percent say they look at or read health warning messages several times a day, and 16 percent say once a day. A total of 39 percent look at them less frequently, including 15 percent who say they do this less than once a week. Eighteen percent say they never look at them.

There has been little change over the past seven surveys in the number of adult smokers who say they look at or read health warning messages on cigarette packages several times a day, but the results of the current survey do suggest a trend toward less frequent viewing of the health warning messages since the baseline survey in November-December 2000. The number of adult smokers who say they look at or read health warning messages on cigarette packages several times a day in the current survey is ten points lower than that found in the baseline survey, while the number who say they look at the messages less often than once a day is a total of four points higher, as is the number who say they never look at the messages.

When asked, top-of-mind, what the health warning messages now appearing on cigarette packages in Canada look like (without looking at a cigarette package), the largest proportion of Canadian adults say they have pictures (27%). Fourteen percent say the images are gross or disgusting, and 13 percent say they have more information than before or more specific information about the health effects of smoking. Smaller numbers mention pictures/diseases of mouth/teeth (10%), lung cancer/diseases (9%), writing/text in general (7%), pictures of pregnant women (5%), and warnings or symbols in general (5%). Seventy percent mention some other aspect, and 19 percent offer no answer.

Adult smokers, especially younger adult smokers, are more likely than adults in general to mention that the health warning messages on cigarette packages have pictures. A total of 34 percent of adult smokers mention pictures, 20 percent mention more information about health effects and 19 percent mention gross images. Smaller numbers mention pictures/

diseases of mouth/teeth (12%), lung cancer/diseases (11%), pictures of pregnant women/pregnancy (8%), heart/heart disease (8%), writing/text in general (7%), impotence/drooped cigarette (6%), children/babies/kids (6%), colour/coloured (5%) and warnings/symbols in general (5%). Fifty-seven percent mention something else, and only six percent offer no answer.

It should be noted that in previous surveys, respondents were asked about "new health warning messages" in this and other questions dealing directly with the awareness, content, or effect on behaviour of these messages. As of the November-December 2002 survey, this wording was altered to refer to "health warning messages that are now on cigarette packages in Canada" in all of these questions, in order to clarify the meaning of the question.

Times Per Day Look at Health Warning Messages on Cigarette Packages

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Several times a day	15	36	6	38	12	29	5	31	11	27	5	31	9	29	4	32	11	28	5	31	9	29	4	33	10	25	4	28	10	26	4	31
About once a day	10	15	7	15	9	17	6	19	9	18	5	20	8	15	5	16	8	16	6	16	9	17	5	17	7	16	6	18	8	16	5	18
Once every two or three days	6	9	6	8	8	10	7	11	6	8	6	9	9	9	8	11	7	9	7	10	7	9	6	10	6	8	6	9	5	8	4	8
About once a week	13	12	14	11	14	13	14	13	17	14	18	13	13	13	12	12	15	14	15	13	15	14	16	15	14	16	13	18	15	16	15	15
Less than once a week	31	14	38	15	30	13	36	10	29	14	33	13	30	16	33	15	26	13	32	13	33	16	38	13	33	17	37	14	35	15	41	14
Never	24	14	28	13	27	16	32	15	28	18	33	14	32	17	37	14	31	19	34	16	27	15	31	11	28	17	32	13	27	18	31	15
dk/na	2	1	2	1	*	1	1	1	*	1	*	1	*	*	*	-	*	1	1	1	*	*	*	*	2	*	3	*	*	*	*	-

* Less than one percent

Q.18a

Overall, about how often do you find yourself looking at, or reading any health warning messages on cigarette packages? Would it be ...?

Appearance of Current Health Warning Messages on Cigarette Packages

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Pictures	48	60	40	60	44	55	39	55	41	53	36	54	38	46	35	47	31	44	28	45	37	42	33	43	27	34	27	34
Graphics are gross/disgusting/horrible	4	9	3	12	6	8	5	9	8	12	8	13	9	13	8	14	14	17	14	17	10	11	11	12	14	19	12	20
More info/specific info about health effects of smoking	24	23	22	24	28	31	25	32	23	27	21	29	16	21	15	22	24	30	23	30	20	25	18	27	13	20	13	20
Mouth/teeth (pictures/disease)	-	-	-	-	1	*	1	-	7	8	5	8	8	9	7	8	11	11	10	11	7	9	7	9	10	12	10	12
Lung cancer/diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	9	11	9	11
Writing/text - in general	*	5	*	4	3	5	2	5	3	3	2	4	3	2	4	2	5	4	3	4	4	5	3	5	7	7	7	7
Warnings/symbols in general	3	2	3	2	2	1	2	1	8	7	8	7	6	6	6	6	5	3	7	4	4	4	4	4	5	5	5	5
Pictures of pregnant women/pregnancy	-	-	-	-	*	*	-	*	3	5	3	4	4	5	4	5	5	8	5	8	3	8	2	7	5	8	4	8
Tougher, stronger messages	6	5	6	6	7	8	7	9	7	9	6	10	7	6	6	5	3	10	8	9	6	6	6	6	4	4	4	5
Colour/coloured	8	11	7	12	4	5	2	4	5	5	4	5	3	3	3	4	2	3	2	3	5	4	5	3	4	5	3	6
Covers more of the package/50% of the package	5	5	4	5	6	7	5	7	8	8	5	7	5	8	4	9	5	7	4	8	4	5	3	5	4	4	3	3
Large lettering/font/bold/block print	3	1	4	1	3	2	2	3	3	2	3	2	3	2	4	2	4	2	5	2	3	2	3	2	4	3	4	3
Dangerous/bad for health	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	4	4	5	4
Heart/heart disease	-	-	-	-	*	-	*	-	2	3	1	3	2	4	1	4	3	5	2	5	2	5	2	6	4	8	2	9
Cancer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	1	*	*	3	2	3	3
Impotence/drooped cigarette	-	-	-	-	-	-	-	-	2	4	1	3	3	4	2	5	3	7	1	7	3	5	1	5	3	6	2	6
Info about how to quit	2	4	1	4	2	3	1	3	2	4	1	5	2	3	2	3	4	5	3	6	4	5	3	6	3	3	2	3
Children/babies/kids	-	-	-	-	*	-	*	-	2	4	1	4	2	3	2	3	2	5	2	5	2	4	1	5	3	6	3	6
Black and white (text/background)	*	-	*	-	2	3	2	2	4	4	3	5	4	6	3	6	6	3	6	3	2	3	2	2	3	2	4	3
Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	2	4	2
Box/rectangle	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	3	1	2	1	2	1
Location on cigarette package	1	-	2	-	-	-	-	-	-	-	-	-	*	1	*	1	1	2	1	2	*	1	-	*	2	1	2	1
Death	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	2
Pictures of lungs	-	-	-	-	*	-	*	-	6	7	6	7	6	8	5	8	11	11	11	12	10	10	9	10	2	2	2	2
Body parts/organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1
Pictures of smoking in front of kids	-	-	-	-	-	-	-	-	*	1	-	1	*	1	*	1	1	3	1	3	1	1	1	2	2	1	1	1

* Less than one percent

Continued ...

Q.19

Again, referring to the health warning messages that are now on cigarette packages in Canada, and without looking at a cigarette package, what do these health warning messages look like?
 Note: Slightly different question wording as of November-December 2002

Appearance of Current Health Warning Messages on Cigarette Packages
Continued

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
More chemicals/ingredients listed	*	*	*	-	*	1	-	1	1	2	*	2	1	1	1	1	1	2	*	2	1	1	1	1	1	2	1	2
Small writing/not too clear/could be bigger	-	-	-	-	-	*	-	-	*	1	*	1	1	*	*	*	1	*	1	*	1	*	1	*	1	*	1	*
Person with breathing machine	-	-	-	-	-	-	-	-	-	1	-	*	*	2	-	2	1	3	-	3	1	2	-	2	1	3	*	2
Info on back of the slide portion	2	2	1	2	1	3	*	3	2	3	1	4	2	2	1	2	1	1	1	2	*	1	*	1	1	1	1	*
Don't start smoking	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	1	*	1	*
Surgeon General's warnings	-	-	-	-	-	-	-	-	1	*	1	*	*	1	*	*	1	1	1	1	-	*	-	*	1	1	1	1
Brain damage	-	-	-	-	-	-	-	-	1	1	*	1	1	2	*	3	1	2	1	2	*	2	*	2	1	1	1	2
Not informative/effective/graphic enough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
Front portion of the pack	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	-	*	1	1	1	1	*	*	-	-
Cigarettes in ashtray	-	-	-	-	-	-	-	-	*	1	-	1	*	1	*	1	1	1	*	1	*	1	-	1	*	1	-	1
Woman/man/people (general)	-	-	-	-	*	-	-	-	*	1	*	*	*	1	-	1	1	*	1	*	*	*	-	*	*	*	*	*
It's ridiculous/joke/stupid	1	1	*	2	2	2	1	2	*	1	1	1	*	2	*	2	1	2	1	2	*	*	*	*	*	1	-	*
Stop/quit smoking	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Insert	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
Informative/effective	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Advertising	-	-	-	-	*	*	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	*	*	1	-	-	-	-
Coloured font	*	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	1	1	1	1	1	2	1	-	-	-	-
Colouring of package	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	4	6	4	6	1	3	1	2	2	4	3	4	2	3	1	3	2	2	2	1	9	10	8	10	8	11	5	12
None/nothing	*	2	*	1	1	1	1	1	-	*	-	*	1	1	1	1	1	1	*	1	-	*	-	*	*	1	-	1
dk/na	24	8	30	8	27	12	34	11	26	9	31	7	27	10	35	8	18	6	22	5	21	8	26	7	19	6	23	5

* Less than one percent

Q.19

Again, referring to the health warning messages that are now on cigarette packages in Canada, and without looking at a cigarette package, what do these health warning messages look like?

Note: Slightly different question wording as of November-December 2002

The current survey finds a return to the trend suggested by the analysis of the results of earlier surveys away from general mention of pictures and toward reference to specific images, design elements or messages, particularly among adult smokers. For both adult Canadians and adult smokers, the numbers mentioning pictures have declined considerably since the baseline study (21 points among Canadians in general and 26 points among adult smokers), while the numbers mentioning such messages or images as heart/heart disease, lung cancer/diseases and pictures/diseases of mouth/teeth have increased.

When asked, top-of-mind, what specific health warning messages they can remember seeing on cigarette packages in Canada (without looking at a cigarette package), the largest proportions of Canadian adults recall the messages causes lung cancer (20%), and harmful during pregnancies, harmful to fetus or low birth rate (15%). Smaller numbers recall messages such as cancer in general (12%), impotence (12%), heart disease (10%), death or premature death (10%), lung disease (10%), harmful to others/to children (9%), dangerous/bad for health (8%), mouth/gum diseases (7%) and second-hand smoke is harmful/dangerous (5%). Thirty percent mention some other health warning message. Three in ten say none (21%) or offer no opinion (7%).

Adult smokers are more likely than adults in general to recall specific health warning messages, such as harmful to others/children and impotence. Among adult smokers, the largest proportions mention causes lung cancer (24%), impotence (20%), harm during pregnancy or to fetus (17%), heart disease (17%) and harm to others/children (16%). Smaller numbers mention mouth/gum disease (12%), lung disease (9%), stroke (8%), cancer in general (8%), death/premature death (6%), second-hand smoke is harmful/dangerous (6%), yellow teeth/gums/fingers (5%) and statistics/charts (5%). Thirty-three percent mention other messages, and just under two in ten say none (12%) or offer no opinion (5%).

Among the general population, the results of the current survey suggest slight increases since July-August 2003 in the numbers who mention impotence, death or premature death, and harmful to others/children. Comparison with the results of the March-April 2001 survey, when this question was first asked, suggests that there have been slight increases in the numbers who mention the messages causes lung cancer and second-hand smoke is harmful/dangerous, and a slight decrease in the number who mention death or premature death.

Among adult smokers, the current results suggest slight increases since July-August 2003 in the proportions who mention the specific warning messages harmful to others/children, and causes lung cancer. Comparison with the results of the March-April 2001 survey suggests that there have been slight increases in the numbers of adult smokers who mention the messages causes lung cancer, heart disease, impotence, second-hand smoke is harmful/dangerous and statistics/charts (not mentioned in the baseline survey), and a decrease in the number who mention death or premature death.

Among adult smokers, younger adult smokers are more likely than other smokers to recall the specific warning messages impotence and mouth/gum disease; smokers aged 55 or older are somewhat less likely than others to mention such messages as causes lung cancer and harmful to others/to children. Female smokers are slightly more likely than male smokers to recall the messages harmful during pregnancy/harmful to fetus, harmful to others/to children and yellow teeth/gums/fingers.

Recall of Specific Health Warning Messages on Cigarette Packages

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Causes lung cancer	13	16	13	17	16	16	13	18	12	16	11	18	16	18	15	18	19	21	18	22	18	19	16	19	20	24	19	25
Harmful during pregnancies/harmful to fetus/low birth rate	16	19	14	18	18	18	17	18	16	17	16	19	19	23	20	25	18	16	19	17	17	17	17	16	15	17	15	17
Cancer – in general	9	9	10	9	10	8	11	7	9	7	9	6	11	9	13	10	11	8	11	9	10	8	11	9	12	8	12	9
Impotence	11	16	8	15	9	15	5	17	11	20	8	19	12	24	8	24	12	23	8	23	8	20	6	20	12	20	8	20
Heart disease	8	13	4	13	9	15	6	17	8	16	6	17	8	15	6	15	10	18	7	19	11	14	8	15	10	17	7	19
Lung disease	7	12	6	13	7	11	6	10	6	11	4	13	6	8	6	8	10	12	8	14	9	9	9	12	10	9	10	9
Death/premature death	14	15	15	17	11	15	9	15	12	13	12	13	10	13	10	16	12	11	11	12	5	4	5	5	10	6	10	6
Harmful to others/to children	7	17	4	17	11	17	6	18	11	22	6	21	10	18	8	18	12	20	9	20	4	12	2	12	9	16	8	16
Dangerous/bad for health	7	4	7	3	7	3	9	4	7	3	9	3	8	4	9	4	9	3	10	3	8	3	10	3	8	4	10	4
Mouth/gum disease	6	9	5	8	6	8	6	8	3	9	3	9	10	11	9	12	9	12	8	13	8	10	6	10	7	12	7	11
Second-hand smoke is harmful/dangerous	*	*	*	*	*	*	*	*	2	5	2	6	3	7	2	8	5	8	3	8	4	7	3	7	5	6	4	7
Stroke	2	5	*	6	3	7	2	9	2	5	2	6	4	6	2	7	3	8	3	9	4	10	2	11	4	8	3	8
Yellow teeth/gums/fingers	*	1	*	1	3	3	3	4	4	8	2	7	1	5	1	4	4	6	2	5	3	4	2	4	4	5	3	6
Mouth cancer	2	3	2	3	2	1	2	2	3	3	3	3	4	3	5	3	5	4	4	4	3	2	4	3	3	3	3	4
Premature birth/preterm birth	1	2	1	1	2	1	2	2	3	2	3	2	1	1	2	1	4	3	5	4	5	3	5	3	3	3	3	3
Warnings/health warnings/stop smoking	–	*	–	*	1	1	2	1	4	5	3	5	*	3	*	3	3	2	2	2	3	1	4	1	3	1	3	2
Emphysema	*	1	*	2	1	2	1	2	1	2	1	2	2	2	1	2	2	3	2	3	2	2	2	3	2	3	1	4
Statistics/charts	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	*	3	2	5	1	5
Addiction	2	2	2	2	1	2	*	2	1	2	1	2	1	2	1	1	*	2	*	1	1	2	1	2	1	2	*	2
Cancer – other	–	–	–	–	–	1	–	1	2	1	2	1	*	2	*	2	–	*	–	*	1	1	1	1	1	1	1	1
Throat problems/disease	*	1	*	1	*	*	*	–	*	*	–	*	*	*	*	*	2	1	1	2	1	*	*	*	1	1	1	1
Disease – in general	2	1	2	1	*	1	*	*	*	1	–	1	1	*	1	*	1	1	1	2	1	1	1	1	1	2	1	2
Respiratory/breathing problems	1	2	*	2	1	1	*	1	2	3	1	4	1	4	1	3	3	4	2	4	1	2	1	3	1	3	1	2
Kids imitating parents	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*	2	*	2	1	3	*	4
Don't start/how to quit	1	1	*	1	*	*	*	*	–	–	–	–	*	*	–	1	1	2	*	2	–	*	–	1	1	1	1	1
Brain damage/disease	1	2	*	3	*	1	*	1	1	1	–	1	*	2	*	2	1	2	*	1	*	2	–	2	*	1	*	1
Graphics of cigarette package	1	1	*	1	*	2	–	3	*	*	*	–	5	3	3	3	*	*	*	*	1	1	1	1	*	*	*	–
Must be 18/19 to smoke	–	–	–	–	*	–	*	–	–	–	–	–	–	–	–	–	*	–	*	–	–	*	–	–	–	–	–	–
Other	1	2	1	2	1	2	*	2	2	3	2	3	1	3	–	2	1	2	1	2	7	7	6	7	2	5	2	5
None	28	20	32	20	25	18	28	16	26	14	30	14	22	14	24	11	19	10	23	8	21	19	24	17	21	12	23	11
dk/na	8	3	10	3	11	4	15	4	10	3	12	2	12	5	14	4	7	4	8	3	9	3	9	4	7	5	8	4

* Less than one percent

Q.20

Without looking at a cigarette package, when it comes to the health warning messages that are now on cigarette packages, what specific health warning messages can you remember? Are there any others?

Note: Slightly different question wording as of November-December 2002

When asked, top-of-mind, what images or graphics they can remember seeing on warning messages on cigarette packages in Canada (without looking at a cigarette package), the largest proportion of Canadian adults recall lungs or diseased lungs (32%). Smaller proportions recall images such as bad, rotten or big teeth (18%), pregnant women with cigarettes (16%), mouth or diseased mouth (11%), gums or diseased gums (11%), heart or diseased heart (10%), children/kids/babies (7%), and limp, broken or burning cigarettes (6%). Forty percent recall some other image or graphic. About three in ten say none (22%) or offer no opinion (6%).

Adult smokers are more likely than Canadians in general to offer an answer. They are also more likely than adults in general to recall many of these specific images or graphics, including lungs or diseased lungs (32%), pregnant women with cigarettes (27%), bad, rotten or big teeth (25%), heart

or diseased heart (20%), children/kids/babies (16%), mouth or diseased mouth (14%), gums or diseased gums (8%), limp, broken or burning cigarettes (8%), brain or diseased brain (7%), impotence (6%), cigarette/curved cigarette (6%), respirators/people on breathing machines (5%), lung cancer (5%), and a dirty or full ashtray (5%). Thirty-one percent recall some other image or graphic. Only one in ten say none (8%) or offer no opinion (2%).

Among the general population, the results of the current survey suggest slight increases since July-August 2003 in the numbers who mention lung disease/lungs, gums/diseased gums and heart/diseased heart. Comparison with the results of the March-April 2001 survey suggests that there have been slight increases in the numbers who recall pregnant women/with cigarettes, lung disease/lungs, bad/rotten/big teeth and gums/diseased gums.

Among adult smokers, the current results are similar to those found in July-August 2003. Comparison with the results of the March-April 2001 survey suggests that there have been increases in the numbers of adult smokers who recall pregnant women with cigarettes, bad/rotten/big teeth, mouth/diseased mouth, and heart or diseased heart, and a decrease in the number who recall limp/broken/burning cigarettes.

Younger smokers are more likely than other smokers to mention bad/rotten/big teeth, dirty/full ashtray, brain or diseased brain, impotence and other associated images such as limp/broken/burning cigarette and curved cigarette. However, older smokers are more likely to mention lungs or diseased lungs. Female smokers are more likely than male smokers to mention big, bad or rotten teeth, pregnant women with cigarettes and children/kids/babies. Male smokers are slightly more likely to mention limp/broken/burning cigarette.

Recall of Specific Pictures, Images or Graphics in Health Warning Messages on Cigarette Packages

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Lung disease/lungs	25	33	21	34	25	32	23	35	23	34	21	36	24	28	23	28	28	33	27	35	26	33	25	35	32	32	31	32
Bad/rotten/big teeth	14	21	10	22	16	24	13	24	20	32	14	34	17	26	13	26	21	28	19	26	16	23	14	24	18	25	17	26
Pregnant women/with cigarettes	6	12	3	12	9	16	6	16	10	22	8	21	15	27	11	27	14	23	12	22	14	25	12	25	16	27	12	25
Mouth/diseased mouth	8	8	9	9	8	11	8	12	11	11	11	11	10	12	9	12	10	11	9	13	9	12	9	11	11	14	11	16
Gums/diseased gums	4	8	3	8	7	7	6	8	4	8	4	8	9	8	9	9	8	8	9	8	7	8	8	9	11	8	11	7
Heart/diseased heart	8	13	4	13	8	15	4	17	10	21	6	23	9	19	6	20	7	19	4	21	6	17	4	20	10	20	6	20
Children/kids/babies	11	18	7	17	9	18	7	20	4	13	2	14	6	16	3	18	7	18	5	18	7	13	3	14	7	16	4	15
Limp/broken/burning cigarettes	9	16	7	14	8	15	4	14	9	15	7	14	8	18	6	17	7	15	5	14	6	11	4	11	6	8	5	8
Lung cancer	3	3	3	3	2	2	1	3	2	4	2	4	3	4	2	4	4	6	4	6	4	5	4	6	4	5	3	6
Impotence	3	5	2	5	3	4	2	4	3	6	2	7	2	4	1	4	3	4	2	4	4	5	3	4	4	6	2	7
Cigarette/curved cigarette	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	3	*	3	3	6	2	6
Mouth cancer	3	2	4	3	3	1	3	2	3	1	3	2	3	2	3	2	4	3	4	3	4	2	4	2	3	2	3	2
Lung pictures	-	-	-	-	-	-	-	-	3	2	2	2	2	2	2	2	3	2	3	2	2	1	2	1	2	3	2	4
Brain/diseased brain	4	9	3	10	4	9	2	9	3	10	1	10	3	10	1	11	4	9	3	9	2	9	1	9	2	7	2	7
Respirators/people on breathing machines	2	3	1	3	2	4	*	4	2	5	*	4	2	7	*	8	3	7	1	8	2	6	1	6	2	5	1	6
Dirty/full ashtray	3	5	1	5	1	5	1	5	2	5	1	6	1	5	*	4	2	5	1	5	2	6	*	5	2	5	1	4
Warnings/symbols	2	1	2	1	1	1	1	*	2	*	3	-	3	1	4	1	4	1	4	1	1	*	1	*	2	*	3	-
Parents/mom/dad/smoking	2	3	1	3	1	2	*	2	*	2	1	2	1	5	*	4	3	6	2	8	2	3	1	4	1	3	*	4
Other cancer	2	1	1	2	1	*	1	-	*	*	1	*	1	1	1	*	*	-	*	-	1	1	1	1	1	*	1	1
Cancer/tumor - in general	1	1	1	2	1	*	1	*	*	1	*	1	*	*	*	1	1	1	1	1	1	1	1	*	1	1	1	2
People sick/coughing/choking	*	*	-	-	1	1	1	1	1	1	-	1	1	2	*	1	1	2	1	2	1	2	*	2	1	2	*	2
Bar charts/graphs/statistics	*	*	*	*	*	1	*	1	1	2	*	2	1	2	1	3	1	3	*	3	1	2	*	2	1	3	1	3
Throat/throat diseases	*	1	*	1	1	1	1	1	1	1	2	2	1	1	2	1	2	2	2	1	2	1	2	1	1	1	1	2
Patient in bed/hospital bed	1	2	*	1	1	1	*	1	1	2	*	3	*	2	-	2	1	4	-	5	1	1	-	1	1	3	-	3
Fetus/embryo	1	*	1	-	-	*	-	-	1	*	1	*	1	*	1	1	*	*	*	*	1	*	1	*	1	1	*	1

* Less than one percent

Continued...

Q.21

And without looking at a cigarette package, when it comes to the warning messages that are now on cigarette packages, what pictures or images or graphics can you remember? Are there any others?
Note: Slightly different question wording as of November-December 2002

Recall of Specific Pictures, Images or Graphics in Health Warning Messages on Cigarette Packages

Continued

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Stroke	1	1	*	1	1	2	*	2	1	1	1	2	1	2	*	3	1	2	*	3	*	1	-	2	1	2	*	2
Adult/woman/man (general)	-	*	-	*	-	*	-	*	1	2	1	2	*	1	-	1	1	1	1	1	*	1	*	1	1	1	*	*
Baby/premature baby	*	1	*	*	-	-	-	-	2	6	2	5	4	4	3	4	1	2	1	1	2	3	1	3	*	1	*	1
Graphics of cigarette package	2	1	2	1	1	1	1	1	-	*	-	*	2	*	2	*	3	1	4	1	1	*	1	*	*	*	*	*
Deteriorating/diseased body parts	1	1	1	1	1	1	1	1	1	1	1	1	*	1	1	2	2	1	2	1	1	1	1	*	*	1	1	*
Pictures of kids watching	-	-	-	-	-	-	-	-	2	3	2	3	1	3	1	3	1	2	*	2	2	4	1	4	*	2	-	2
Arteries/clogged arteries/clot	*	1	-	1	*	*	-	1	1	*	1	*	-	*	-	*	*	1	*	1	*	1	*	1	*	1	*	1
Colours/shades of package/writing	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	*	1	1	-	*	-	-
Other	1	2	*	1	1	1	1	1	2	4	2	3	2	2	2	2	1	1	1	1	4	4	3	3	6	5	6	6
None	31	16	38	14	27	17	31	14	26	7	31	7	24	9	29	9	21	6	26	5	27	10	31	9	22	8	26	7
dk/na	7	3	9	3	13	3	18	3	10	2	13	1	9	3	12	2	9	3	12	3	9	2	11	2	6	2	8	2

* Less than one percent

Q.21

And without looking at a cigarette package, when it comes to the warning messages that are now on cigarette packages, what pictures or images or graphics can you remember? Are there any others?

Note: Slightly different question wording as of November-December 2002

B. Impact of Current Messages

Among adult smokers, about four in ten (38%) say that the health warning messages now appearing on cigarette packages have been very effective in informing them about the health effects of cigarette smoking. Just under three in ten (27%) say that these messages have been very effective in getting them to smoke less around others than they used to, and two in ten (19%) say they have been very effective in increasing their desire to quit smoking. Fewer than two in ten each say that these new messages have been very effective in getting them to try to quit smoking (17%) and in getting them to smoke less (14%).

Combining the numbers who say very effective and somewhat effective, we find that about three-quarters (73%) of smokers say the new messages have been effective in informing about health effects. One-half or more each say they have been

effective in getting them to smoke less around others than they used to (55%), and increasing their desire to quit smoking (50%). Almost one-half say the new messages have been effective in getting them to try to quit smoking (46%), and four in ten say they have been effective in getting them to smoke less (39%).

There have been few significant changes in the numbers of adult smokers who say that the new health warning messages have been very effective on all of these dimensions since July-August 2003; however, there has been a slight decline in the proportion who say that these messages have been very effective in increasing their desire to quit smoking. The numbers who say the current messages have been very effective in informing them about the health effects of smoking and getting them to smoke less around others than they used to are higher today than when these questions were first asked in March-April 2001.

Among adult smokers, potential quitters are more likely than others to say that the health warning messages now appearing on cigarette packages have been very effective in achieving all these outcomes. Those who have seen or heard of these messages are more likely than others to say that the current messages have been very effective in informing them about the health effects of smoking. Younger adult smokers aged 18 to 24 are more likely than older smokers to say that the health messages now appearing on cigarette packages have been very effective in increasing their desire to quit smoking, getting them to try to quit smoking and informing them about the health effects of smoking. Female smokers are slightly more likely than male smokers to say these messages have been very effective in getting them to smoke less around others than they used to.

Impact of Current Messages

	Mar-Apr 2001		July 2001		Nov-Dec 2001		July 2002		Nov-Dec 2002		July-Aug 2003		Dec 2003	
	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ
Informing you about the health effects of cigarette smoking														
Very effective	26	30	32	41	36	42	36	41	39	44	35	37	38	42
Somewhat effective	28	29	32	32	33	34	32	32	35	36	38	41	35	35
Not very effective	12	13	11	9	8	7	10	10	9	8	8	7	9	9
Not at all effective	31	26	22	16	21	17	20	17	15	12	18	14	18	14
dk/na	3	2	3	2	1	1	1	1	1	*	1	1	*	*
Getting you to smoke less around others than you used to														
Very effective	19	23	20	27	23	28	25	30	27	32	30	35	27	31
Somewhat effective	22	25	24	25	28	28	26	26	29	32	27	29	28	29
Not very effective	16	19	13	13	15	15	16	18	15	13	14	13	15	15
Not at all effective	40	31	40	32	34	28	32	27	28	23	27	22	28	25
dk/na	3	2	3	3	1	2	1	*	1	*	1	1	1	1
Increasing your desire to quit smoking														
Very effective	16	24	19	31	22	31	21	29	22	31	23	32	19	28
Somewhat effective	26	33	26	29	27	30	29	32	31	34	30	35	31	34
Not very effective	14	13	13	9	13	11	15	13	16	13	15	10	17	14
Not at all effective	41	28	39	28	38	26	33	26	30	21	32	22	32	23
dk/na	2	2	3	3	*	*	1	1	*	*	1	*	*	*
	Mar-Apr 2001		July 2001		Nov-Dec 2001		July 2002		Nov-Dec 2002		July-Aug 2003		Dec 2003	
	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ
Getting you to try to quit smoking														
Very effective	14	21	14	22	16	23	17	23	18	25	16	23	17	25
Somewhat effective	22	28	24	32	27	34	28	33	29	35	31	38	29	33
Not very effective	16	16	17	14	16	15	17	15	18	16	17	15	19	17
Not at all effective	46	34	43	30	41	29	37	28	34	24	35	24	35	25
dk/na	2	2	2	2	*	*	1	*	*	*	*	*	*	*
Getting you to smoke less														
Very effective	13	18	12	19	14	19	13	17	16	21	16	19	14	18
Somewhat effective	21	25	24	29	23	28	25	29	27	28	27	32	25	27
Not very effective	17	16	16	15	17	18	22	21	22	21	19	19	21	21
Not at all effective	48	40	45	34	44	35	39	33	35	28	38	29	40	33
dk/na	2	2	2	2	1	1	1	*	1	*	1	1	*	*

* Less than one percent

Q.23

Thinking about the health warning messages that are now on cigarette packages, have these messages been very effective, somewhat effective, not very effective or not at all effective in each of the following ways ...?

Subsample: Smokers and potential quitters

Note: Slightly different question wording as of November-December 2002

c. Assessment of Current Messages

About six in ten Canadian adults each strongly agree that the health warning messages now appearing on cigarette packages are accurate (63%) and provide them with important information about the health effects of smoking cigarettes (59%). Five in ten (50%) strongly agree that these messages make smoking seem less attractive.

Combining the strongly and somewhat agree numbers, 85 percent of Canadian adults agree that they provide important information about health effects, 85 percent agree that the messages are accurate, and 74 percent agree that they make smoking seem less attractive.

Adult smokers are less likely than Canadians as a whole to strongly agree on most of these dimensions. Among adult smokers, 57 percent strongly agree that the messages are accurate, 58 percent strongly agree that they provide them

with important information about the health effects of smoking, and 44 percent strongly agree that these messages make smoking seem less attractive.

Combining the strongly and somewhat agree numbers, 83 percent of smokers agree that they provide important information about health effects, 84 percent agree that the messages are accurate and 65 percent agree that they make smoking seem less attractive.

Among the general population, the results of the current survey are similar to those found in July-August 2003. Comparison with the results found in March-April 2001 suggests a slight increase in the number of Canadian adults who strongly agree that the current messages are accurate; comparison with the results found in November-December 2001 suggests a slight increase in the number of Canadian adults who think that the messages make smoking seem less attractive.

Among adult smokers, the current results suggest slight increases since July-August 2003 in the numbers who strongly agree that these messages are accurate and that they make smoking seem less attractive. Comparison with the results found in March-April 2001 suggests a slight increase both in the number of adult smokers who strongly agree that the current messages provide them with important information about the health effects of smoking and in the number who strongly agree that the messages are accurate; comparison with the results found in November-December 2001 suggests a slight increase in the number of adult smokers who think that the messages make smoking seem less attractive.

Younger adult smokers are more likely than other smokers, and, in fact, are about as likely as Canadian adults in general, to strongly agree with all three of these assessments. Potential quitters are also more likely than "hard-core" smokers to strongly agree with all three of these assessments of the current health warning messages.

Assessment of Current Messages

	MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
The messages are accurate																												
Strongly agree	59	49	62	56	58	47	61	57	58	54	60	59	61	50	63	57	64	55	66	61	62	49	63	55	63	57	65	61
Somewhat agree	21	29	17	28	21	30	18	26	22	28	21	26	21	30	19	28	19	27	17	26	21	31	19	29	22	27	20	24
Somewhat disagree	4	9	2	6	4	8	3	7	4	8	2	7	4	7	2	6	5	8	4	7	3	9	2	7	5	7	5	7
Strongly disagree	3	6	3	4	5	9	3	6	3	6	2	3	4	8	3	5	3	7	1	4	3	7	3	5	3	6	2	4
dk/na	13	7	16	7	13	6	16	5	13	5	15	4	11	5	13	4	10	3	12	2	11	3	13	3	7	3	8	3
The messages provide you with important information about the health effects of smoking cigarettes																												
Strongly agree	59	51	60	56	58	51	59	59	56	53	57	59	62	54	64	59	63	53	66	59	59	55	60	59	59	58	61	62
Somewhat agree	23	27	21	26	23	27	22	25	24	28	22	27	21	26	19	24	22	30	20	30	24	27	22	26	26	25	25	24
Somewhat disagree	4	8	3	7	5	7	4	8	5	6	4	5	4	8	3	7	4	7	3	5	4	7	3	6	5	8	3	7
Strongly disagree	4	11	3	9	6	12	3	7	5	10	4	8	5	11	3	8	5	9	3	6	4	10	3	8	4	9	3	7
dk/na	10	3	13	3	9	3	12	2	11	2	13	1	9	2	11	2	6	1	7	*	9	1	11	2	6	1	8	*
The messages make smoking seem less attractive																												
Strongly agree	-	-	-	-	-	-	-	-	42	40	43	48	46	39	48	46	47	40	49	47	48	40	46	47	50	44	51	50
Somewhat agree	-	-	-	-	-	-	-	-	25	21	26	21	21	23	21	21	25	23	24	22	22	21	23	21	24	21	25	20
Somewhat disagree	-	-	-	-	-	-	-	-	9	15	10	13	12	14	11	12	11	12	10	10	13	14	12	12	10	14	10	13
Strongly disagree	-	-	-	-	-	-	-	-	14	22	10	17	13	23	9	20	11	24	8	20	10	23	9	19	11	20	7	15
dk/na	-	-	-	-	-	-	-	-	9	2	11	2	8	2	11	2	6	1	8	12	7	1	9	2	5	1	7	1

* Less than one percent

Q.22

Thinking generally about the health warning messages that are now on cigarette packages in Canada, do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements ...?

Note: Slightly different question wording as of November-December 2002

D. Avoidance of Messages

When asked about specific behaviours in the last month intended to avoid looking at or thinking about the health warning labels, 13 percent of adult smokers say that they have made efforts to avoid looking at or thinking about health warning labels by keeping the pack out of sight, 11 percent say they have done this by transferring cigarettes to another container, ten percent say they have done this by avoiding buying packs with particular health warning messages, and eight percent say they have done this by placing a case or cover over their package.

These results are similar to those found in July-August 2003, when the question was first asked.

Younger adult smokers are somewhat more likely to have done most of these things in order to avoid the health warning labels, most notably placing a cover or case over their package. Women are slightly more likely than men to have placed a cover over their package. Potential quitters are slightly more likely than hard-core smokers to have avoided buying packages with particular messages.

Made Effort to Avoid Looking at or Thinking about Health Warning Labels

	JULY-AUG 2003						DEC 2003					
	Yes		No		DK/NA		Yes		No		DK/NA	
	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ	S	PQ
By keeping the pack out of sight	13	16	86	84	*	*	13	15	86	85	*	*
By transferring cigarettes to another container	11	11	89	89	*	*	11	11	89	89	*	*
By avoiding buying packs with particular health warning messages on them	13	13	87	87	*	*	10	12	89	88	*	1
By placing a cover or case over your package	9	8	91	92	*	*	8	8	92	91	*	*

* Less than one percent

Q.24

In the last month, have you made any effort to avoid looking at or thinking about the health warning labels by doing any of the following ...?

Subsample: Smokers

5.0 SLIDE AND INSERT

A. Recall and Reads per Day of Slide

When asked, top-of-mind, if they can recall or describe anything they saw or read on the back of the slide portion of a cigarette package (without looking at a cigarette package), a total of almost eight in ten Canadian adults say there is nothing (1%), offer no opinion (41%) or say they have not seen the slide portion (36%). Six percent mention health warnings in general, and four percent each mention tips to stop smoking and a calendar. Sixteen percent mention other items.

Adult smokers are more likely than Canadian adults in general to provide an answer to this question, although a total of almost six in ten say there is nothing (1%), offer no opinion (37%) or say they have not seen the slide portion (19%). Eleven percent say that there are tips to stop smoking on the back of the slide, ten percent mention health warnings in general, nine percent mention a 1 800 number/quit smoking line and five percent mention a calendar. Twenty-three percent mention other items.

Among both the general population and adult smokers, the results of the current survey are for the most part similar to those found in July-August 2003; however, there have been increases in the numbers of respondents who offer no opinion.

Younger adult smokers are more likely than others to recall tips to stop smoking and a 1 800 number/quit smoking line. Male smokers are also somewhat more likely to recall a 1 800 number/quit smoking line.

Awareness of Message on Back of Slide

	NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Health warnings in general	5	7	5	8	7	11	6	12	6	10	5	10
Tips to stop smoking	5	15	2	17	4	12	1	13	4	11	2	12
A calendar	5	5	5	4	4	5	4	5	4	5	4	5
Deaths/statistics/small town	2	3	2	4	1	3	1	2	3	4	2	3
1 800 number/quit smoking line	3	8	1	9	2	11	1	13	3	9	2	10
Lung cancer/disease	2	2	2	3	2	2	2	2	2	2	2	3
Calendar is gone	2	3	1	3	2	3	2	3	1	4	1	4
Tar/nicotine/carbon monoxide levels/cigarette ingredients	2	4	1	4	2	3	2	3	1	3	1	3
Cancer/diseases in general	1	1	2	1	2	1	2	1	1	2	1	1
Information in general	1	2	1	2	1	3	*	4	1	1	*	1
Text with yellow highlighting	1	3	*	4	1	2	1	2	1	3	*	3
Website address	*	1	-	2	*	1	*	2	1	2	-	2
Mouth diseases (gums/teeth/etc.)	*	*	1	1	1	*	1	*	*	*	*	*
Pictures	*	1	1	1	1	1	1	1	*	*	*	*
Stroke	-	-	-	-	*	*	-	*	*	*	-	*
Addiction warnings	*	*	-	*	-	*	-	-	*	*	-	*
Heart disease/problems	-	1	-	1	-	*	-	-	*	*	-	1
Brain cancer/diseases	-	*	-	*	-	-	-	-	*	*	-	*
Questions and answers	-	*	-	*	-	*	-	*	*	*	*	*
Strategies/the "four D's"	-	*	-	*	-	*	-	*	*	-	*	-
Impotence	*	*	-	*	-	-	-	-	-	*	-	*
Other	2	2	2	2	2	3	2	3	2	2	2	3
Not seen sliding part of cigarette pack	34	27	36	23	37	21	43	19	36	19	41	18
None/nothing	*	1	*	2	6	4	6	4	1	1	*	1
dk/na	42	29	44	29	33	29	34	29	41	37	42	36

* Less than one percent

Q.25

Without looking at a cigarette package, can you recall or describe anything you saw or read on the back of the sliding part of a cigarette package? Anything else?

Three percent of adult smokers report that they look at or read the information on the slide several times a day, and four percent do this about once a day. About one-third (a total of 32%) look at or read the information on the slide less frequently, including 20 percent who say they do this less than once a week. Six in ten (61%) say they never look at or read the information on the slide.

These results are similar to those found in the July-August 2003 survey, when this question was first asked.

Men, younger adult smokers and potential quitters are somewhat more likely to look at or read the information on the slide at least occasionally.

Frequency of Looking at or Reading Information on Back of Slide

	JULY-AUG 2003		DEC 2003	
	S	PQ	S	PQ
Several times a day	3	4	3	3
About once a day	3	4	4	5
Once every two or three days	3	4	3	3
About once a week	9	10	9	9
Less than once a week	23	25	20	22
Never	58	53	61	58
dk/na	*	*	1	*

* Less than one percent

Q.26

Overall, how often to you find yourself looking at or reading the information on the back of the sliding part of a cigarette package? Would it be ...?

Subsample: Smokers

B. Assessment of Information on Slide

More than three in ten adult smokers (35%) strongly agree that the information they have seen on the back of the slide is accurate, and just over two in ten (23%) strongly agree that the information is useful to them. Combining the strongly and somewhat agree numbers, 59 percent of smokers agree the information is accurate, and 46 percent say it is useful to them.

The results of the current survey suggest that there has been a slight increase since July-August 2003 in the number of adult smokers who strongly agree that the information on the slide is accurate; the current results are similar to those found in November-December 2002, when this question was first asked.

Younger adult smokers, occasional smokers and potential quitters are more likely to strongly agree with both of these dimensions. Male smokers are more likely than female smokers to strongly agree that the information is useful to them.

Information on Back of Slide

	NOV-DEC 2002		JULY-AUG 2003		DEC 2003	
	S	PQ	S	PQ	S	PQ
The information is accurate						
Strongly agree	36	42	30	34	35	37
Somewhat agree	22	20	22	22	24	23
Somewhat disagree	4	4	6	6	4	4
Strongly disagree	6	4	8	5	7	5
dk/na	32	30	35	34	31	30
The information is useful to you						
Strongly agree	24	31	21	25	23	25
Somewhat agree	23	22	22	25	23	24
Somewhat disagree	9	9	11	10	12	11
Strongly disagree	18	15	20	16	22	19
dk/na	25	24	26	25	21	21

Q.27

Thinking about the information you have seen or read on the back of the sliding part of a cigarette package, do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements ...?

Subsample: Smokers

c. The Insert

One percent of adult smokers report that they look at or read the information on the insert several times a day, and three percent do this about once a day. About two in ten (a total of 22%) look at or read the information on the insert less frequently, including 14 percent who say they do this less than once a week. About seven in ten (72%) say they never look at or read the information on the slide.

The current results are similar to those found in July-August 2003, when this question was first asked.

Younger adult smokers and potential quitters are more likely than their counterparts to say that they look at or read the information on the insert at least occasionally.

Forty-nine percent of adult smokers throw out the insert when they open the pack, and a further 15 percent throw out the insert when they are finished with the pack. Only two percent keep the insert, and five percent say they do something else with it. Twenty-eight percent say they do not have inserts in their packs of cigarettes.

The current results suggest an increase since the July-August 2003 survey in the number of adult smokers who throw out the insert when they open a pack of cigarettes; there has been a decline in the number who say they don't have packs with inserts.

Women and younger adult smokers are somewhat more likely than others to throw the insert out when they open the pack.

Frequency of Looking at or Reading Information on Cigarette Pack Insert

	JULY-AUG 2003		DEC 2003	
	S	PQ	S	PQ
Several times a day	2	2	1	1
About once a day	2	3	3	3
Once every two or three days	3	3	2	2
About once a week	6	7	6	6
Less than once a week	14	16	14	16
Never	72	68	72	70
dk/na	2	2	2	2

Q.28

How often do you look at or read the information that is on the insert or the piece of paper that is included in some cigarette packs? Would it be ...?

Subsample: Smokers

What Done with Cigarette Pack Insert

	JULY-AUG 2003		DEC 2003	
	S	PQ	S	PQ
Throw out when open pack	43	44	49	49
Throw out with pack when done	14	14	15	15
Keep	1	2	2	2
Something else	5	5	5	4
Don't have packs with inserts	35	33	28	28
dk/na	2	2	2	2

Q.29

What do you usually do with the insert, that is, the piece of paper with information on it, that is included in some cigarette packs? Do you ...?

Subsample: Smokers

6.0 TOXIC SUBSTANCES

A. Awareness of Toxic Substances

When Canadian adults are asked top-of-mind what, if any, chemicals or toxic substances they can name that are in cigarettes or cigarette smoke, 64 percent mention nicotine and 51 percent mention tar. Smaller proportions mention carbon monoxide (12%), arsenic (7%), formaldehyde (7%) and benzene (5%). Twenty-two percent mention other toxic substances. Two percent say there are no chemicals or toxic substances in cigarettes or cigarette smoke, and 14 percent offer no opinion.

Adult smokers are more likely than Canadian adults in general to mention carbon monoxide and hydrogen cyanide. Overall, 64 percent of adult smokers mention nicotine, 61 percent

mention tar and 22 percent mention carbon monoxide. Smaller proportions mention formaldehyde (10%), hydrogen cyanide (9%), carbon dioxide (6%), benzene (6%), poison/rat poison/strychnine/cyanide (6%) and arsenic (5%). Nine percent mention other toxic substances. Two percent say there are no toxic substances, and nine percent offer no opinion.

Among the general population, the results of the current survey are similar to those found in July-August 2003; however, the current survey finds that the numbers of Canadian adults who mention nicotine has declined from the baseline survey. As well, there have been increases – though not always significant – since the baseline survey in the numbers of Canadian adults and adult smokers who mention specific chemicals such as formaldehyde, benzene, hydrogen cyanide and arsenic.

Among adult smokers, the current survey finds that there have been slight decreases since July-August 2003 in the numbers of adult smokers who mention nicotine, carbon monoxide and hydrogen cyanide. The current survey finds that the numbers of adult smokers who mention nicotine and tar have declined from the baseline survey. As well, there have been increases since the baseline survey in the numbers of adult smokers who mention formaldehyde, benzene and hydrogen cyanide.

Female smokers are slightly more likely than male smokers to mention nicotine. Younger adult smokers are more likely to mention tar, carbon monoxide, formaldehyde, benzene and hydrogen cyanide.

Toxic Substances in Cigarettes

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Nicotine	73	76	71	79	70	70	67	71	65	66	65	66	62	63	62	63	66	66	65	67	62	66	61	68	64	68	63	70	64	64	65	64	
Tar	53	70	45	72	53	59	47	59	49	61	45	60	55	59	53	59	53	59	52	58	52	56	51	57	52	60	49	60	51	61	46	62	
Carbon monoxide	14	24	8	25	14	23	9	24	12	26	7	26	15	27	10	27	16	28	9	31	12	27	10	29	13	27	10	28	12	22	7	21	
Arsenic	4	5	4	5	5	4	6	5	6	6	7	6	13	8	13	9	11	7	12	9	8	6	9	6	7	6	7	8	7	5	6	7	
Formaldehyde	2	1	2	1	1	2	1	2	4	4	3	5	5	9	4	11	5	9	3	10	5	9	4	10	6	10	4	11	7	10	4	10	
Benzene	2	2	2	2	3	2	3	2	3	3	3	3	8	9	8	11	5	8	4	9	5	7	4	6	3	7	3	8	5	6	4	5	
Hydrogen cyanide	1	1	2	1	3	5	2	5	4	6	3	7	7	12	5	13	6	10	3	12	9	12	6	15	5	14	5	16	4	9	2	11	
Poison/rat poison/strychnine/cyanide	1	1	1	1	3	3	3	4	3	4	2	5	5	5	4	6	5	7	5	7	3	5	3	5	3	3	3	3	4	6	3	7	
Carbon dioxide	4	6	3	7	5	6	4	6	4	7	2	8	4	7	3	7	5	7	4	8	4	7	3	8	4	8	3	8	3	6	3	7	
Tobacco	1	1	1	1	1	1	1	*	3	1	4	1	2	1	3	1	1	1	2	1	1	1	1	1	2	1	2	1	3	1	3	1	
Ammonia	1	1	1	1	2	2	1	3	2	1	2	2	3	5	2	6	3	3	2	4	2	2	2	3	3	2	2	3	1	1	1	1	
Carcinogens	1	1	1	1	1	1	1	1	1	1	2	2	2	1	2	1	1	1	1	1	2	1	2	1	2	*	2	*	1	*	1	*	
Benzo[a]pyrene	*	*	1	*	*	*	*	*	*	*	*	—	1	1	1	1	1	1	*	2	1	1	*	2	1	1	*	1	1	1	1	1	1
Carbon	*	1	—	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	*	*	*	*	1	1	1	1	
Lead	1	*	1	*	*	1	—	1	1	*	1	*	1	*	2	*	1	*	1	1	2	1	2	2	1	*	*	1	*	*	1	*	
Chemicals/gases/toxins – in general	3	3	2	3	2	3	2	4	4	3	5	3	4	2	4	3	3	1	2	2	1	2	2	1	1	1	1	1	*	*	*	*	
Nitrogen oxides (nitrogen dioxide, nitric oxide)	*	1	1	1	*	*	*	*	*	*	*	*	2	2	2	2	*	*	1	*	1	1	1	1	1	1	1	1	*	*	*	*	
Nitrosamines	1	*	1	*	*	*	—	*	—	*	—	*	1	*	*	*	—	*	—	*	*	*	*	*	1	*	1	*	*	*	*	*	*
Cadmium	*	*	*	*	*	*	*	*	—	*	—	*	1	*	1	*	1	*	1	*	1	*	1	1	*	*	—	—	*	—	*	—	—
4-Aminobiphenyl	1	*	1	*	—	*	—	*	—	*	—	—	*	*	*	*	1	*	1	*	*	1	*	1	*	1	—	1	*	*	*	*	
Fibreglass	*	1	—	1	*	1	*	1	1	*	1	1	*	*	*	1	*	*	*	*	*	*	*	*	*	1	*	1	*	*	*	*	—
Pesticides	—	—	—	1	—	—	—	1	—	—	—	1	*	*	*	*	1	1	1	1	*	*	*	*	*	*	*	*	*	*	*	*	*
Battery acid/toxic/juice	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	—	*	—	—	—	—	—	—	*	*	*	—	*	*	*	*	
Nail polish remover	*	—	*	—	—	*	—	*	*	*	1	—	—	*	—	*	1	*	1	*	1	*	1	*	—	*	—	—	*	*	—	*	*
Paint thinner/remover	*	*	*	*	*	*	*	*	—	*	—	*	*	*	*	*	1	*	1	*	1	*	2	1	*	—	1	—	*	*	*	*	*
Dioxins	*	*	*	—	*	*	*	*	*	*	*	*	1	*	1	*	*	*	—	*	1	*	1	*	*	*	*	*	*	*	*	*	1

* Less than one percent

Continued ...

Q.30

Without looking at anything, what, if any, chemicals or toxic substances can you name that are in cigarettes or cigarette smoke? Are there any others?

Toxic Substances in Cigarettes
Continued

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Phenols	*	*	*	-	*	*	*	*	-	*	-	*	*	*	-	*	1	*	*	*	*	-	*	*	*	-	*	*	*	-	-	*	-
Type of fuel/gasoline/kerosene/ jet fuel/rocket fuel	1	1	*	1	1	1	1	1	*	1	*	1	1	1	1	1	1	1	1	1	1	*	1	*	-	*	-	-	-	-	*	-	
Sulphur/sulphate	*	*	*	*	*	1	*	*	*	1	*	1	1	1	1	1	*	*	1	1	1	*	1	1	1	1	*	1	1	-	*	-	*
Saltpetre	*	*	*	*	*	*	*	*	1	*	*	1	*	*	*	*	*	*	1	*	*	-	-	-	-	1	*	*	*	-	*	-	*
Acid	*	*	*	*	*	*	*	1	*	*	*	-	*	1	*	*	*	*	*	*	*	1	1	1	1	*	*	*	*	-	-	-	-
Household cleaners	*	*	-	*	*	*	*	-	*	1	-	*	*	1	*	*	*	-	*	*	*	*	*	*	*	*	*	*	*	-	-	-	-
Ash	-	-	-	-	*	*	*	*	*	-	*	-	1	-	1	-	-	*	-	-	-	*	*	*	*	-	*	-	*	-	1	-	*
Oil	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	1	*	*	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other	1	1	1	2	1	1	1	1	2	2	2	2	1	1	1	*	2	2	2	2	2	2	1	2	2	4	2	5	4	4	5	4	
None/nothing	5	3	6	2	5	6	5	6	4	2	4	3	3	3	3	3	2	2	2	2	2	4	2	3	5	2	5	2	2	2	2	1	
dk/na	8	6	10	5	11	8	13	9	13	10	15	9	11	9	11	9	11	10	13	8	15	10	16	8	14	8	15	9	14	9	16	8	

* Less than one percent

Q.30

Without looking at anything, what, if any, chemicals or toxic substances can you name that are in cigarettes or cigarette smoke? Are there any others?

When asked what chemicals or substances in cigarettes, in tobacco or in smoking, if any, cause or can cause disease or harm to health, the largest proportions of Canadians in general mention nicotine (43%) and tar (35%). Much smaller proportions mention carbon monoxide (7%) and arsenic (5%). Fifteen percent say that all the chemicals cause harm, 21 percent mention other specific substances, and 29 percent offer no opinion.

Among adult smokers, the largest proportion mention nicotine (40%), tar (38%) and carbon monoxide (14%). Smaller proportions mention formaldehyde (6%) and hydrogen cyanide (7%). Twenty percent say that all the chemicals cause harm, 21 percent mention other specific substances, and 24 percent offer no opinion.

The results of the current survey among both Canadian adults and adult smokers are similar to those found in the July-August 2003 survey; however, there has been a slight decrease since July 2002 in the number of adult smokers who mention carbon monoxide.

Female smokers are more likely than others to say that all the chemicals cause harm. Male smokers are more likely to mention tar. Younger adult smokers are more likely than others to mention carbon monoxide and hydrogen cyanide. Everyday smokers are more likely than occasional smokers to mention nicotine and tar.

Chemicals in Cigarettes Causing Disease or Harm to Health

	JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Nicotine	43	40	45	41	42	43	41	43	44	40	45	41	43	40	46	40
Tar	36	39	33	40	35	40	32	42	33	37	35	38	35	38	32	38
Carbon monoxide	9	18	5	18	8	18	5	19	9	15	6	16	7	14	4	14
Arsenic	6	4	6	4	6	3	6	3	5	3	5	4	5	3	5	4
Formaldehyde	3	5	2	5	3	5	2	6	3	4	2	5	4	6	2	5
Benzene	4	5	3	6	3	4	2	4	2	4	2	4	3	4	2	3
Hydrogen cyanide	3	7	2	7	5	8	3	9	3	6	3	7	2	7	2	7
The smoke itself	2	1	3	1	1	2	2	1	2	1	2	1	2	2	2	2
Carbon dioxide	2	2	2	3	2	3	2	3	3	2	3	3	2	3	2	2
Poison/rat poison/strychnine/cyanide	2	3	2	4	1	2	1	2	1	2	1	2	2	3	2	3
Ammonia	1	1	1	2	1	1	1	2	2	1	1	2	1	1	1	1
Carcinogens	-	*	-	*	2	*	3	*	1	*	*	*	1	*	1	*
Tobacco	1	1	1	1	1	*	1	*	1	1	1	1	1	1	1	1
Chemicals/gases/toxins – in general	1	1	1	*	*	1	1	1	1	*	1	*	*	1	*	*
Benzo[a]pyrene	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Carbon	*	1	*	*	*	1	*	*	*	*	*	*	*	*	*	*
Lead	*	-	1	-	1	*	1	*	*	*	*	*	*	-	*	-
Pesticides	1	*	1	1	*	*	*	-	*	*	*	*	*	*	*	*
Battery acid/toxic juice	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
Oil	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
Dioxins	*	-	*	-	*	*	*	*	*	*	*	1	*	*	*	*
Pain thinner/remover	-	-	-	-	*	*	*	*	*	-	*	-	*	-	*	-
4-Aminobiphenyl	*	*	*	*	-	1	-	1	*	*	*	*	*	1	*	1
Nitrosamines	*	-	*	-	*	*	-	1	*	*	*	*	*	-	*	-
Phenols	*	-	1	-	*	-	*	-	*	*	*	*	-	*	-	*
Nitrogen oxides (nitrogen dioxide/nitric oxide)	-	-	-	-	*	*	*	*	*	*	-	1	-	*	-	*

* Less than one percent

Continued ...

Q.34

What chemicals or substances in cigarettes, in tobacco, or in smoking, if any, cause or can cause disease or harm to health? Are there any others?

Almost seven in ten adult Canadians (67%) think that chemicals are added to tobacco when cigarettes are being manufactured. One in ten (12%) say that chemicals are not added and two in ten (21%) offer no response.

A similar proportion of adult smokers (70%) say that chemicals are added to tobacco. Thirteen percent say that chemicals are not added, and 16 percent offer no response.

The results of the current surveys are similar to those found in July-August 2003 and in July 2002, when this question was first asked.

Women, younger adult smokers and potential quitters are more likely than others to say that chemicals are added to tobacco.

Chemicals in Cigarettes Causing Disease or Harm to Health *Continued*

	JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2002			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Cadmium	*	-	*	-	*	*	*	*	-	-	-	-	*	-	*	-
Type of fuel/gasoline/kerosene/jet fuel/rocket fuel	*	-	*	-	*	*	1	*	-	-	-	-	*	-	*	-
Fibreglass	-	*	-	*	*	*	*	*	-	*	-	*	-	*	-	*
Sulphur/sulphate	*	-	*	-	*	-	*	-	-	*	-	-	-	*	-	*
Ash	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-
Acid	*	-	*	-	-	*	-	*	-	*	-	*	-	-	-	-
Saltpetre	*	-	*	-	-	*	-	*	-	*	-	-	-	-	-	-
Nail polish remover	*	*	*	*	*	*	*	*	-	-	-	-	-	-	-	-
Household cleaners	*	*	*	-	*	*	-	*	-	-	-	-	-	*	-	*
All the chemicals cause harm	16	24	14	25	14	21	13	23	15	23	12	26	15	20	11	21
Other	1	1	2	1	*	1	*	*	2	1	2	1	3	2	4	2
None	-	-	-	-	1	3	2	2	4	4	4	3	1	2	1	2
dk/na	27	20	30	18	29	20	31	18	26	20	28	19	29	24	30	23

* Less than one percent

Q.34

What chemicals or substances in cigarettes, in tobacco, or in smoking, if any, cause or can cause disease or harm to health? Are there any others?

Chemicals in Cigarettes Added During Manufacture

	JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003			
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ
Yes	69	68	68	71	67	72	65	73	67	70	65	72	67	70	66	73
No	11	14	10	14	10	11	9	11	11	12	10	10	12	13	11	11
dk/na	20	18	22	16	23	16	26	16	22	18	25	18	21	16	23	16

Q.35

As far as you know, are any chemicals added to the tobacco when cigarettes are manufactured?

B. Reads per Day and Impact of Information about Toxic Substances

One percent of adult smokers report that they look at or read the information about chemicals and toxic substances on the side of cigarette packages several times a day, and two percent do this about once a day. Less than one-half (a total of 45%) look at or read the information on the side of cigarette packages less frequently, including 35 percent who say they do this less than once a week. One-half (51%) say they never look at or read the information on the side of cigarette packages.

The current survey results suggest a slight decrease since July-August 2003 in the number of adult smokers who look at the information on the side of cigarette packages, and a corresponding increase in the number who never look at this information.

Younger adult smokers and potential quitters are more likely than their counterparts to say they read the information on chemicals and toxic substances on the side of cigarette packages at least occasionally.

When asked if they can name any chemicals or toxic substances that are currently listed on a cigarette package (without looking at a cigarette package), the largest proportions of Canadians mention nicotine (34%) and tar (33%). Seven percent mention carbon monoxide and 16 percent mention some other toxic substance. Seven percent say there are no chemicals or toxic substances currently listed on cigarette packages and 47 percent offer no opinion.

Adult smokers are more likely than Canadian adults in general to mention nicotine (47%), tar (48%) and carbon monoxide (18%). They are also more likely to mention other toxic substances; six percent each mention hydrogen cyanide and formaldehyde, and 15 percent mention other toxic substances. Smokers are more likely than adults in general to offer an opinion (28% offer no response).

Among adult Canadians, there has been a decrease since the July-August survey in the number who say there are no chemicals or toxic substances listed on cigarette packages, and an increase in the number who offer no opinion. Since the 2000 baseline survey, there have been decreases in the proportion who say there are no chemicals or toxic substances listed on cigarette packages (down 18 points) and in the proportion who mention nicotine (down eight points). In the same period, there has been an increase in the number who do not offer an opinion (up 23 points).

Among adult smokers, there has been a slight decrease since the July-August survey in the number who mention nicotine, and an increase in the number who offer no opinion. Since the 2000 baseline survey, there have been decreases in the proportion who say there are no chemicals or toxic substances listed on cigarette packages (down nine points) and in the proportions who mention nicotine (down nine points), tar (down six points) and carbon monoxide (down four points). In the same period, there has been an increase in the number who do not offer an opinion (up 13 points).

Younger adult smokers tend to be at least slightly more likely to mention chemicals such as carbon monoxide, hydrogen cyanide and formaldehyde.

Frequency of Looking at or Reading Information about Chemicals and Substances on Side of Cigarette Pack

	JULY-AUG 2003		DEC 2003	
	S	PQ	S	PQ
Several times a day	2	2	1	1
About once a day	2	3	2	2
Once every two or three days	2	2	2	2
About once a week	9	11	8	10
Less than once a week	39	43	35	38
Never	45	39	51	47
dk/na	*	*	*	*

* Less than one percent

Q.32

Overall, how often do you find yourself looking at, or reading, the information about chemicals and substances on the side of cigarette packages? Would it be ...?

Subsample: Smokers

Toxic Substances Listed on Cigarette Packages

	NOV-DEC 2000				MAR-APR 2001				JULY 2001				NOV-DEC 2001				JULY 2002				NOV-DEC 2002				JULY-AUG 2003				DEC 2003				
	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	GP	S	NS	PQ	
Nicotine	42	56	36	58	40	53	32	56	35	53	28	56	37	51	30	53	38	51	32	53	34	51	28	53	33	52	29	52	34	47	30	48	
Tar	33	54	24	55	36	52	25	55	34	52	25	53	34	51	28	51	33	51	25	53	29	50	22	50	30	49	26	51	33	48	25	49	
Carbon monoxide	9	22	3	23	8	19	3	21	11	22	5	24	9	22	5	24	10	22	4	23	9	22	4	24	7	21	5	23	7	18	2	16	
Hydrogen cyanide	*	-	*	-	1	1	1	2	1	3	*	3	2	6	1	7	3	7	1	7	4	8	2	11	4	8	3	10	3	6	1	7	
Formaldehyde	*	*	*	-	1	1	1	2	1	2	1	3	2	6	1	6	3	6	1	6	2	7	*	8	3	7	1	7	3	6	1	5	
Poison/rat poison/strychnine/arsenic/ cyanide (unspec.)**	*	*	*	1	1	1	1	1	1	2	1	2	1	3	1	3	3	5	2	5	2	2	1	2	2	3	2	3	3	4	3	5	
Benzene	*	*	*	-	1	1	1	1	1	2	*	2	3	6	1	7	2	5	1	6	2	6	*	7	2	6	1	6	3	4	1	3	
Carbon dioxide	2	4	*	8	3	5	2	5	1	4	*	4	1	3	1	3	2	4	1	5	1	3	*	3	3	4	2	5	1	3	1	2	
Tobacco	*	*	1	*	*	*	1	*	1	*	1	1	1	1	1	*	1	*	1	*	1	*	1	*	1	1	*	1	*	1	1	1	1
Carcinogens	-	*	-	*	*	-	*	-	-	*	-	*	-	-	-	-	-	*	-	-	*	*	*	*	1	*	*	*	*	*	*	*	
Chemicals/gases/toxins – in general	1	1	1	1	1	2	1	2	1	2	1	2	1	2	1	2	1	*	1	*	*	*	*	*	-	-	-	-	*	*	*	*	
Lead	-	-	-	-	*	-	*	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*	-	*	-	-	-	-	*	-	*	-	
Type of fuel/gasoline/kerosene/ jet fuel/rocket fuel	-	*	-	-	-	-	-	-	*	-	*	-	*	*	*	*	*	*	1	-	-	*	-	*	-	-	-	-	-	*	-	*	
Other	*	*	*	*	*	*	*	*	1	1	*	1	*	1	*	1	1	2	1	2	1	2	1	2	2	3	2	2	2	3	2	3	
None	25	16	27	15	25	20	29	19	13	9	16	9	16	9	18	8	9	8	9	7	9	8	11	7	15	9	15	8	7	7	8	6	
dk/na	24	15	29	16	26	16	31	13	39	24	46	23	37	22	43	22	42	25	51	23	46	24	53	23	38	21	43	19	47	28	54	27	

* Less than one percent

Note: Prior to Nov-Dec 2002, "Poison/rat poison/strychnine/arsenic"

Q.31

Without looking at a cigarette package, can you name any chemicals or toxic substances that are currently listed on a cigarette package? Can you name any others?

Almost four in ten adult smokers say that the information about chemicals and toxic substances now on the side of cigarette packages has contributed to encouraging them to try to quit smoking (37%). Three in ten each say this information has contributed to increasing their desire to quit smoking (32%) and getting them to smoke less (31%). Fewer than two in ten (17%) say the information has contributed to getting them to switch to a different brand or product.

The current survey results suggest a slight increase since July-August 2003 in the number who say that the information about chemicals and toxic substances now on the side of cigarette packages has contributed to encouraging them to try to quit smoking.

Younger adult smokers and potential quitters are more likely to say that the information about chemicals and toxic substances on the side of the packages has contributed to encouraging them to try to quit smoking, getting them to smoke less, increasing their desire to quit smoking and, to a lesser degree, getting them to switch to a different brand or product. Male smokers are slightly more likely than female smokers to say this information has contributed to encouraging them to try to quit.

Impact of Information about Chemicals and Toxic Substances

	NOV-DEC 2002			JULY-AUG 2003			DEC 2003		
	Yes S PQ	No S PQ	DK/NA S PQ	Yes S PQ	No S PQ	DK/NA S PQ	Yes S PQ	No S PQ	DK/NA S PQ
Encouraged you to try to quit smoking	36 46	63 54	* *	33 44	65 54	2 1	37 48	62 51	1 1
Increased your desire to quit smoking	32 41	67 59	1 *	31 42	67 57	2 1	32 42	67 57	1 1
Got you to smoke less	34 39	65 61	1 *	32 38	67 60	2 2	31 36	68 63	1 1
Got you to switch to a different brand or product	19 21	80 79	* -	16 18	82 81	1 1	17 19	82 80	1 1

* Less than one percent

Q.33

Thinking about the list and the information about chemicals and toxic substances that is now on the side of cigarette packages in Canada, has this information contributed to any of the following? Has it ...?

Subsample: Smokers and potential quitters

SURVEY METHODS

A. Survey of General Population: Methodology

The results of the survey are based on questions asked to 912 adults 18 years of age and older, living within the ten provinces of Canada. The survey was conducted by telephone from November 28 to December 9, 2003.

SAMPLE SELECTION

The sampling method was designed to complete 900 interviews within households randomly selected across Canada. It is drawn in such a way that it represents the Canadian population with the exception of those Canadians living in the Yukon, Northwest Territories or Nunavut.

The actual sample is distributed as follows.

	WEIGHTED N	UNWEIGHTED N	MARGIN OF ERROR
Atlantic Region	74	67	12.0
Quebec	230	245	6.3
Ontario	341	345	5.3
Manitoba/Saskatchewan	65	62	12.4
Alberta	83	88	10.4
British Columbia	119	105	9.6
Total	912	912	3.2

The sampling model relies on the stratification of the population by ten provinces and by six community sizes (1,000,000 inhabitants or more, 100,000 to 1,000,000 inhabitants, 25,000 to 100,000 inhabitants, 10,000 to 25,000 inhabitants, 5,000 to 10,000 inhabitants and under 5,000 inhabitants).

Environics uses a sampling method in which sample is generated using the RDD (random digit dialling) technique. Samples are generated using a database of active phone ranges. These ranges are made up of a series of contiguous blocks of 100 contiguous phone numbers and are revised three to four times per year after a thorough analysis of the most recent edition of an electronic phonebook. Each number generated is put through an appropriate series of validation procedures before it is retained as part of a sample. Each number generated is looked up in a recent electronic phonebook database to retrieve geographic location, business indicator and "do not call" status. The postal code for listed numbers is verified for accuracy and compared against a list of valid codes for the sample stratum. Non-listed numbers are assigned a "most probable" postal code based on the data available for all listed numbers in the phone exchange. This sample selection technique ensures both unlisted numbers and numbers listed after the directory publication are included in the sample.

A total of 11,554 telephone numbers were drawn. From within each household contacted, respondents 18 years of age and older were screened for random selection using the "most recent birthday" method. The use of this technique produces results that are as valid and effective as enumerating all persons within a household and selecting one randomly.

Additional screening was performed to exclude households in which the respondent or another household member was employed in advertising, market research, the media or a tobacco company.

In the data analysis, the results of the survey were weighted to reflect the actual proportion of over- and under-sampled segments in the population: in this case, weighting was by age, gender and region.

TELEPHONE INTERVIEWING

Interviewing was conducted at Environics' central facilities in Toronto and Montreal. Field supervisors were present at all times to ensure accurate interviewing and recording of responses. Ten percent of each interviewer's work was unobtrusively monitored for quality control in accordance with the standards set out by the Canadian Association of Marketing Research Organizations. A minimum of five calls were made to a household before classifying it as a "no answer."

COMPLETION RESULTS

A total of 912 interviews were completed. The margin of error for a sample of 912 is ± 3.2 percentage points, 19 times in 20. The margins are wider for regional and demographic subsamples.

The following table presents the detailed completion results for this survey of 912 interviews.

Dialled Sample	11,554
Household not eligible	168
Non-residential/not in service	3,983
Language barrier	249
Subtotal	4,400
New Base (11,554-4,400)	7,154
No answer/line busy/respondent not available	4,206
Refusals	1,970
Mid-interview refusals	66
Subtotal	6,242
Net Completions (7,154-6,242)	912

B. Survey of Adult Smokers: Methodology

The results of the survey are based on questions asked to 1,005 adult smokers 18 years of age and older living within the ten provinces of Canada. Of this total, 762 interviews were conducted with smokers only, between November 28 and December 20, 2003. A further 243 interviews were conducted with smokers as part of a general population survey, conducted from November 28 to December 9, 2003. All interviews were conducted by telephone.

The margin of error for a sample of 1,005 is ± 3.1 percentage points, 19 times in 20. The margins are wider for regional and demographic subsamples.

SAMPLE FRAME

The sampling methods were designed to complete approximately 1,000 interviews with smokers in the ten provinces, proportionate to the incidence of smokers in each province relative to the incidence of smokers in the population of Canada. These interviews were drawn from two different surveys, the general population survey and an oversample survey of smokers. Using population and smoking incidence data, the relative proportions of smokers in the populations of each province were derived and used as the basis of the sampling frame (Source: CTUMS data, 2001).

	NUMBER OF SMOKERS	% OF TOTAL	N
Newfoundland	113,080	2.09	21
Prince Edward Island	28,396	0.52	5
Nova Scotia	190,159	3.51	35
New Brunswick	153,580	2.83	29
Quebec	1,452,020	26.83	268
Ontario	2,878,927	34.71	347
Manitoba	233,140	4.31	43
Saskatchewan	200,271	3.70	37
Alberta	604,949	11.17	112
British Columbia	557,300	10.29	103
Canada	5,411,822	100.00	1,000

The actual sample, by province, is as follows.

	WEIGHTED N	UNWEIGHTED N	MARGIN OF ERROR
Newfoundland	21	21	21.4
Prince Edward Island	5	5	43.8
Nova Scotia	35	35	16.6
New Brunswick	29	29	18.2
Quebec	270	268	6.0
Ontario	349	347	5.3
Manitoba	43	43	14.9
Saskatchewan	37	36	16.3
Alberta	112	113	9.2
British Columbia	104	108	9.4
Total	1,005	1,005	3.1

SURVEY METHODS

The following sections discuss survey methods for the oversample survey of 762 interviews conducted among smokers. For a discussion of the methods for the general population survey, from which 243 interviews with smokers were drawn, please see Section A, Survey of General Population: Methodology.

SAMPLE SELECTION: OVERSAMPLE

Enviroics uses a sampling method in which sample is generated using the RDD (random digit dialling) technique. Samples are generated using a database of active phone ranges. These ranges are made up of a series of contiguous blocks of 100 contiguous phone numbers and are revised three to four times per year after a thorough analysis of the most recent edition of an electronic phonebook. Each number generated is put through an appropriate series of validation procedures before it is retained as part of a sample. Each number generated is looked up in a recent electronic phonebook database to retrieve geographic location, business indicator and "do not call" status. The postal code for listed numbers is verified for accuracy and compared against a list of valid codes for the sample stratum. Non-listed numbers are assigned a "most probable" postal code based on the data available for all listed numbers in the phone exchange. This sample selection technique ensures both unlisted numbers and numbers listed after the directory publication are included in the sample.

A total of 31,451 telephone numbers were drawn. Households contacted were initially screened for the presence of a smoker aged 18 years or older in the household. Where more than one adult smoker was part of a household, respondents were screened for random selection using the "most recent birthday" method. The use of this technique produces results that are as valid and effective as enumerating all qualified persons within a household and selecting one randomly.

Additional screening was performed to exclude households in which the respondent or another household member was employed in advertising, market research, the media or a tobacco company.

In the data analysis, the results of the survey were weighted to reflect the actual proportion of over- and under-sampled segments in the population: in this case, weighting was by age, gender and by the regional incidence of smokers.

TELEPHONE INTERVIEWING: OVERSAMPLE

Interviewing was conducted at Environics' central facilities in Toronto and Montreal. Field supervisors were present at all times to ensure accurate interviewing and recording of responses. Ten percent of each interviewer's work was unobtrusively monitored for quality control in accordance with the standards set out by the Canadian Association of Marketing Research Organizations. A minimum of five calls were made to a household before classifying it as a "no answer."

COMPLETION RESULTS: OVERSAMPLE

A total of 762 interviews were completed. The margin of error for a sample of 762 is +/- 3.6 percentage points, 19 times in 20. The margins are wider for regional and demographic subsamples.

The following table presents the detailed completion results for this oversample of 762 interviews.

Dialled sample	31,451
Household not eligible	7,046
Non-residential/not in service	11,000
Language barrier	422
Subtotal	18,468
New Base (31,451-18,468)	12,983
No answer/line busy/respondent not available	8,191
Refusals	3,965
Mid-interview refusals	65
Subtotal	12,221
Net Completions (12,983-12,221)	762

QUESTIONNAIRES



Nov 28/03

Survey of Adult Smokers and Non-Smokers – Wave 8
PN5441
Questionnaire - Draft 2

INTRODUCTION

Hello, my name is _____ of Environics Research Group Ltd. We are conducting a study for the Government of Canada on issues important to Canadians. Please be assured that we are not selling or soliciting anything. Your answers will be kept strictly confidential and your participation is important if the results of the survey are to be accurate.

We choose telephone numbers at random, then select one person from a household to be interviewed.

- A. May I please speak to the person in your household who is 18 years of age or older, and has had the most recent birthday.

#01 Yes

#02 Not Available.....**SCHEDULE CALL-BACK**

#03 Refused.....**DISCONTINUE & THANK**

- B. Do you or does anyone in your household work for an advertising or market research firm, the media, or a tobacco company?

1 - Yes **THANK AND TERMINATE**

2 - No **CONTINUE TO MAIN QUESTIONNAIRE**

- C. **(READ IF NECESSARY)** Are you male or female?

1 - Male

2 - Female

- D. Language of survey

1 - English

2 - French

INTRODUCTION FOR ADULT SMOKERS SURVEY

Hello, my name is _____ of Environics Research Group Ltd. We are conducting a brief study for the Government of Canada on issues affecting Canadians. Please be advised that we are not selling nor soliciting anything. Your participation is important if the results of the survey are to be accurate and your answers will be kept strictly confidential.

We choose telephone numbers at random, then select one person from a household to be interviewed.

- A. Does anyone in your household age 18 or older smoke cigarettes (manufactured or roll your own)?

1 - Yes	ASK B
2 - No	THANK AND TERMINATE
3 - DK/NA	

- B. Is there more than one person in your household age 18 or older that smokes cigarettes?

1 - Yes, more than one	ASK C
2 - One only	SCHEDULE CALL BACK

- C. May I please speak to the one who has had the most recent birthday?
SCHEDULE CALL BACK

- D. Do you or does anyone in your household work for an advertising or market research firm, the media, or a tobacco company?

1 - Yes	THANK AND TERMINATE
2 - No	CONTINUE TO MAIN QUESTIONNAIRE

MAIN QUESTIONNAIRE

1. At the present time, do you smoke cigarettes (manufactured or roll your own) every day, occasionally or not at all?

1 - Every day	SMOKER
2 - Occasionally (less than every day)	SMOKER
3 - Not at all	NON- SMOKER
4 - DK/NA	NON- SMOKER

2. Have you smoked at least 100 cigarettes in your life?

1 - Yes
2 - No
3 - DK/NA

NON- SMOKERS GO TO Q.9

IF SMOKE EVERY DAY, ASK:

3. On average, how many cigarettes do you smoke per day?

PROBE FOR A PRECISE NUMBER. IF RESPONDENT SAYS ONE PACK A DAY PROBE FOR NUMBER OF CIGARETTES IN A PACK

--	--

cigarettes per day (response must be numerical – do not accept range)

2 - DK/NA

IF SMOKE OCCASIONALLY, ASK:

4. On the days that you smoke, about how many cigarettes do you smoke?

--	--

cigarettes per day

2 - DK/NA

5. a) What brand of cigarettes do you usually smoke? **DO NOT READ...CODE ONE BRAND ONLY...INT. NOTE: PROBE FOR WHETHER RESPONDENT SMOKES REGULAR, LIGHT, EXTRA LIGHT ETC. AND KING SIZE OR REGULAR SIZE WITHIN THEIR BRAND.** b) Do you smoke any other brands? **CODE ALL THAT APPLY**

- 5a)
- 01 - Craven "A" King Size
 - 02 - Craven Menthol King Size
 - 03 - DuMaurier King Size
 - 04 - DuMaurier Regular Size
 - 05 - DuMaurier Light King Size
 - 06 - DuMaurier Light Regular Size
 - 07 - DuMaurier Extra Light King Size
 - 08 - DuMaurier Extra Light Regular Size
 - 09 - DuMaurier Ultra Light King Size
 - 10 - DuMaurier Ultra Light Regular Size
 - 11 - DuMaurier Special King Size
 - 12 - DuMaurier Special 100
 - 13 - Export "A" Regular Size
 - 14 - Export "A" Medium Regular Size
 - 15 - Export "A" Light Regular Size
 - 16 - Matinee Extra Mild King Size
 - 17 - Matinee Extra Mild Regular Size
 - 18 - Matinee Slims King Size
 - 19 - Players Light Regular Size
 - 20 - Players Light King Size
 - 21 - Players Regular Size
 - 22 - Players Extra Light King Size
 - 23 - Players Extra Light Regular Size
 - 24 - Rothmans King Size
 - 25 - Rothmans Special Mild King Size
 - 26 - No regular brand
 - 27 - Other (SPECIFY)_____
 - 28 - DK/NA

- 5b)
- 01 - Craven "A" King Size
 - 02 - Craven Menthol King Size
 - 03 - DuMaurier King Size
 - 04 - DuMaurier Regular Size
 - 05 - DuMaurier Light King Size
 - 06 - DuMaurier Light Regular Size
 - 07 - DuMaurier Extra Light King Size
 - 08 - DuMaurier Extra Light Regular Size
 - 09 - DuMaurier Ultra Light King Size
 - 10 - DuMaurier Ultra Light Regular Size
 - 11 - DuMaurier Special King Size
 - 12 - DuMaurier Special 100
 - 13 - Export "A" Regular Size
 - 14 - Export "A" Medium Regular Size
 - 15 - Export "A" Light Regular Size
 - 16 - Matinee Extra Mild King Size
 - 17 - Matinee Extra Mild Regular Size
 - 18 - Matinee Slims King Size
 - 19 - Players Light Regular Size
 - 20 - Players Light King Size
 - 21 - Players Regular Size
 - 22 - Players Extra Light King Size
 - 23 - Players Extra Light Regular Size
 - 24 - Rothmans King Size
 - 25 - Rothmans Special Mild King Size
 - 26 - No other brands
 - 27 - Other (SPECIFY)_____
 - 28 - DK/NA

6. Have you ever tried to quit smoking?

- 1 - Yes
- 2 - No **GO TO Q.8**
- 3 - DK/NA **GO TO Q.8**

7. In the past year, how many times have you stopped smoking for at least 24 hours because you were trying to quit smoking?

READ

- 1 - Once
- 2 - Twice
- 3 - Three times
- 4 - More than three times
- 5 - Not in the past year
- 6 - DK/NA

8. a) Are you now seriously thinking of quitting smoking?

- 1 - Yes
- 2 - No **GO TO Q.9**
- 3 - DK/NA **GO TO Q.9**
- 4 - Refused **GO TO Q.9**

IF YES TO Q.8(a), ASK :

- b) When do you think you will try to quit?

READ

- 1 - Within the next 30 days,
- 2 - Within the next 6 months, or
- 3 - Not within the next 6 months
- 4 - DK/NA

IF YES IN Q.8(a) ASK :

- c) If you were to quit smoking at some point in the future what ways or methods do you think you would use? [**PROBE:** Are there any others?]

DO NOT READ - CODE ALL THAT APPLY *d*

- 01 - Nicotine gum
- 02 - Nicotine patch
- 03 - Zyban
- 04 - Clinic or group program
- 05 - Acupuncture
- 06 - Self-help program/support group
- 07 - Hypnosis
- 08 - More exercise/get physically fit
- 09 - Will power/cold turkey/just stop
- 10 - Cut back gradually
- 11 - Avoid other smokers/smoking situations
- 12 - Chew gum/candy/food
- 13 - Other (SPECIFY)

14 - DK/NA

HEALTH EFFECTS

ASK ALL

9. In general, do you think that cigarette smoking is a major health problem, a minor health problem or not a health problem in Canada?

- 1 - Major
- 2 - Minor
- 3 - Not a problem
- 4 - DK/NA

10. What specific human health effects or diseases, if any, can you think of that can be caused by smoking cigarettes? Are there any others? **DO NOT READ. CODE ALL THAT APPLY. [PROBE UNTIL FINISHED.]**

- 01 - Addiction
- 02 - Air pollution/environmental damage
- 03 - Allergies
- 04 - Asthma
- 05 - Bad breath
- 06 - Blood circulation problems/Blood clots
- 07 - Bronchitis/Chronic bronchitis
- 08 - Cancer - Breast
- 09 - Cancer - Lung
- 10 - Cancer - Oral (tongue, lips, mouth, throat)
- 11 - Cancer in general (**DO NOT PROBE**)
- 12 - Coughing
- 13 - Death/Premature death
- 14 - Dizziness/Nausea
- 15 - Effect on the fetus/unborn child (general)
- 16 - Emphysema
- 17 - Gangrene
- 18 - Gum disease/tooth loss/mouth disease
- 19 - Headaches
- 20 - Heart attack/disease/angina
- 21 - High Blood Pressure
- 22 - Impotence/sexual dysfunction
- 23 - Lung disease/lungs (unspecified)
- 24 - Multiple sclerosis
- 25 - Poor physical condition/loss of energy
- 26 - Premature birth/Preterm birth
- 27 - Respiratory problems/difficulty breathing/shortness of breath
- 28 - Smaller babies/Reduced growth of babies during pregnancy
- 29 - Second-hand smoke
- 30 - Stroke
- 31 - Wrinkles/premature aging
- 32 - Yellow teeth/fingers/effect on appearance
- 33 - None
- 34 - Other (SPECIFY) _____
- 35 - DK/NA

11. Thinking generally about information which talks about the health effects of smoking cigarettes, where have you seen or heard any of this kind of information recently? Anywhere else?

DO NOT READ. CODE ALL THAT APPLY. [PROBE: Anywhere else?]

- 01 - Television
- 02 - Newspapers
- 03 - Magazines
- 04 - Radio
- 05 - Billboards
- 06 - News
- 07 - Cigarette packages
- 08 - Other tobacco product packages
- 09 - Doctor/Doctor's office
- 10 - School/University
- 11 - Workplace
- 12 - Word of mouth/family/friends
- 13 - Internet/website
- 14 - Other (SPECIFY) _____
- 15 - Nowhere
- 16 - DK/NA

12. I am going to read you a list of human health effects and diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that smoking cigarettes can cause each of the following.

READ AND ROTATE

- a) Lung cancer

- 1 - Strongly agree
- 2 - Somewhat agree
- 3 - Somewhat disagree
- 4 - Strongly disagree
- 5 - DK/NA

- b) Emphysema
- c) Blood clots
- d) Heart disease
- e) Stroke
- f) Arthritis
- g) Impotence in men
- h) Gangrene
- i) Stomach ulcers
- j) Miscarriages
- k) Asthma
- l) Mouth cancer
- m) Bladder cancer
- n) Throat cancer
- o) Hepatitis
- p) Wrinkles and premature aging
- q) Infertility
- r) Acne

- s) Gum or mouth diseases
- t) Smaller babies or reduced growth of babies during pregnancy
- u) Premature birth or preterm birth
- v) Multiple sclerosis
- w) Alzheimer's Disease
- x) Chronic bronchitis
- y) Premature death

13. Here is a list of health effects and diseases affecting non-smokers that may or may not be caused by breathing in second-hand smoke from cigarettes that other people are smoking. Based on what you know or believe please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree that second-hand smoke can cause each of the following.

READ AND ROTATE

- a) Asthma attacks in children
 - 1 - Strongly agree
 - 2 - Somewhat agree
 - 3 - Somewhat disagree
 - 4 - Strongly disagree
 - 5 - DK/NA
- b) Ear infections in children
- c) Heart disease in non-smoking adults
- d) Arthritis in non-smoking adults
- e) Lung cancer in non-smokers
- f) SIDS (sudden infant death syndrome) or Crib Death
- g) Strokes in non-smoking adults
- h) Multiple sclerosis in non-smoking adults
- i) Alzheimer's disease in non-smoking adults
- j) Chest infections in children
- k) Bronchitis in children

HEALTH WARNING MESSAGES

14. Have you ever seen health warning messages on cigarette packages?

- 1 - Yes
- 2 - No
- 3 - DK/NA

15. Have you seen, read or heard anything about the health warning messages that are NOW on cigarette packages in Canada that is, the new messages that began appearing on cigarette packages at the beginning of 2001?

- 1 - Yes
- 2 - Maybe
- 3 - No
- 4 - DK/NA

16. Have you seen any of these health warning messages on any cigarette packages themselves?

- 1 - Yes
- 2 - No
- 3 - DK/NA

17. **IF SMOKER ASK:** Have you seen any of these health warning messages on [main brand – Q5a]?

- 1 - Yes
- 2 - No
- 3 - DK/NA

18. a) Overall, about how often do you find yourself looking at, or reading any health warning messages on cigarette packages? (Note to interviewer: This refers to any health warning messages on cigarette packages, including old or new messages.) Would it be... **READ**

- 1 - Several times a day **ASK (b)**
- 2 - About once a day
- 3 - Once every two or three days
- 4 - About once a week
- 5 - Less than once a week
- 6 - Never
- 7 - DK/NA

IF CODE 1 IN Q.18a), ASK:

b) About how many times a day would you look at a message?

- 1 - _____ TIMES PER DAY
- 2 - DK/NA

19. Again referring to the health warning messages that are NOW on cigarette packages in Canada, and without looking at a cigarette package, what do these health warning messages look like? **DO NOT READ. CODE ALL THAT APPLY. FOR MENTIONS OF SPECIFIC PICTURES, CODE IN "OTHER"**

- 01 - Pictures (general)
- 02 - More information/specific information about health effects of smoking
- 03 - Information about how to quit
- 04 - Covers more of the package/50% of the package
- 05 - Information on back of the slide portion
- 06 - More chemicals/ingredients listed
- 07 - Tougher, stronger messages
- 08 - Colour/coloured
- 09 - Other (**SPECIFY**)

10 - DK/NA

20. Without looking at a cigarette package, when it comes to the health warning messages that are NOW on cigarette packages, what specific health warning messages can you remember? [PROBE: Are there any others?]

2 - None
3 - DK/NA

21. And without looking at a cigarette package, when it comes to the warning messages that are NOW on cigarette packages, what pictures or images or graphics can you remember? [PROBE: Are there any others?]

2 - None
3 - DK/NA

ASK ALL

22. Thinking generally about the health warning messages that are NOW on cigarette packages in Canada, do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements?

READ AND ROTATE

- a) The messages are accurate

1 - Strongly agree
2 - Somewhat agree
3 - Somewhat disagree
4 - Strongly disagree
5 - DK/NA

- b) The messages provide you with important information about the health effects of smoking cigarettes

- c) The messages make smoking seem less attractive

ASK SMOKERS ONLY

23. Thinking about the health warning messages that are NOW on cigarette packages, have these messages been very effective, somewhat effective, not very effective or not at all effective in each of the following ways? **READ AND ROTATE**

- a) Getting you to smoke less
 - 1 - Very effective
 - 2 - Somewhat effective
 - 3 - Not very effective
 - 4 - Not at all effective
 - 5 - DK/NA
- b) Getting you to smoke less around others than you used to
- c) Increasing your desire to quit smoking
- d) Getting you to try to quit smoking
- e) Informing you about the health effects of cigarette smoking

24. In the last month, have you made any effort to avoid looking at or thinking about the health warning labels by doing any of the following? **READ AND ROTATE**

- a) By placing a cover or a case over your package?
 - 1 - Yes
 - 2 - No
 - 3 - DK/NA
- b) By transferring cigarettes to another container?
- c) By avoiding buying packs with particular health warning messages on them?
- d) By keeping the pack out of sight?

SLIDE

ASK ALL

25. Without looking at a cigarette package, can you recall or describe anything you saw or read on the back of the sliding part of a cigarette package? Anything else?

DO NOT READ. CODE ALL THAT APPLY.

- 01 - Tips to stop smoking
- 02 - Health warnings in general
- 03 - 1-800 number/quit smoking line/Health Canada
- 04 - Deaths/statistics/small town analogy
- 05 - A calendar
- 06 - Text with yellow highlighting
- 07 - Tar, nicotine, carbon monoxide levels, cigarette ingredients
- 08 - Information in general
- 09 - Website address
- 10 - Lung cancer/disease
- 11 - Calendar is gone
- 12 - Cancer/diseases in general
- 13 - Not seen sliding part of a cigarette pack
- 14 - Other (SPECIFY) _____
- 15 - DK/NA

ASK SMOKERS

26. Overall, how often to you find yourself looking at or reading the information on the back of the sliding part of a cigarette package? Would it be... **READ**

- 01 - several times a day
- 02 - about once a day
- 03 - once every two or three days
- 04 - about once a week
- 05 - less than once a week, or
- 06 - never?
- 99 - DK/NA

27. Thinking about the information you have seen or read on the back of the sliding part of a cigarette package, do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements?

a) The information is accurate

- 1 - Strongly agree
- 2 - Somewhat agree
- 3 - Somewhat disagree
- 4 - Strongly disagree
- 5 - DK/NA

b) The information is useful to you

28. How often do you look at or read the information that is on the insert or the piece of paper that is included in some cigarette packs? Would it be... **READ**

- 01 - several times a day
- 02 - about once a day
- 03 - once every two or three days
- 04 - about once a week
- 05 - less than once a week, or
- 06 - never?
- 99 - DK/NA

29. What do you usually do with the insert, that is, the piece of paper with information on it, that is included in some cigarette packs? Do you ... **READ**

- 01 - throw out the insert when you open the pack
- 02 - throw out the insert with the pack when you are finished with the pack
- 03 - keep the insert, or
- 04 - something else?

VOLUNTEERED

- 05 - don't have packs with insert
- 99 - DK/NA

TOXIC SUBSTANCES

ASK ALL

30. Without looking at anything, what, if any, chemicals or toxic substances can you name that are in cigarettes or cigarette smoke? Are there any others?

DO NOT READ. CODE ALL THAT APPLY.

- 01 - 4-Aminobiphenyl
- 02 - Ammonia
- 03 - Arsenic
- 04 - Benzene
- 05 - Benzo[a]pyrene
- 06 - Cadmium
- 07 - Carbon dioxide
- 08 - Carbon monoxide
- 09 - Dioxins
- 10 - Formaldehyde
- 11 - Hydrogen cyanide
- 12 - Lead
- 13 - Nicotine
- 14 - Nitrogen oxides (nitrogen dioxide, nitric oxide)
- 15 - Nitrosamines
- 16 - Pesticides
- 17 - Phenols
- 18 - Tar
- 19 - None
- 20 - Other (SPECIFY)

21 - DK/NA

31. Without looking at a cigarette package, can you name any chemicals or toxic substances that are currently listed on a cigarette package in Canada? [PROBE: Can you name any others?]

DO NOT READ. CODE ALL THAT APPLY.

- 01 - Carbon dioxide
- 02 - Carbon monoxide
- 03 - Tar
- 04 - Nicotine
- 05 - Formaldehyde
- 06 - Benzene
- 07 - Hydrogen Cyanide
- 08 - None/no chemicals or toxic substances
- 09 - Other (SPECIFY)

10 - DK/NA

ASK SMOKERS

32. Overall, how often do you find yourself looking at, or reading, the information about chemicals and substances on the side of cigarette packages? Would it be ... **READ**

- 01 - several times a day
- 02 - about once a day
- 03 - once every two or three days
- 04 - about once a week
- 05 - less than once a week, or
- 06 - never?
- 99 - DK/NA

33. Thinking about the list and the information about chemicals and toxic substances that is now on the side of cigarette packages in Canada, has this information contributed to any of the following? Has it ... **READ**

a) increased your desire to quit smoking?

- 1 - yes
- 2 - No
- 3 - DK/NA

b) encouraged you to try to quit smoking?

c) got you to smoke less?

d) got you to switch to a different brand or product?

ASK ALL

34. What chemicals or substances in cigarettes, in tobacco, or in smoking, if any, causes or can cause disease or harm to health? Are there any others?

DO NOT READ. CODE ALL THAT APPLY.

- 01 - 4-Aminobiphenyl
- 02 - Ammonia
- 03 - Arsenic
- 04 - Benzene
- 05 - Benzo[a]pyrene
- 06 - Cadmium
- 07 - Carbon dioxide
- 08 - Carbon monoxide
- 09 - Dioxins
- 10 - Formaldehyde
- 11 - Hydrogen cyanide
- 12 - Lead
- 13 - Nicotine
- 14 - Nitrogen oxides (nitrogen dioxide, nitric oxide)
- 15 - Nitrosamines
- 16 - Pesticides
- 17 - Phenols
- 18 - Tar
- 19 - All the chemicals cause harm
- 20 - The smoke itself

21 - None/no chemicals

22 - Other (SPECIFY)

23 - DK/NA

35. As far as you know, are any chemicals added to the tobacco when cigarettes are manufactured?

1 - Yes, chemicals are added

2 - No, chemicals are not added

3 - DK/NA

36. What specific health effects or diseases, if any, can you name that can be caused by hydrogen cyanide? [PROBE: Are there any others?]

DO NOT READ - CODE ALL THAT APPLY

01 - Headache

02 - Dizziness

03 - Weakness

04 - Nausea

05 - Vertigo

06 - Stomach aches

07 - Death

08 - None/no diseases

09 - Other (SPECIFY) _____

10 - DK/NA

DEMOGRAPHICS

ASK ALL

37. Finally, a few questions for statistical purposes. Please be assured that all your responses will be kept entirely anonymous and absolutely confidential. In what year were you born?

1 - SPECIFY _____

2 - DK/NA

38. What is the highest level of education you have reached?

DO NOT READ

1 - Elementary school or less (no schooling to grade 7)

2 - Some high school (grades 8 - 11)

3 - Completed high school (grades 12 or 13 or OAC)

4 - Some community college, vocational or trade school (or some CEGEP)

5 - Completed community college, vocational or trade school (or complete CEGEP)

6 - Some university (no degree)

7 - Completed university (Bachelor's degree)

8 - Post graduate university (Master's, Ph.D., completed or not)

9 - DK/NA

39. Which of the following best describes your employment status? Are you...

READ

- 1 - Employed full-time (30 hours/week or more)
- 2 - Employed part-time
- 3 - Unemployed or looking for a job
- 4 - Staying at home full-time (home-maker, social assistance)
- 5 - Student
- 6 - Retired
- 7 - OTHER
- 8 - DK/NA

40. Are you...
READ

- 1 - Married or living as a couple
- 2 - Single
- 3 - Widowed
- 4 - Separated
- 5 - Divorced
- 6 - DK/NA

41. Are there any children in your household under the age of 18?

- 1 - Yes
- 2 - No
- 3 - DK/NA

42. Into which of the following categories would you put the total annual income, before taxes and deductions, for 2002, of all members of your household, including yourself? Is it...

READ

- 1 - Less than \$20,000
- 2 - \$20,000 to \$39,999
- 3 - \$40,000 to \$59,999
- 4 - \$60,000 to \$79,999
- 5 - \$80,000 to \$99,999
- 6 - \$100,000 and over
- 7 - Refuse/DK/NA

43. How often do you use the Internet or e-mail? Would that be ...? **READ**

- 1 - Daily
- 2 - Every second or third day
- 3 - Once a week
- 4 - Once a month
- 5 - Less than once a month, or
- 6 - Never
- 7 - DK/NA

We may want to follow up with another survey in the future. Would you be able to participate?

- 1 - Yes/maybe
- 2 - No

IF YES/MAYBE, RECORD NAME AND NUMBER.

In case my supervisor wishes to verify this interview, may I please have your first name or initials?

_____.

And to verify that I have dialed correctly is this : _____.

1 - Yes

2 - No

If incorrect, please input correct phone number: _____.

If we have any further questions, may we call you back?

1 - Yes

2 - No

That completes my interview. Thank you for your assistance.
(Health Canada code _____)



Le 28 novembre/03

Survey of Adult Smokers and Non-Smokers – Wave 8

PN5441

Questionnaire français - Draft 2

INTRODUCTION

Bonjour, je m'appelle _____ et je travaille pour Environics Research Group Ltd. Nous faisons un sondage pour le compte du gouvernement du Canada sur des sujets qui sont importants pour les Canadiens. Soyez assuré que nous ne voulons rien vous vendre et que nous ne sollicitons rien. Vos réponses resteront strictement confidentielles, et votre participation est importante pour que les résultats du sondage soient exacts.

Nous choisissons des numéros de téléphone au hasard, puis nous sélectionnons dans le foyer une personne qui sera interviewée.

- A. Est-ce que je pourrais parler à la personne de votre foyer qui a 18 ans ou plus et qui a eu son anniversaire le plus récemment?

#01 Oui

#02 Non disponible **ORGANISER LE RAPPEL**

#03 Refus **REMERCIER ET TERMINER**

- B. Est-ce que vous-même ou un membre de votre foyer travaillez pour une agence de publicité, une firme d'études de marché, les médias ou une compagnie de tabac?

1 - Oui

REMERCIER ET TERMINER

2 - Non

POUSUIVRE LE QUESTIONNAIRE PRINCIPAL

- C. (LIRE SI NÉCESSAIRE) Est-ce que vous êtes un homme ou une femme?

1 - Homme

2 - Femme

- D. Langue du sondage

1 - Anglais

2 - Français

INTRODUCTION POUR LE SONDAGE SUR LES ADULTES FUMEURS

Bonjour, je m'appelle _____ et je travaille pour Environics Research Group Ltd. Nous faisons un court sondage pour le compte du gouvernement du Canada sur des sujets qui touchent les Canadiens. Soyez assuré que nous ne voulons rien vous vendre et que nous ne sollicitons rien. Votre participation est importante pour que les résultats du sondage soient exacts, et vos réponses resteront strictement confidentielles.

Nous choisissons des numéros de téléphone au hasard, puis nous sélectionnons dans le foyer une personne qui sera interviewée.

- A. Est-ce qu'il y a un membre de votre foyer qui a 18 ans ou plus et qui fume la cigarette (de commerce ou roulées)?

1 - Oui	POSER B
2 - Non	REMERCIER ET TERMINER
3 - NSP/PR	

- B. Est-ce qu'il y a dans votre foyer plus d'une personne âgée de 18 ans ou plus qui fume la cigarette?

1 - Oui, plus d'une	POSER C
2 - Une seulement	ORGANISER LE RAPPEL

- C. Est-ce que je pourrais parler au fumeur ou à la fumeuse qui a eu son anniversaire le plus récemment?

ORGANISER LE RAPPEL

- D. Est-ce que vous-même ou un membre de votre foyer travaillez pour une agence de publicité, une firme d'études de marché, les médias ou une compagnie de tabac?

1 - Oui	REMERCIER ET TERMINER
2 - Non	POURSUIVRE LE QUESTIONNAIRE PRINCIPAL

QUESTIONNAIRE PRINCIPAL

1. À l'heure actuelle, est-ce que vous fumez la cigarette (de commerce ou roulées) tous les jours, à l'occasion ou jamais?

1 - Tous les jours	FUMEUR
2 - À l'occasion (pas tous les jours)	FUMEUR
3 - Jamais	NON-FUMEUR
4 - NSP/PR	NON-FUMEUR

2. Est-ce que vous avez fumé au moins 100 cigarettes dans votre vie?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

POUR LES NON-FUMEURS, PASSER À Q.9

SI FUME TOUS LES JOURS, DEMANDER :

3. En moyenne, combien de cigarettes fumez-vous chaque jour?

SONDER POUR OBTENIR UN NOMBRE PRÉCIS. SI LE RÉPONDANT RÉPOND UN PAQUET PAR JOUR, SONDER POUR SAVOIR COMBIEN IL Y A DE CIGARETTES DANS LE PAQUET.

--	--

cigarettes par jour (la réponse doit être numérique - ne pas accepter de fourchette)

2 - NSP/PR

SI FUME À L'OCCASION, DEMANDER :

4. Les jours où vous fumez, environ combien de cigarettes fumez-vous?

--	--

cigarettes par jour (la réponse doit être numérique - ne pas accepter de fourchette)

2 - NSP/PR

5. a) Quelle est la marque de cigarettes que vous fumez, généralement?
NE PAS LIRE - CODER UNE MARQUE SEULEMENT.. NOTE À L'INTERVIEWEUR : SONDER POUR SAVOIR SI LE RÉPONDANT FUME DES CIGARETTES RÉGULIÈRES, LÉGÈRES, EXTRA LÉGÈRES, ETC., ET GRAND FORMAT OU RÉGULIER POUR CETTE MARQUE.
- b) Est-ce que vous fumez d'autres marques de cigarettes? **CODER TOUTES LES MENTIONS QUI S'APPLIQUENT.**

- 5a) 01 - Craven "A" grand format
 02 - Craven menthol grand format
 03 - DuMaurier grand format
 04 - DuMaurier régulier
 05 - DuMaurier légères grand format
 06 - DuMaurier légères régulier
 07 - DuMaurier extra légères grand format
 08 - DuMaurier extra légères régulier
 09 - DuMaurier ultra légères grand format
 10 - DuMaurier ultra légères régulier
 11 - DuMaurier spéciales grand format
 12 - DuMaurier Special 100
 13 - Export "A" régulier
 14 - Export "A" moyennes régulier
 15 - Export "A" légères régulier
 16 - Matinée extra douces grand format
 17 - Matinée extra douces régulier
 18 - Matinée minces grand format
 19 - Players légères régulières
 20 - Players légères grand format
 21 - Players régulier
 22 - Players extra légères grand format
 23 - Players extra légères régulier
 24 - Rothmans grand format
 25 - Rothmans spéciales douces grand format
 26 - Aucune marque régulière
 27 - Autre (**PRÉCISER**) _____
 28 - NSP/PR

- 5b) 01 - Craven "A" grand format
 02 - Craven menthol grand format
 03 - DuMaurier grand format
 04 - DuMaurier régulier
 05 - DuMaurier légères grand format
 06 - DuMaurier légères régulier
 07 - DuMaurier extra légères grand format
 08 - DuMaurier extra légères régulier
 09 - DuMaurier ultra légères grand format
 10 - DuMaurier ultra légères régulier
 11 - DuMaurier spéciales grand format
 12 - DuMaurier Special 100
 13 - Export "A" régulier
 14 - Export "A" moyennes régulier
 15 - Export "A" légères régulier
 16 - Matinée extra douces grand format
 17 - Matinée extra douces régulier
 18 - Matinée minces grand format
 19 - Players légères régulières
 20 - Players légères grand format
 21 - Players régulier
 22 - Players extra légères grand format
 23 - Players extra légères régulier
 24 - Rothmans grand format
 25 - Rothmans spéciales douces grand format
 26 - Aucune marque régulière
 27 - Autre (**PRÉCISER**) _____
 28 - NSP/PR

6. Est-ce que vous avez déjà essayé d'arrêter de fumer?

- 1 - Oui
 2 - Non **PASSER À Q.8**
 3 - NSP/PR **PASSER À Q.8**

7. Au cours de la dernière année, combien de fois avez-vous arrêté de fumer pendant au moins 24 heures parce que vous essayiez de cesser de fumer?

LIRE

- 1 - Une fois
- 2 - Deux fois
- 3 - Trois fois
- 4 - Plus de trois fois
- 5 - Pas pendant la dernière année
- 6 - NSP/PR

8. a) En ce moment, est-ce que vous envisagez sérieusement d'arrêter de fumer?

- 1 - Oui
- 2 - Non **PASSER À Q.9**
- 3 - NSP/PR **PASSER À Q.9**
- 4 - Refus **PASSER À Q.9**

SI OUI À Q.8(a), DEMANDER Ý:

- b) À quel moment envisagerez-vous d'essayer de cesser de fumer?

LIRE

- 1 - D'ici les 30 prochains jours,
- 2 - D'ici les 6 prochains mois, ou
- 3 - Pas d'ici les 6 prochains mois
- 4 - NSP/PR

SI OUI À Q.8(a) DEMANDER Ý:

- c) Si vous deviez arrêter de fumer à un moment donné, quelles façons ou quelles méthodes penseriez-vous utiliser? [SONDER: Est-ce qu'il y en a d'autres?]

NE PAS LIRE - CODER TOUTES LES MENTIONS QUI S'APPLIQUENT

- 01 - Gomme à mâcher contenant de la nicotine
- 02 - Timbre transdermique de nicotine (patch)
- 03 - Zyban
- 04 - Programme en clinique ou en groupe
- 05 - Acupuncture
- 06 - Programme autonome
- 07 - Hypnose
- 08 - Faire plus d'exercice/se tenir en forme
- 09 - Volonté/d'un coup sec/cesser tout simplement
- 10 - Arrêt graduel
- 11 - Éviter d'être en présence de fumeurs/d'être dans des endroits où il y a des fumeurs
- 12 - Mâcher de la gomme/des bonbons/manger
- 13 - Autre (**PRÉCISER**) _____
- 14 - NSP/PR

EFFETS SUR LA SANTÉ

DEMANDER À TOUS

9. En général, est-ce que vous pensez que le fait de fumer la cigarette est un problème de santé grave, un problème de santé mineur ou n'est pas un problème de santé au Canada?

- 1 - Grave
- 2 - Mineur
- 3 - Pas un problème
- 4 - NSP/PR

10. À votre avis, quels sont les effets spécifiques sur la santé ou les maladies qui sont causés par la consommation de cigarettes, chez les humains? Est-ce qu'il y en a d'autres? **[SONDER JUSQU'À CE QUE LE RÉPONDANT N'AIT PLUS DE RÉPONSE À DONNER.] NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT.**

- 01 - Dépendance
- 02 - Pollution de l'air/problèmes environnementaux
- 03 - Allergies
- 04 - Asthme
- 05 - Mauvaise haleine
- 06 - Problèmes de circulation sanguine/caillots
- 07 - Bronchite/Bronchite chronique
- 08 - Cancer - du sein
- 09 - Cancer - du poumon
- 10 - Cancer - buccal (langue, lèvres, bouche, gorge)
- 11 - Cancer en général (**NE PAS SONDER**)
- 12 - Toux
- 13 - Mort/Mort prématurée
- 14 - Étourdissements/Nausées
- 15 - Conséquences sur le fœtus/sur l'enfant à naître (en général)
- 16 - Emphysème
- 17 - Gangrène
- 18 - Maladies des gencives/perte de dents/maladies de la bouche
- 19 - Maux de tête
- 20 - Crises cardiaques/maladies cardiaques/angine
- 21 - Hypertension (haute tension)
- 22 - Impuissance/dysfonction sexuelle
- 23 - Maladies pulmonaires/poumons (non spécifié)
- 24 - Sclérose en plaques
- 25 - Piètre état physique/perte d'énergie
- 26 - Naissance prématurée/avant terme
- 27 - Problèmes respiratoires/difficulté à respirer/souffle court
- 28 - Bébé de petit poids à la naissance/Réduction de la croissance des bébés pendant la grossesse
- 29 - Fumée des autres
- 30 - Attaque d'apoplexie/accidents cérébrovasculaires/ACV
- 31 - Rides/vieillesse prématurée

- 32 - Jaunissement des dents/des doigts/effet sur l'aspect physique
- 33 - Aucun
- 34 - Autre (**PRÉCISER**) _____
- 35 - NSP/PR

11. Dans l'ensemble, si on pense aux informations à propos des effets de la cigarette sur la santé, où est-ce que vous avez vu ou lu récemment ce genre d'informations? Est-ce qu'il y a d'autres sources? [**SONDER**: Autres sources?]

NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT.

- 01 - Télévision
- 02 - Journaux
- 03 - Magazines
- 04 - Radio
- 05 - Panneaux-réclames
- 06 - Nouvelles/reportages
- 07 - Paquets de cigarettes
- 08 - Autres produits du tabac
- 09 - Médecin/bureau du médecin
- 10 - École/Université
- 11 - Lieu de travail
- 12 - Bouche à oreille/famille/amis
- 13 - Internet/site web
- 14 - Autre (**PRÉCISER**) _____
- 15 - Nulle part
- 16 - NSP/PR

12. Je vais vous lire une liste d'effets et de maladies que la consommation de cigarettes peut avoir ou non sur les humains. En fonction de ce que vous savez, est-ce que vous pourriez me dire si vous êtes fortement d'accord, plutôt d'accord, plutôt en désaccord ou fortement en désaccord pour dire que la consommation de cigarettes peut avoir chacun des effets suivants.

LIRE EN ROTATION.

a) Cancer du poumon

- 1 - Fortement d'accord
- 2 - Plutôt d'accord
- 3 - Plutôt en désaccord
- 4 - Fortement en désaccord
- 5 - NSP/PR

- b) Emphysème
- c) Caillots sanguins
- d) Maladies cardiaques
- e) accidents cérébrovasculaires/ACV
- f) Arthrite
- g) Impuissance chez les hommes
- h) Gangrène

- i) Ulcère de l'estomac
- j) Fausses-couches
- k) Asthme
- l) Cancer de la bouche
- m) Cancer de la vessie
- n) Cancer de la gorge
- o) Hépatite
- p) Rides et vieillissement prématuré
- q) Infertilité
- r) Acné
- s) Maladies des gencives ou de la bouche
- t) Bébés de faible poids ou dont la croissance décroît pendant la grossesse
- u) Naissances prématurées
- v) Sclérose en plaques
- w) Maladie d'Alzheimer
- x) Bronchite chronique
- y) Décès prématuré

13. Voici maintenant une liste d'effets et de maladies qui touchent les non-fumeurs et qui peuvent être ou non causés par la fumée des autres, c'est-à-dire la fumée qu'on respire et qui est produite par la cigarette d'autres personnes. En fonction de ce que vous savez ou de ce que vous croyez, pourriez-vous me dire si vous êtes fortement d'accord, plutôt d'accord, plutôt en désaccord ou fortement en désaccord pour dire que la fumée des autres peut provoquer les effets suivants?

LIRE EN ROTATION

- a) Crises d'asthme chez les enfants
 - 1 - Fortement d'accord
 - 2 - Plutôt d'accord
 - 3 - Plutôt en désaccord
 - 4 - Fortement en désaccord
 - 5 - NSP/PR
- b) Infections de l'oreille chez les enfants
- c) Maladies cardiaques chez les adultes non fumeurs
- d) Arthrite chez les adultes non fumeurs
- e) Cancer du poumon chez les non-fumeurs
- f) Décès par cause du syndrome de la mort subite du nourrisson
- g) Accidents cérébrovasculaires (ACV) chez des adultes non fumeurs
- h) Sclérose en plaques chez des adultes non fumeurs
- i) Maladie d'Alzheimer chez des adultes non fumeurs
- j) Infections pulmonaires chez les enfants
- k) Bronchites chez les enfants

MESSAGES D'INFORMATION SUR LA SANTÉ

14. Est-ce que vous avez déjà vu des avertissements sur des paquets de cigarettes?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

15. Est-ce que vous avez vu, lu ou entendu quelque chose au sujet des messages d'avertissement pour la santé qui figurent MAINTENANT sur les paquets de cigarettes au Canada, c'est-à-dire les nouveaux messages qui ont commencé à paraître sur les paquets de cigarettes au début de 2001?

- 1 - Oui
- 2 - Peut-être
- 3 - Non
- 4 - NSP/PR

16. Est-ce que vous avez vu l'un ou l'autre de ces messages sur un paquet de cigarettes?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

17. **SI LE FUMEUR LE DEMANDE :** Est-ce que vous avez vu l'un ou l'autre de ces messages d'avertissement pour la santé sur un paquet de [marque principale – Q5a]?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

18. a) Dans l'ensemble, environ combien de fois regardez-vous ou lisez-vous un message d'avertissement sur la santé figurant sur des paquets de cigarettes? (Note à l'intervieweur : Il s'agit de n'importe quel message d'avertissement concernant la santé figurant sur des paquets de cigarettes, qu'ils soient anciens ou nouveaux.) Est-ce que ce serait... **LIRE**

- 1 - Plusieurs fois par jour
 - 2 - Environ une fois par jour
 - 3 - Tous les deux ou trois jours
 - 4 - Environ une fois par semaine
 - 5 - Moins d'une fois par semaine
 - 6 - Jamais
 - 7 - NSP/PR
- POSER (b)**

SI PLUSIEURS FOIS PAR JOUR À Q.18a), DEMANDER :

b) Environ combien de fois par jour est-ce que vous voyez ce message?

1 - _____ FOIS PAR JOUR

2 - NSP/PR

19. Si vous ne regardez pas en ce moment un paquet de cigarettes, à quoi est-ce que les messages d'avertissement sur la santé qui figurent maintenant sur les paquets de cigarettes au Canada vous font penser?

NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT. POUR LES MENTIONS D'IMAGES SPÉCIFIQUES, CODER DANS «AUTRE».

01 - Des images (en général)

02 - Plus d'informations que maintenant/plus d'informations sur les effets du tabac

03 - Des informations sur les façons de cesser de fumer

04 - Couvrent une plus grande partie du paquet/couvrent la moitié du paquet

05 - Des informations au dos du tiroir du paquet

06 - Plus de produits chimiques/plus d'ingrédients indiqués

07 - Des messages plus directs, plus forts

08 - Des couleurs/colorés

09 - Autre (**PRÉCISER**) _____

10 - NSP/PR

20. Si vous ne regardez pas en ce moment un paquet de cigarettes et si on pense aux messages sur la santé qui figurent maintenant sur les paquets de cigarettes, quels sont les messages dont vous vous souvenez précisément?

[SONDER: Est-ce qu'il y en a d'autres?]

2 - Aucune

3 - NSP/PR

21. Si vous ne regardez pas en ce moment un paquet de cigarettes et si on pense aux messages sur la santé qui figurent maintenant sur les paquets de cigarettes, quels sont les images, les illustrations ou les dessins dont vous vous souvenez précisément?

[SONDER: Est-ce qu'il y en a d'autres?]

2 - Aucune

3 - NSP/PR

DEMANDER À TOUS

22. Si on pense en général aux messages d'avertissement qui figurent maintenant sur les paquets de cigarettes au Canada, est-ce que vous êtes fortement d'accord, plutôt d'accord, plutôt en désaccord ou fortement en désaccord avec chacun des énoncés suivants?

LIRE EN ROTATION

- a) Les messages sont exacts
 - 1 - Fortement d'accord
 - 2 - Plutôt d'accord
 - 3 - Plutôt en désaccord
 - 4 - Fortement en désaccord
 - 5 - NSP/PR
- b) Les messages vous donnent des informations importantes sur les effets que la cigarette a sur la santé
- c) Les messages rendent la cigarette moins attrayante

DEMANDER AUX FUMEURS SEULEMENT

23. Si on pense aux messages d'avertissement pour la santé qui figurent MAINTENANT sur les paquets de cigarettes, est-ce que ces messages ont été très efficaces, assez efficaces, pas très efficaces ou pas du tout efficaces dans chacun des domaines suivants?

LIRE EN ROTATION

- a) Vous amener à moins fumer
 - 1 - Très efficaces
 - 2 - Assez efficaces
 - 3 - Pas très efficaces
 - 4 - Pas du tout efficaces
 - 5 - NSP/PR
- b) Vous amener à fumer moins en présence des autres
- c) Vous donner davantage le désir d'arrêter de fumer
- d) Vous amener à essayer de cesser de fumer
- e) Vous informer sur les effets de la cigarette sur la santé

24. Depuis un mois, vous êtes-vous efforcé de ne pas regarder les messages d'avertissement pour la santé ou de ne pas y penser, en ayant recours à l'une ou l'autre des façons suivantes ?

LIRE EN ROTATION

- a) Soit en recouvrant le paquet d'un étui ou d'une couverture ?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

- b) En transférant vos cigarettes dans un autre contenant ?
- c) En évitant d'acheter des paquets sur lesquels figurent certains des messages d'avertissement pour la santé, en particulier ?
- d) En ne gardant pas votre paquet à la vue ?

DIAPOSITIVE

DEMANDER À TOUS

25. Si vous ne regardez pas en ce moment un paquet de cigarettes, est-ce que vous pouvez vous rappeler ou décrire quelque chose que vous avez vu ou lu à l'endos du tiroir d'un paquet de cigarettes? Est-ce qu'il y a autre chose?

NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT.

- 01 - Trucs pour arrêter de fumer
- 02 - Avertissements pour la santé en général
- 03 - Numéro 1-800 /numéro téléphonique pour arrêter de fumer/Santé Canada
- 04 - Morts/statistiques/analogie à une petite ville
- 05 - Un calendrier
- 06 - Texte surligné en jaune
- 07 - Taux de goudron, de nicotine, de monoxyde de carbone, ingrédients contenus dans les cigarettes
- 08 - Informations en général
- 09 - Adresse d'un site Web
- 10 - Cancer du poumon/maladie pulmonaire
- 11 - Il n'y a plus de calendrier
- 12 - Cancer/maladies en général
- 13 - N'a pas vu le tiroir d'un paquet de cigarettes
- 14 - Autre (**PRÉCISER**) _____
- 15 - NSP/PR

DEMANDER AUX FUMEURS

26. Dans l'ensemble, à quelle fréquence est-ce que vous regardez ou lisez les renseignements inscrits à l'endos du tiroir d'un paquet de cigarettes ? Diriez-vous que vous le faites... **LIRE**

- 01 - Plusieurs fois par jour
- 02 - Environ une fois par jour
- 03 - Tous les deux ou trois jours
- 04 - Environ une fois par semaine
- 05 - Moins d'une fois par semaine, ou
- 06 - Jamais
- 99 - NSP/PR

27. Si on pense aux informations que vous avez vues ou lues à l'endos du tiroir d'un paquet de cigarettes, est-ce que vous êtes fortement d'accord, plutôt d'accord, plutôt en désaccord ou fortement en désaccord avec chacun des énoncés suivants?

a) Les informations sont exactes

- 1 - Fortement d'accord
- 2 - Plutôt d'accord
- 3 - Plutôt en désaccord
- 4 - Fortement en désaccord
- 5 - NSP/PR

b) Les informations vous sont utiles

28. À quelle fréquence est-ce que vous regardez ou lisez les renseignements inscrits sur l'encart ou le bout de papier qui est inclus dans certains paquets de cigarettes ? Diriez-vous que vous le faites... **LIRE**

- 01 - Plusieurs fois par jour
- 02 - Environ une fois par jour
- 03 - Tous les deux ou trois jours
- 04 - Environ une fois par semaine
- 05 - Moins d'une fois par semaine, ou
- 06 - Jamais
- 99 - NSP/PR

29. Que faites-vous habituellement de l'encart, c'est-à-dire le bout de papier sur lequel figurent des renseignements, qui est inclus dans certains paquets de cigarettes ? Est-ce que vous... **LIRE**

- 01 – jetez l'encart dès l'ouverture du paquet
- 02 – jetez l'encart en même temps que vous jetez le paquet vide
- 03 – conservez l'encart ou
- 04 – autre chose ?

NON SUGGÉRÉ

- 05 – n'a pas de paquets comprenant un encart
- 99 – NSP/PR

SUBSTANCES TOXIQUES

DEMANDER À TOUS

30. Encore une fois, disons que vous n'avez pas un paquet de cigarettes sous les yeux. Quel est ou quels sont les produits chimiques ou les substances toxiques, s'il y a lieu, qui sont présents dans la cigarette ou la fumée de cigarette? Est-ce qu'il y en a d'autres?

NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT

- 01 - 4-Aminobiphényle
- 02 - Ammoniac
- 03 - Arsenic
- 04 - Benzène
- 05 - Benzo[a]pyrène
- 06 - Cadmium
- 07 - Dioxyde de carbone
- 08 - Monoxyde de carbone
- 09 - Dioxines
- 10 - Formaldéhyde
- 11 - Cyanure d'hydrogène/acide cyanhydrique
- 12 - Plomb
- 13 - Nicotine
- 14 - Oxydes d'azote (dioxyde d'azote, oxyde nitrique)
- 15 - Nitrosamines
- 16 - Pesticides
- 17 - Phénols
- 18 - Goudron
- 19 - Aucun
- 20 - Autre (**PRÉCISER**) _____
- 21 - NSP/PR

31. Et encore une fois, disons que vous n'avez pas un paquet de cigarettes sous les yeux. Est-ce que vous pourriez nommer un produit chimique ou une substance toxique qui figure actuellement sur un paquet de cigarettes au Canada? [**SONDER**: Est-ce que vous pouvez en nommer d'autres?]

NE PAS LIRE. CODER TOUTES LES MENTIONS QUI S'APPLIQUENT

- 01 - Dioxyde de carbone
- 02 - Monoxyde de carbone
- 03 - Goudron
- 04 - Nicotine
- 05 - Formaldéhyde
- 06 - Benzène
- 07 - Cyanure d'hydrogène/acide cyanhydrique
- 08 - Aucun/pas de produits chimiques ou de substances toxiques
- 09 - Autre (**PRÉCISER**) _____
- 10 - NSP/PR

DEMANDER AUX FUMEURS

32. Dans l'ensemble, à quelle fréquence est-ce que vous regardez ou lisez les renseignements sur les produits chimiques et les substances qui figurent sur le côté des paquets de cigarettes ? Diriez-vous que vous le faites... **LIRE**

- 01 - Plusieurs fois par jour
- 02 - Environ une fois par jour
- 03 - Tous les deux ou trois jours
- 04 - Environ une fois par semaine
- 05 - Moins d'une fois par semaine, ou
- 06 - Jamais
- 99 - NSP/PR

33. Si on pense à la liste et aux informations sur les produits chimiques et les substances toxiques qui figurent maintenant sur le côté des paquets de cigarettes au Canada, est-ce que ces informations ont contribué à l'un ou l'autre des gestes suivants? Est-ce qu'elles... **LIRE**

a) ont augmenté votre désir d'arrêter de fumer?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

b) vous ont encouragé à essayer d'arrêter de fumer?

c) vous ont amené à fumer moins?

d) vous ont amené à adopter une marque ou un produit différent?

DEMANDER À TOUS

34. Quels sont les produits chimiques ou les substances dans les cigarettes, dans le tabac, ou lorsqu'on fume, s'il y a lieu, qui causent ou qui peuvent causer des maladies ou être dangereux pour la santé? Est-ce qu'il y en a d'autres?

NE PAS LIRE - CODER TOUTES LES MENTIONS QUI S'APPLIQUENT

- 01 - 4-Aminobiphényle
- 02 - Ammoniac
- 03 - Arsenic
- 04 - Benzène
- 05 - Benzo[a]pyrène
- 06 - Cadmium
- 07 - Dioxyde de carbone
- 08 - Monoxyde de carbone
- 09 - Dioxines
- 10 - Formaldéhyde
- 11 - Cyanure d'hydrogène/acide cyanhydrique
- 12 - Plomb
- 13 - Nicotine
- 14 - Oxydes d'azote (dioxyde d'azote, oxyde nitrique)
- 15 - Nitrosamines

- 16 - Pesticides
- 17 - Phénols
- 18 - Goudron
- 19 - Tous les produits chimiques sont dangereux
- 20 - La fumée elle-même
- 21 - Aucun/aucune produit chimique
- 22 - Autre (**PRÉCISER**)

23 - NSP/PR

35. Pour autant que vous le sachiez, est-ce qu'il y a des produits chimiques qui sont ajoutés au tabac lorsque les cigarettes sont fabriquées?

- 1 - Oui, des produits chimiques sont ajoutés
- 2 - Non, des produits chimiques ne sont pas ajoutés
- 3 - NSP/PR

36. Quels sont les effets sur la santé ou les maladies spécifiques, s'il y a lieu, qui peuvent être causés par l'acide cyanhydrique? [**SONDER**: Est-ce qu'il y en a d'autres?]

NE PAS LIRE - CODER TOUTES LES MENTIONS QUI S'APPLIQUENT

- 01- Maux de tête
- 02 - Étourdissements
- 03 - Faiblesses
- 04 - Nausées
- 05 - Vertige
- 06 - Problèmes d'estomac
- 07 - Décès
- 08 - Aucun/aucune maladie
- 09 - Autre (**PRÉCISER**) _____
- 10 - NSP/PR

DONNÉES DÉMOGRAPHIQUES

DEMANDER À TOUS

37. Enfin, je vais vous poser quelques questions à des fins statistiques. Soyez assuré que toutes vos réponses demeureront entièrement anonymes et confidentielles. En quelle année êtes-vous né?

- 1 - PRÉCISER _____
- 2 - NSP/PR

38. Quel est le niveau de scolarité le plus élevé que vous avez atteint?

NE PAS LIRE

- 1 - Cours primaire ou moins
- 2 - Une partie du cours secondaire
- 3 - Le cours secondaire
- 4 - Une partie du cours collégial, du cours professionnel ou du cours technique (ou une partie du cégep)
- 5 - Le cours collégial, professionnel ou technique (ou le cégep)
- 6 - Une partie du cours universitaire (sans diplôme)
- 7 - Un baccalauréat
- 8 - Des études supérieures (maîtrise ou doctorat, terminé ou non)
- 9 - NSP/PR

39. Laquelle des catégories suivantes décrit le mieux votre statut d'emploi? Est-ce que vous êtes...?

LIRE

- 1 - Au travail à temps plein (30 heures par semaine ou plus)
- 2 - Au travail à temps partiel
- 3 - Sans emploi ou à la recherche d'un emploi
- 4 - Au foyer à temps plein (au foyer, aide sociale)
- 5 - Aux études
- 6 - À la retraite
- 7 - Autre
- 8 - NSP/PR

40. Est-ce que vous êtes...?

LIRE

- 1 - Marié ou vivant en couple
- 2 - Célibataire
- 3 - Veuf/veuve
- 4 - Séparé
- 5 - Divorcé
- 6 - NSP/PR

41. Est-ce qu'il y a dans votre foyer des enfants de moins de 18 ans?

- 1 - Oui
- 2 - Non
- 3 - NSP/PR

42. Laquelle des catégories suivantes correspond le mieux au revenu total de tous les membres de votre foyer et de vous-même, avant impôt, en 2001? Est-ce que c'est...?

LIRE

- 1 - Moins de 20 000 \$
- 2 - De 20 000 \$ à 39 999 \$
- 3 - De 40 000 \$ à 59 999 \$
- 4 - De 60 000 \$ à 79 999 \$
- 5 - De 80 000 \$ à 99 999 \$
- 6 - 100 000 \$ et plus
- 7 - Refus/NSP/PR

43. À quelle fréquence est-ce que vous utilisez l'Internet ou le courrier électronique? Est-ce que ce serait ...? **LIRE**

- 1 - Tous les jours
- 2 - Tous les deux ou trois jours
- 3 - Une fois par semaine
- 4 - Une fois par mois
- 5 - Moins d'une fois par mois, ou
- 6 - Jamais
- 7 - NSP/PR

Nous pourrions continuer cette étude dans l'avenir. Est-ce que vous voudriez y participer?

- 1 - Oui/peut-être
- 2 - Non

SI OUI/PEUT-ÊTRE, INSCRIRE LE NOM ET LE NUMÉRO DE TÉLÉPHONE.

Au cas où mon superviseur voudrait vérifier cette entrevue, est-ce que vous pourriez me donner votre prénom ou vos initiales?

Et pour vérifier que j'ai bien composé le bon numéro, est-ce que je suis au :

_____.

- 1 - Oui
- 2 - Non

Si le numéro est inexact, inscrire le numéro de téléphone exact :

Si nous avons d'autres questions à poser, est-ce que nous pouvons vous rappeler?

- 1 - Oui

2 - Non

Merci beaucoup.
(Code de Santé Canada)