CA.2.2005-2598
C.2
V.1

PORG-2004-1331

1050310
B2

Smokers Fire-Risk Behaviour Survey Winter 2004-2005

Final Report

Health Canada

Contract Number: H1011-040041/001/CY

POR-04-47

March 2005

Decima
RESEARCH INC

Library and Archives Canada
Bibliothèque et Archives Canada

Confidentiality

Any material or information provided by Health Canada and all data collected by Decima will be treated as confidential by Decima and will be stored securely while on Decima's premise (adhering to industry standards and applicable laws).

Decima RESEARCH INC

Decima Research is ISO 9001:2000 CERTIFIED

Toronto
2345 Yonge Street
Suite 405
Toronto, ON
M4P 2E5
(416) 962-2013

info@decima.com

Ottawa
160 Elgin Street
Suite 1820
Ottawa, ON
K2P 2P7
(613) 230-2013

www.decima.com

Montreal
630 Sherbrooke Street West
Suite 1101
Montreal, QC
H3A 1E4
(514) 288-0037

Table of Contents

Introduction 1

Executive Summary 3

Sommaire 5

Key Findings 7

- Fire-Risk Behaviour of Smokers 7
  - Smoking in Bed 7
  - Leaving Burning Cigarettes 10
  - Accidentally Burning Objects 11
  - Emptying Ashtrays 13

Survey Methodology 15

Appendices

A: Survey Questionnaire (English and French)

B: Banner Tables (under separate cover)

Introduction

Smokers' materials are the leading cause of residential fires and fire-related losses in Canada each year. Currently, Health Canada is proposing regulations that will impose maximum ignition strength for cigarettes to minimize the number of fires caused by smokers' materials.

In order to measure the success of these regulations (once implemented), Health Canada commissioned Decima Research to undertake benchmark research of pre-regulation fire-risk behaviour of smokers and of cigarette fire incidence where the fire department is not called. This research will be used to identify and monitor any changes in smoker fire-risk behaviour after the implementation of cigarette ignition propensity regulations.

The survey was conducted by telephone in three waves: November 2004, December 2004, and January 2005. In total across the three waves, 3,067 Canadians (aged 18 years and older) were interviewed. Of them, 781 self-identified as smokers (789 after weighting). The results drawn from this sample of smokers can be expected to be accurate to the full population of smokers to within plus or minus 3.5 percent, in 19 out of 20 samples. The margins of error are larger for sub-samples. A more detailed description of the methodology used to conduct this survey is provided at the back of this report.

This report presents the key findings and conclusions from the research. No statistically significant differences were identified among the waves of the survey; therefore the combined results from the three waves are presented throughout this report. Appended to this report are survey questions (in English and French), as well as a set of detailed "banner" tables (under separate cover) that present results for each question by region and demographic categories. The key findings section of this report denotes these tables by question number (e.g. *Q.1*) for easy reference.

Executive Summary

Over the last few years, the proportion of Canadians who smoke has decreased. In this study, one quarter (26%) of Canadians self-identified as smokers. More specifically, 20 percent say they smoke every day and an additional 6 percent smoke occasionally. The objective of the current study was to establish a baseline of the fire-risk behaviour of smokers.

Fire-Risk Behaviours

Overall, 30 percent of current smokers report having ever smoked in bed. Of them, four-in-ten (39%) do so at least once per week.

The majority of current smokers (88%) say that they have never fallen asleep with a lit cigarette either in their hands or the ashtray. However, about one-in-ten smokers (11%) report that this has happened to them. Among those who have ever fallen asleep with a cigarette, the majority have not done so in the past year.

Leaving a burning cigarette in an ashtray while attending to other things is another fire-risk behaviour. Almost one half (47%) of current smokers have ever left a burning cigarette in an ashtray while they attended to other things. Among those who report this behaviour, one half (51%) do so once a month or less, while four-in-ten (38%) do so at least once a week.

One-in-six (15%) smokers report having burned something with a cigarette in the past two weeks. The majority of this group burned less than five objects in the past year. Most burns are relatively minor (holes less than 2 centimetres).

Those who have burned something in the past two weeks also report that most commonly burned item is clothing, followed by carpets, upholstered furniture, and bedding.

Smokers usually empty ashtrays into an indoor garbage bin (35%), metal container (34%), outdoor garbage bin (20%), and/or toilet (19%). Six-in-ten (59%) smokers empty the ashtray when it is full. Equal proportions of smokers empty it immediately after putting out a cigarette (16%) or when it is half-full (18%).

Sommaire

Au cours des dernières années, le pourcentage de fumeurs canadiens a diminué. Dans cette étude, un quart des Canadiens (26 %) se sont désignés eux-mêmes comme fumeurs. Plus précisément, 20 pour cent d'entre eux disent fumer quotidiennement alors que 6 pour cent d'entre eux disent fumer à l'occasion. L'objectif de l'étude était d'établir une référence sur les comportements des fumeurs susceptibles de causer un incendie.

Comportements susceptibles de causer un incendie

De façon globale, 30 pour cent des fumeurs affirment avoir déjà fumé au lit. Quatre sur dix d'entre eux (39 %) affirment le faire au moins une fois par semaine.

La majorité des fumeurs (88 %) disent qu'ils ne se sont jamais endormis avec une cigarette allumée à la main ou dans un cendrier. Cependant, environ un fumeur sur dix (11 %) ont mentionné que cela leur était déjà arrivé. La majorité de ceux qui se sont déjà endormis avec une cigarette ne l'ont pas fait au cours de la dernière année.

Un autre comportement susceptible de causer un incendie est de laisser sa cigarette brûler dans le cendrier lorsqu'on doit faire autre chose. Près de la moitié (47 %) des fumeurs ont déjà laissé leur cigarette brûler dans le cendrier quand ils devaient faire autre chose. La moitié d'entre eux (51 %) le font une fois par mois ou moins, alors que quatre sur dix (38 %) le font au moins une fois par semaine.

Un fumeur sur six (15 %) dit avoir déjà brûlé un objet avec sa cigarette au cours des deux dernières semaines. La majorité d'entre eux ont brûlé moins de cinq objets au cours de la dernière année. La plupart des brûlures sont relativement petites (marques de moins de 2 centimètres).

Ceux qui ont déjà brûlé un objet au cours des deux dernières semaines disent aussi qu'ils brûlent en majorité des vêtements. Viennent ensuite les tapis, les meubles rembourrés et la literie ou le matelas.

Les fumeurs vident habituellement leurs cendriers dans une poubelle à la maison (35 %), dans un contenant de métal (34 %), dans une poubelle à l'extérieur (20 %) ou dans la toilette (19 %). Six fumeurs sur dix (59 %) vident leur cendrier lorsqu'il est plein. Une proportion égale de fumeurs (16 %) le vident immédiatement après y avoir mis un mégot ou lorsque le cendrier est à moitié plein (18 %).

Key Findings


Fire-Risk Behaviour of Smokers

This section of the report describes the fire-risk behaviours of smokers.[1] First, the self-reported incidence of each type of fire-risk behaviour is presented. This is followed by the reported frequency of engaging in this behaviour. It is possible that the self-reported incidences and frequencies of the fire-risk behaviours are understated, due to social-desirability bias (the tendency to underrepresented potentially embarrassing behaviours).

Smoking in Bed

Approximately three-in-ten smokers have smoked in bed.


Overall, 30 percent of current smokers report having ever smoked in bed. One-in-six (15%) smokers report smoking in bed in the past week. *(Q.2)*



[1] Due to weighting and rounding, numbers of cases and percentages may differ from chart to chart or not add up to 100%.

Those who have ever smoked in bed (n=230) were asked how frequently they have done this during the past year. Four-in-ten (39%) of those who have ever smoked in bed report smoking in bed at least once per week, including 18 percent who do so everyday. One third (32%) of those who smoke in bed do so once a month or less. Another 27 percent did not smoke in bed in the past year. *(Q.3)*


Frequency of Smoking in Bed (Last Year)
Among those who have ever smoked in bed
n=230



About one-in-ten smokers have ever fallen asleep with a lit cigarette either in their hands or the ashtray.


Smokers were also asked if they have ever fallen asleep with a lit cigarette either in their hands or the ashtray. The majority of current smokers (88%) report that they have never fallen asleep in this situation. However, about one-in-ten smokers (11%) report that this has happened to them. *(Q.4)*

Falling Asleep with a Burning Cigarette
n=781



This question was followed-up with another one to measure the frequency of smokers falling asleep with a burning cigarette (n=90). One third (36%) of those who have ever fallen asleep with a cigarette say that it happened to them once in the past year. Another four-in-ten (41%) report that this did not happened to them in the past year. *(Q.5)*

Frequency of Falling Asleep with a Burning Cigarette (Last Year)
Among those who have ever fallen asleep with a cigarette
n=90




Leaving Burning Cigarettes

One half of current smokers have ever left a burning cigarette in an ashtray unattended.


Another fire-risk behaviour that was explored is leaving a burning cigarette in an ashtray while attending to other things. Almost one half (47%) of current smokers report that they have ever left a burning cigarette in an ashtray while they attended to other things. One-in-five (20%) smokers have done so in the past week. *(Q.6)*

Leaving a Burning Cigarette
n=781



Upon establishing the prevalence of leaving burning cigarettes unattended, the frequency of doing so was measured. Overall, four-in-ten (38%) of those who have ever left a burning cigarette unattended (n=361) do so at least once a week. One half (51%) does so less than monthly. Another one-in-ten (10%) say they have not done this in the past year. *(Q.7)*


Frequency of Leaving a Burning Cigarette (Last Year)
Among those who have ever left a burning cigarette unattended
n=361




Accidentally Burning Objects

One-in-six smokers report having burned something with a cigarette in the past two weeks.

The fire-risk behaviours discussed above tend to cause objects to be burned. One-in-six (15%) smokers report having burned something with a cigarette in the past two weeks. Three-quarters (74%) say the have not accidentally burned objects in the past two weeks. *(Q.10[†])*



Those who burned something in the past two weeks (n=90) were asked how many objects they have burned in the past year. The majority (74%) burned less than five objects in the past year. Fourteen percent (14%) burned more than five objects in the past year. *(Q.11[2])*



[2] Figures reported for Q10-Q14 are based on first two waves only.

Those who said that they burned at least one object in the past year (n=78) were asked how many of the burn marks were larger than two centimetres. The majority (68%) said that none of the holes were larger than two centimetres and 27 percent said one to three. *(Q.12)*


Again, those who said that they burned some holes larger than two centimetres (n=22) were asked a follow-up question of how many of these holes were larger than 10 centimetres. The majority (86%) said that none of the holes were larger than 10 centimetres. *(Q.13)*

Those who reported burning something in the past two weeks (n=90) were also asked if any of the burns occurred on clothing, carpet, upholstered furniture, and/or bedding/mattresses. The most commonly burned item is clothing; burned by two-thirds of smokers (62%). Carpets (32%), upholstered furniture (17%), and bedding (4%) were burned by fewer people. *(Q.14)*

Objects Burned

Among those who have burned objects in the past two weeks


n=90




Emptying Ashtrays

Smokers empty ashtrays into metal containers and indoor or outdoor garbage bins most often. Six-in-ten smokers wait until the ashtray is full to empty it.

Smokers were asked where and when they empty their ashtrays. Smokers usually empty ashtrays into an indoor garbage bin (35%), metal container (34%), outdoor garbage bin (20%), and/or toilet (19%). Smaller proportions of smokers empty ashtrays into a woodstove (2%), outside/on the street (2%), and/or fireplace (2%). *(Q.8)*



Six-in-ten (59%) smokers empty the ashtray when it is full. Equal proportions of smokers empty it immediately after putting out a cigarette (16%) or when it is half-full (18%). *(Q.9)*



Survey Methodology

Questionnaire Design

The questionnaire for this study was provided (in English and French) by Health Canada.

Sample Design

The sample for this study consists of 781 Canadians who self-identified as smokers (789 after weighting). This sample was obtained during the November 2004, December 2004, and January 2005 waves of Decima's teleVox omnibus survey, which samples n=1,000 Canadians per week. Each weekly teleVox sample is stratified by province and region to ensure adequate sub-samples for meaningful regional analysis. The data are weighted in tabulation to replicate actual population distribution by age and sex within each region, according to the most current Census data available.

Every Canadian household with a telephone number had an equal chance of being selected for the study. Up to eight call-backs were used to reach selected respondents who may not have been available at the time of the call, to ensure an appropriate distribution across gender and age.

Survey Administration

The survey was conducted in three waves in English and French by telephone. The first wave was carried out between November 18 and 23, 2004 with 1,013 Canadians, including 270 smokers; the second wave between December 16 and 21, 2004 with 1,040 Canadians, including 267 smokers; and the third wave between January 20 and 26, 2005 with 1,014 Canadians, including 244 smokers. All interviewing was conducted by fully trained interviewers using computer-assisted-telephone-interviewing. The average length of time to complete the smokers survey was 2.5 minutes.

Sample Disposition

A total of 60,622 telephone numbers were dialled for this study, from which 3,067 households including 781 smokers qualified as eligible (adults 18 years and older) and completed the survey. The overall response rate is 7%. The final disposition of all contacts is presented in the following table, in accordance with the reporting standards established by Market Research and Intelligence Association (MRIA).

Sample Disposition Report

A. Total Number Attempted (Lines 1-14)	**60,622**
1. Not in Service	5,284
2. Fax	1,563
3. Invalid number/wrong number	5,852
B. Total Eligible Numbers (Lines 4-14)	**47,923**
4. Busy	588
5. Answering Machine	9,840
6. No Answer	9,714
7. Language barrier	993
8. Illness, Incapable	204
9. Eligible Respondent Not Available/Call-backs	5,850
C. Total Asked (Lines 10-14)	**20,734**
10. Household Refusal	7,594
11. Respondent Refusal	9,337
12. Qualified Respondent Break Off	267
D. Co-operative Contacts (Lines 13-14)	**3,536**
13. Not qualified	469
14. Completed Interview	3,067
Refusal Rate = (10+11+12)/C	83%
Response Rate = D/B	7%
Incidence = [(14+12)/(13+14+12)*100	88%

Sample Distribution

A sample of 3,067 drawn from the Canadian population would be expected to provide results accurate to within plus or minus 1.8 percent in 95 out of 100 samples. The margin of error will be greater for regional and provincial sub-samples, as presented in the following table.

Sample Distribution by Region

Region/Province	Unweighted Sample (Total Population)	Margin of Error[1]	Unweighted Sample (Smokers)	Margin of Error[1]
Atlantic Canada	314	+/-5.5%	89	+/-10.4%
Québec	758	+/-3.6%	201	+/-6.9%
Ontario	985	+/-3.1%	240	+/-6.3%
Manitoba/Saskatchewan	317	+/-5.5%	77	+/-11.2%
Alberta	304	+/-5.6%	82	+/-10.9%
British Columbia	389	+/-5.0%	92	+/-10.3%
CANADA	**3,067**	**+/- 1.8%**	**781**	**+/- 3.5%**

[1]Percentage based on 95% confidence level

Endnote

† During the first two waves of the survey and first day of the third wave, the answers to question 10 (Would you say that the last time one of your cigarettes accidentally burned something was) were: - Yesterday, - The day before yesterday, - In the past week, - In the past two weeks. The volunteered responses were - Never, and - Don't know/refused. The respondents could not say "more than two weeks ago". This category was added as a volunteered response after the first day of interviewing for the third wave of the survey. Many respondents in the third wave have selected this category.

The distribution of the responses before and after the wording revision is presented in the following table:

	Waves 1, 2 and first day of Wave 3 (n=594)	Remainder of Wave 3 (n=187)
- Yesterday	0%	1%
- The day before yesterday	0%	1%
- In the past week	2%	2%
- In the past two weeks	14%	5%
VOLUNTEERED		
- More than two weeks ago	N/A	29%
- Never	74%	59%
- Don't know/refused	11%	4%

These results suggest that people who may have reported "more than two weeks ago" if the choice was available as a volunteered option (as in wave 3), answered "never", "don't know/refused", or "in the past two weeks" (as in waves 1 and 2).

Appendix A: Survey Questionnaire (English and French)

Decima Research Inc.
November 26, 2004

Health Canada
Smoker Fir-Risk Behaviour Survey

Final Questionnaire

---

1. At the present time, do you smoke cigarettes every day, occasionally or not at all?

   - Every day
   - Occasionally
   - Not at all — Skip to next section
   - Don't know/refused — Skip to next section

2. Many people smoke while watching television or reading a book in bed. So far as you can remember have you smoked in bed.... [READ, CODE ONE]

   - In the past week
   - In the past month
   - Within one to six months
   - Over six months ago

   VOLUNTEERED
   - Never
   - Don't know/refused

3. In the last year, Would you say that you smoked in bed.... [PROMPT]

   - Everyday
   - A few times a week
   - Once a week
   - Once a month or less

   VOLUNTEERED
   - Never
   - Don't know/refused

4. Sometimes people doze off or fall asleep in a chair or in bed with a lit cigarette either in their hands or in the ashtray. So far as you can remember, has this happened to you .....? [READ, CODE ONE]

   - In the past week
   - In the past month
   - Within one to six months.
   - Over six months ago

   VOLUNTEERED
   - Never
   - Don't know/refused

5. In the last year, would you say that this has happened to you .....? [READ, CODE ONE]

- Once
- Two to five times
- Six to ten times
- More than ten times

VOLUNTEERED
- Never
- Don't know/refused

6. Sometimes people have reason to leave a cigarette burning in an ashtray while they attend to other things, such as answering the door or the phone. Would you say that you have found yourself in this situation? [READ, CODE ONE]

- In the past week
- In the past month
- Within one to six months
- Over six months ago

VOLUNTEERED
- Never
- Don't know/refused

7. In the last year, would you say that you have left a cigarette burning in an ashtray while you had to attend to something else....? [READ, CODE ONE]

- Several times a day
- 2-3 times a week
- Once a week
- Less than monthly

VOLUNTEERED
- Never
- Don't know/refused

8. Where do you usually empty your ashtrays? [READ, CODE ALL THAT APPLY]

- Indoor garbage bin
- Outdoor garbage bin
- Toilet
- Metal container, i.e., tin can
- Some place else (other specify)

VOLUNTEERED
- Don't know/refused

9. Do you empty ashtrays immediately after putting out a cigarette or do you usually wait till it is full or almost full?

- Yes, empty immediately
- Wait till it's full

VOLUNTEERED
- Half full
- Someone else empties it
- Don't know/refused

10. It is quite common for things such as carpets, couches, and clothing to get burnt accidentally by cigarettes. Would you say that the last time one of your cigarettes accidentally burned something was....? [READ, CODE ONE]

- Yesterday
- The day before yesterday
- In the past week
- In the past two weeks

VOLUNTEERED
- Never
- Don't know/refused

11. Thinking back over the last year, how many things would you say you have accidentally burnt with a cigarette? Take a minute to think about it. [READ, CODE ONE]

- One to five objects
- Six to 10 objects
- Eleven to 15 objects
- More then 15 objects

VOLUNTEERED
- None
- Don't know/refused

12. As best you can remember, how many of the burn marks were larger than 2 cm, or the size of a quarter? [READ, CODE ONE]

- None
- One to three
- Four to ten
- More than ten

VOLUNTEERED
- Don't know/refused

13. How many burn marks would you say were bigger than 10 cm, or the size of a small saucer?

- None
- One to three
- Four to ten
- More than ten

VOLUNTEERED
- Don't know/refused

14. Did this include any of the following items: [READ, CODE ALL THAT APPLY, ROTATE]

    a. Upholstered furniture such as sofa, couch, or easy chair?
    b. Carpet?
    c. Clothing?
    d. Bedding or mattresses?

    - Yes
    - No
    - Don't know/refused

15. Was the fire department called?

    - Yes
    - No
    - Don't know/refused

Decima Research Inc.
Le 2 novembre 2004

Santé Canada
Enquête sur le tabagisme : Comportements susceptibles de causer un incendie

Questionnaire Final

---

1. À l'heure actuelle, fumez-vous la cigarette tous les jours, occasionnellement ou jamais?

   - Tous les jours
   - Occasionnellement
   - Jamais

   NE LISEZ PAS
   - Ne sait pas/Refuse

2. (À TOUS LES FUMEURS) Beaucoup de personnes fument au lit en regardant la télévision ou en lisant un livre. Vous rappelez-vous l'avoir fait...
   LIRE, PUIS COCHER UNE RÉPONSE

   - La semaine dernière
   - Le mois passé
   - Il y a entre un et six mois
   - Il y a plus de six mois

   NE LISEZ PAS
   - Je ne le fais jamais (PASSER À LA QUESTION 4)
   - Ne sait pas/Refuse

3. (À CEUX QUI ONT RÉPONDU a, b, c ou d) Depuis un an, diriez-vous que vous avez fumé au lit... (Énumérer les réponses)

   - Chaque jour
   - Quelques fois par semaine
   - Une fois par semaine
   - Une fois par mois ou moins

   NE LISEZ PAS
   - Jamais
   - Ne sait pas/Refuse

4. (À TOUS LES FUMEURS) Il arrive qu'on somnole ou s'endorme dans un fauteuil ou au lit avec une cigarette allumée à la main ou dans un cendrier. Diriez-vous que cela vous est arrivé...
LIRE, PUIS COCHER UNE RÉPONSE

- La semaine dernière
- Le mois passé
- Il y entre un et six mois
- Il y a plus de six mois

NE LISEZ PAS
- Je ne le fais jamais (PASSER À LA QUESTION 6)
- Ne sait pas/Refuse

5. (À CEUX QUI ONT RÉPONDU a, b, c ou d). Depuis un an, diriez-vous que cela vous est arrivé...
LIRE, PUIS COCHER UNE RÉPONSE

- Une fois
- Entre deux et cinq fois
- Entre six et dix fois
- Plus de dix fois

NE LISEZ PAS
- Ne sait pas/Refuse

6. (ÀTOUS LES FUMEURS) Il faut parfois laisser sa cigarette brûler dans le cendrier quand on doit faire autre chose, comme répondre à la porte ou au téléphone. Diriez-vous que ça vous est arrivé...
LIRE, PUIS COCHER UNE RÉPONSE

- Depuis une semaine
- Depuis un mois
- Depuis un à six mois
- Depuis plus de six mois

NE LISEZ PAS
- Jamais (PASSER À LA QUESTION 8)
- Ne sait pas/Refuse

7. (À CEUX QUI ONT RÉPONDU a, b, c, ou d) Diriez-vous que, depuis un an, vous avez laissé brûler une cigarette dans un cendrier pour vous occuper d'autre chose... (Énumérer les réponses)
LIRE, PUIS COCHER UNE RÉPONSE

- Plusieurs fois par jour
- Deux ou trois fois par semaine
- Une fois par semaine
- Moins d'une fois par mois
- Jamais

NE LISEZ PAS
- Ne sait pas/Refuse

8. (À TOUS LES FUMEURS) Où videz-vous normalement le cendrier?
LIRE, PUIS COCHER TOUTES LES RÉPONSES DONNÉES

- Dans une poubelle à la maison
- Dans une poubelle à l'extérieur
- Dans la toilette
- Dans un contenant de métal, p.ex. boîte de conserve
- Ailleurs (SPÉCIFIER)_____

NE LISEZ PAS
- Ne sait pas/Refuse

9. Videz-vous le cendrier immédiatement après y avoir mis un mégot ou pas avant qu'il soit plein ou presque?

- Je le vide immédiatement
- J'attends avant de le vider

NE LISEZ PAS
- A moitié plein
- Quelqu'un d'autre le vide
- Ne sait pas/Refuse

10. (À TOUS LES FUMEURS) Il arrive souvent que des objets comme des tapis, des canapés et des vêtements soient accidentellement brûlés par une cigarette. Quand diriez-vous que votre cigarette a accidentellement brûlé quelque chose la dernière fois?
LIRE, PUIS COCHER UNE RÉPONSE

- Hier
- Avant-hier
- Depuis moins d'une semaine
- Depuis moins de deux semaines

NE LISEZ PAS
- Ce n'est jamais arrivé (PASSER À LA SECTION SUIVANTE DU QUESTIONNAIRE)
- Ne sait pas/Refuse

11. (À CEUX QUI ONT RÉPONDU a, b, c ou d) Depuis un an, combien d'objets diriez-vous avoir brûlés accidentellement avec une cigarette? Prenez le temps d'y penser.
LIRE, PUIS COCHER UNE RÉPONSE

- De un à cinq objets
- De six à dix objets
- De onze à quinze objets
- Plus de quinze objets

NE LISEZ PAS
- Aucun (PASSER À LA SECTION SUIVANTE DU QUESTIONNAIRE)
- Ne sait pas/Refuse

12. (À CEUX QUI ONT RÉPONDU a, b, c ou d) Vous rappelez-vous combien de fois la marque de la brûlure faisait plus de 2 cm, soit la grosseur d'un vingt-cinq cents?
LIRE, PUIS COCHER UNE RÉPONSE

- Jamais
- De une à trois fois
- De quatre à dix fois
- Plus de dix fois

NE LISEZ PAS
- Ne sait pas/Refuse

13. Combien de fois diriez-vous que la marque de la brûlure faisait plus de 10 cm, soit la dimension d'une petite soucoupe?
LIRE, PUIS COCHER UNE RÉPONSE

- Jamais
- De une à trois fois
- De quatre à dix fois
- Plus de dix fois

NE LISEZ PAS
- Ne sait pas/Refuse

14. Qu'est-ce qui a été brûlé?
LIRE, POUS COCHER TOUTES LES RÉPONSES DONNÉES

a. Un meuble rembourré, comme un canapé ou un fauteuil
b. Un tapis
c. Un vêtement
d. De la literie ou un matelas

- Oui
- Non

NE LISEZ PAS
- Ne sait pas/Refuse

15. A t-on appelé les pompiers?

- Oui
- Non

CA1 X 2000 -A55 E.2
V.2

Smoker Fire-Risk Behaviour Survey
Winter 2004-2005

Banner Tables

Prepared for: Health Canada

Contract: H1011-040041/001/CY
POR – 04–47

Date: March 2005

Decima
RESEARCH INC

Library and Archives Canada
Bibliothèque et Archives Canada

POR 6-2004-1331

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q1. At the present time, do you smoke cigarettes every day, occasionally or not at all?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment							Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker		Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)		(U)	(V)
Weighted 'n'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175		2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176		2,365	702
Smokers - NET	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36		598	192
	26%	30% D	27%	24%	24%	28%	26%	28% I	24%	30% N	31% N	26% N	28% N	18%	28% R	27% R	41% OPRST	17%	22%	21%		25%	27%
Every day	608	55	160	209	45	67	74	312	296	88	136	122	129	131	88	313	66	76	30	26		458	150
	20%	22%	21%	18%	21%	24% D	18%	21%	19%	22% N	22% N	21% N	22% N	15%	22% RT	21% R	32% OPRST	14%	16%	15%		19%	21%
Occasionally	181	20	48	66	8	11	29	97	84	32	55	33	38	23	26	98	20	15	11	10		140	41
	6%	8% EF	6%	6%	3%	4%	7% E	7%	5%	8% N	9% LN	6% N	6% N	3%	6% R	6% R	10% R	3%	6%	6%		6%	6%
Not at all	2,276	174	565	873	165	201	298	1,075	1,201	282	416	435	419	696	290	1,106	122	446	144	139		1,754	522
	74%	70%	73%	76% B	76%	72%	74%	72%	76% H	70%	69%	74%	71%	82% JKLM	72% Q	73% Q	59%	83% OPQ	78% Q	79% Q		75%	73%
Don't know/Refused	2	1	-	-	-	-	1	1	1	-	-	1	1	-	-	1	-	-	-	-		2	-
	*%	*%					*%	*%	*%			*%	*%			*%						*%	

Decima RESEARCH INC
25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q1. At the present time, do you smoke cigarettes every day, occasionally or not at all?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Smokers - NET	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	26%	24%	28%	34%	24%	22%	18%	21%	34%	26%	19%	12%	24%	33%	21%	29%	30%	24%	29%	24%
			B	EFGH					JKLM	KL	L		L	O		O	RT			
Every day	608	351	258	289	116	80	26	46	296	139	95	19	52	195	279	129	143	194	117	154
	20%	18%	22%	27%	18%	17%	14%	15%	28%	19%	13%	10%	16%	23%	17%	25%	22%	19%	22%	18%
			B	EFGH					JKLM	KL			L	O		O	T			
Occasionally	181	112	69	76	38	27	8	17	55	49	45	5	25	85	73	23	52	44	36	49
	6%	6%	6%	7%	6%	6%	4%	6%	5%	7%	6%	3%	8%	10%	4%	4%	8%	4%	7%	6%
										L	L		L	OP			R			
Not at all	2,276	1,440	836	706	492	372	159	240	690	531	613	169	244	567	1,313	371	444	767	386	654
	74%	76%	72%	66%	76%	77%	82%	79%	66%	74%	81%	88%	76%	67%	79%	71%	69%	76%	71%	76%
		C			D	D	D	D		I	IJ	IJKM	I		NP			Q		Q
Don't know/Refused	2	1	1	1	-	1	-	-	1	-	1	-	-	1	-	1	2	-	-	-
	*%	*%	*%	*%		*%			*%		*%			*%		*%	*%			

Decima 25th RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q1. At the present time, do you smoke cigarettes every day, occasionally or not at all?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Smokers - NET	789	268	273	248
	26%	26%	26%	24%
Every day	608	211	208	189
	20%	21%	20%	19%
Occasionally	181	57	65	59
	6%	6%	6%	6%
Not at all	2,276	743	767	766
	74%	73%	74%	76%
Don't know/Refused	2	2	-	-
	*%	*%		

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q2. Many people smoke while watching television or reading a book in bed. So far as you can remember have you smoked in bed...
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36	598	192
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	89	201	240	77	82	92	410	371	99	161	169	183	165	114	404	86	98	34	33	596	185
In the past week	121	10	45	38	6	9	13	72	49	28	30	31	24	9	17	69	16	6	11	2	77	44
	15%	13%	22% DEF	14%	11%	11%	13%	18%	13%	23% N	16% N	20% N	14% N	6%	14%	17% RT	19% R	7%	27% RT	7%	13%	23% U
In the past month	17	1	3	7	3	3	-	5	12	4	2	4	6	1	2	12	2	-	1	-	15	2
	2%	1%	2%	3%	5%	4%		1%	3%	3%	1%	2%	4%	1%	2%	3%	2%		3%		3%	1%
Within one to six months	15	2	4	7	3	-	-	9	6	3	2	4	2	3	1	5	5	3	-	1	11	3
	2%	2%	2%	2%	5%			2%	2%	3%	1%	2%	1%	2%	1%	1%	6%	3%		3%	2%	2%
Over six months ago	84	9	14	27	8	15	12	46	38	14	26	23	12	10	13	53	10	4	3	1	70	14
	11%	12%	7%	10%	15%	20% CD	12%	11%	10%	12%	13% N	15% MN	7%	6%	11%	13% RT	11%	5%	7%	4%	12%	7%
Never	549	54	141	193	34	51	78	274	274	71	130	94	121	129	82	269	53	78	26	31	422	127
	70%	72%	68%	70%	64%	66%	76%	67%	72%	59%	68%	61%	73% JL	84% JKLM	72%	65%	61%	85% OPQS	63%	86% PQS	71%	66%
Don't know/Refused	4	-	1	2	-	-	-	3	1	-	2	-	1	1	-	3	1	-	-	-	2	1
	*%		*%	1%				1%	*%		1%		1%	1%		1%	1%				*%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q2. Many people smoke while watching television or reading a book in bed. So far as you can remember have you smoked in bed...
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	447	334	362	153	106	35	62	362	184	139	25	64	257	360	158	199	238	154	190
In the past week	121	74	47	65	20	14	5	11	59	32	10	4	16	55	45	21	26	33	29	33
	15%	16%	14%	18%	13%	13%	14%	17%	17% K	17% K	7%	16%	21% K	20% O	13%	14%	13%	14%	19%	16%
In the past month	17	9	8	11	2	1	2	1	8	4	2	-	4	6	7	5	3	8	1	4
	2%	2%	2%	3%	1%	1%	7%	1%	2%	2%	1%		5%	2%	2%	3%	1%	3%	1%	2%
Within one to six months	15	9	6	12	1	1	-	-	9	4	1	-	1	10	3	2	6	5	2	2
	2%	2%	2%	3% EF	1%	1%			3%	2%	1%		1%	3%	1%	1%	3%	2%	1%	1%
Over six months ago	84	55	29	36	17	10	4	9	38	17	20	2	7	36	36	13	17	17	24	26
	11%	12%	9%	10%	11%	9%	13%	15%	11%	9%	14%	7%	10%	13%	10%	8%	9%	7%	16% R	13%
Never	549	314	235	240	112	83	22	42	236	130	108	19	50	174	259	110	143	174	97	134
	70%	68%	72%	66%	73%	77% D	66%	67%	67%	69%	77% I	77%	64%	62%	74% N	72% N	73% S	73% S	63%	66%
Don't know/Refused	4	1	3	2	1	-	-	-	2	2	-	-	-	-	2	1	-	1	1	2
	*%	*%	1%	*%	1%				1%	1%					1%	1%		*%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q2. Many people smoke while watching television or reading a book in bed. So far as you can remember have you smoked in bed...
BASE: Those who smoke cigarettes every day or occasionally
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	789	268	273	248
	100%	100%	100%	100%
UNWEIGHTED 'n'	781	270	267	244
In the past week	121	47	41	34
	15%	17%	15%	14%
In the past month	17	4	7	6
	2%	2%	3%	2%
Within one to six months	15	6	5	3
	2%	2%	2%	1%
Over six months ago	84	17	39	28
	11%	7%	14%	11%
			B	
Never	549	190	181	177
	70%	71%	66%	71%
Don't know/Refused	4	4	-	-
	*%	1%		

Decima RESEARCH INC 25th Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q3. In the last year, would you say that you smoked in bed...
BASE: Those who smoked in bed
BANNER 1

		Region						Gender		Age Group					Employment							Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker		Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)		(U)	(V)
Weighted 'n'	237	21	66	79	19	27	25	132	105	49	60	61	44	24	32	139	33	14	15	5		173	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		100%	100%
UNWEIGHTED 'n'	230	25	61	70	25	27	22	130	100	41	50	64	49	26	31	132	34	16	12	5		171	59
Everyday	44	6	12	13	4	3	7	26	18	11	9	12	8	3	4	26	4	4	4	2		34	9
	18%	27%	18%	16%	21%	11%	26%	19%	17%	23%	15%	20%	19%	12%	12%	19%	13%	27%	27%	37%		20%	15%
A few times a week	33	2	9	10	4	7	2	20	13	9	7	8	7	2	6	23	3	1	-	-		24	9
	14%	9%	13%	13%	22%	25%	7%	15%	12%	18%	12%	13%	17%	7%	19%	17%	9%	6%				14%	14%
Once a week	17	2	5	7	1	1	1	11	7	6	6	3	2	1	2	9	3	-	3	-		13	4
	7%	7%	8%	9%	4%	3%	6%	8%	6%	12%	9%	5%	4%	5%	6%	6%	10%		20%			7%	7%
Once a month or less	77	9	10	32	9	10	8	43	33	19	18	19	14	6	8	44	16	3	2	2		67	10
	32%	41% C	14%	40% C	47% C	39% C	31%	33%	32%	40%	30%	31%	32%	27%	27%	32%	49% S	25%	16%	44%		39% V	15%
Never	64	3	31	15	1	6	7	29	34	3	19	18	13	12	11	35	6	6	5	1		32	32
	27%	15%	47% BDEF	19%	7%	22%	27%	22%	33%	7%	31% J	29% J	29% J	49% J	36%	25%	17%	42%	36%	19%		19%	50% U
Don't know/Refused	2	-	-	2	-	-	1	2	-	-	2	1	-	-	-	2	1	-	-	-		2	-
	1%			2%			3%	2%			3%	1%				1%	3%					1%	

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q3. In the last year, would you say that you smoked in bed...
BASE: Those who smoked in bed
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	237	147	90	123	41	25	12	21	114	56	33	6	28	106	90	41	52	63	56	66
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	230	141	89	119	42	24	11	19	112	57	32	6	22	96	90	44	54	60	56	60
Everyday	44	26	18	25	9	3	2	3	21	12	5	2	4	19	13	11	11	12	8	12
	18%	17%	20%	20%	23%	13%	18%	15%	19%	21%	16%	30%	15%	18%	15%	27%	22%	19%	15%	18%
A few times a week	33	23	10	17	5	2	3	5	15	7	4	1	6	15	13	5	4	13	5	11
	14%	15%	11%	14%	13%	8%	29%	25%	13%	12%	13%	15%	22%	14%	15%	12%	8%	20%	9%	17%
Once a week	17	11	6	12	2	3	-	-	9	4	-	-	4	9	4	4	2	6	5	4
	7%	8%	7%	10%	5%	14%			8%	8%			13%	8%	5%	10%	4%	9%	9%	6%
Once a month or less	77	43	34	38	12	8	4	9	38	21	8	2	7	37	28	11	16	13	24	24
	32%	29%	38%	30%	29%	34%	38%	42%	34%	38%	26%	37%	24%	35%	31%	28%	30%	21%	43% R	36%
Never	64	43	21	31	11	8	2	4	27	13	15	1	7	25	30	8	18	19	14	13
	27%	29%	23%	25%	26%	32%	15%	17%	24%	22%	45% IJ	17%	26%	24%	33%	20%	35%	30%	24%	20%
Don't know/Refused	2	2	1	1	2	-	-	-	2	-	-	-	-	-	2	1	1	-	-	2
	1%	1%	1%	1%	4%				2%						2%	2%	2%			2%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q3. In the last year, would you say that you smoked in bed...
BASE: Those who smoked in bed
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	237	74	92	71
	100%	100%	100%	100%
UNWEIGHTED 'n'	230	73	88	69
Everyday	44	12	18	13
	18%	17%	20%	19%
A few times a week	33	13	12	8
	14%	18%	13%	11%
Once a week	17	7	6	4
	7%	10%	7%	5%
Once a month or less	77	20	30	28
	32%	26%	32%	39%
Never	64	22	24	19
	27%	29%	26%	26%
Don't know/Refused	2	-	2	-
	1%		3%	

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q4. Sometimes people doze off or fall asleep in a chair or in bed with a lit cigarette either in their hands or in the ashtray. So far as you can remember, have you fallen asleep with a lit cigarette?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36	598	192
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	89	201	240	77	82	92	410	371	99	161	169	183	165	114	404	86	98	34	33	596	185
In the past week	5	1	1	1	1	1	-	3	2	1	-	2	2	0	-	4	1	1	-	-	4	1
	1%	1%	*%	1%	2%	2%		1%	1%	1%		1%	1%	*%		1%	1%	1%			1%	1%
In the past month	2	-	-	2	-	-	-	1	1	-	-	1	-	-	1	-	-	-	1	-	2	-
	*%			1%				*%	*%			1%			1%				3%		*%	
Within one to six months	9	-	-	6	-	-	3	7	2	2	-	3	1	3	1	4	1	2	-	2	8	1
	1%			2%			3%	2%	1%	1%		2%	1%	2%	1%	1%	1%	2%		4%	1%	*%
Over six months ago	74	5	23	29	4	7	5	60	14	13	21	11	14	14	8	45	10	9	1	-	51	23
	9%	7%	11%	11%	7%	10%	5%	15% I	4%	11%	11%	7%	8%	9%	7%	11% S	12% S	10%	2%		8%	12%
Never	693	68	183	233	48	68	93	335	358	103	169	137	150	132	104	355	75	76	39	35	527	166
	88%	91%	88%	85%	91%	89%	91%	82%	94% H	86%	88%	88%	90%	86%	92%	86%	87%	83%	95% R	96% PR	88%	87%
Don't know/Refused	6	1	1	3	-	-	2	3	3	-	1	-	-	4	-	2	-	4	-	-	5	1
	1%	1%	*%	1%			2%	1%	1%		*%			2%		1%		4%			1%	*%

Decima RESEARCH INC 25th Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q4. Sometimes people doze off or fall asleep in a chair or in bed with a lit cigarette either in their hands or in the ashtray. So far as you can remember, have you fallen asleep with a lit cigarette?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	447	334	362	153	106	35	62	362	184	139	25	64	257	360	158	199	238	154	190
In the past week	5	2	3	4	1	-	-	-	2	1	-	1	1	1	1	3	1	2	-	2
	1%	*%	1%	1%	1%				1%	*%		5%	2%	*%	*%	2%	1%	1%		1%
In the past month	2	2	-	1	1	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1
	*%	1%		*%	1%							5%	2%	*%		1%			1%	1%
Within one to six months	9	4	5	5	2	-	1	-	5	1	2	-	1	5	3	-	4	2	1	2
	1%	1%	2%	1%	1%		2%		1%	*%	1%		1%	2%	1%		2%	1%	1%	1%
Over six months ago	74	44	30	36	8	11	3	10	32	25	7	4	3	29	30	14	18	23	16	17
	9%	9%	9%	10%	5%	11%	8%	15% E	9%	14% KM	5%	16%	4%	10%	9%	10%	9%	9%	10%	8%
Never	693	407	286	316	141	95	31	54	309	160	131	18	72	243	315	130	170	211	134	178
	88%	88%	87%	87%	92%	88%	90%	85%	88%	85%	93% IJL	75%	92%	87%	89%	86%	87%	89%	87%	88%
Don't know/Refused	6	3	3	2	1	1	-	-	4	1	-	-	-	-	3	3	2	1	1	2
	1%	1%	1%	1%	1%	1%			1%	*%					1%	2%	1%	*%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q4. Sometimes people doze off or fall asleep in a chair or in bed with a lit cigarette either in their hands or in the ashtray. So far as you can remember, have you fallen asleep with a lit cigarette?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	789	268	273	248
	100%	100%	100%	100%
UNWEIGHTED 'n'	781	270	267	244
In the past week	5	-	2	3
	1%		1%	1%
In the past month	2	1	1	-
	*%	*%	*%	
Within one to six months	9	4	3	2
	1%	1%	1%	1%
Over six months ago	74	14	33	27
	9%	5%	12%	11%
			B	B
Never	693	245	233	215
	88%	92%	85%	87%
		C		
Don't know/Refused	6	4	1	1
	1%	1%	*%	1%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q5. In the last year, would you say that this has happened to you ...?
BASE: Those who fell asleep with a lit cigarette
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	90	6	24	39	5	9	8	71	19	16	21	18	16	18	10	53	11	12	2	2	66	25
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	7	22	35	8	9	9	71	19	14	18	19	18	20	10	50	12	13	2	2	67	23
Once	33	3	8	15	1	4	2	28	5	7	6	7	4	9	3	20	5	4	-	-	24	9
	36%	51%	33%	39%	20%	44%	21%	39%	23%	45%	26%	37%	26%	50%	36%	37%	40%	38%			37%	35%
Two to five times	16	-	4	8	1	1	2	12	5	4	1	4	3	2	2	8	3	1	1	1	12	4
	18%		18%	20%	17%	13%	31%	17%	23%	28%	5%	21%	20%	14%	23%	15%	28%	7%	60%	57%	19%	17%
More than ten times	4	1	1	1	1	-	1	2	2	-	-	3	2	-	-	2	1	1	-	1	3	1
	5%	11%	4%	4%	11%		9%	3%	10%			15%	10%			4%	5%	5%		43%	5%	4%
Never	37	2	11	15	3	4	3	29	8	4	15	5	7	7	4	23	3	6	1	-	26	11
	41%	39%	46%	37%	52%	43%	40%	41%	43%	27%	68% JLN	26%	44%	37%	42%	44%	27%	50%	40%		40%	44%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q5. In the last year, would you say that this has happened to you ...?
BASE: Those who fell asleep with a lit cigarette
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	90	52	38	47	12	11	3	10	40	27	9	6	6	36	34	19	24	26	18	22
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	50	40	47	13	11	4	8	39	26	9	7	6	33	36	20	26	26	17	21
Once	33	18	15	14	5	3	3	2	13	10	4	1	2	11	14	7	10	10	7	6
	36%	35%	38%	31%	38%	25%	100% DEFH	25%	34%	39%	43%	13%	36%	30%	40%	38%	41%	36%	38%	28%
Two to five times	16	8	8	10	5	-	-	2	11	-	1	2	2	9	4	3	4	3	4	5
	18%	15%	22%	21%	39%			17%	28%		10%	33%	39%	25%	11%	18%	18%	13%	21%	22%
More than ten times	4	2	3	3	1	-	-	-	2	1	-	1	1	-	1	3	1	2	-	1
	5%	3%	7%	7%	8%				6%	2%		10%	11%		4%	15%	4%	8%		6%
Never	37	25	13	19	2	8	-	6	13	16	4	3	1	16	15	5	9	11	7	10
	41%	47%	33%	41% E	15%	75% DE		58% E	32%	59% IM	47%	43%	14%	45%	45%	29%	36%	43%	41%	44%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q5. In the last year, would you say that this has happened to you ...?
BASE: Those who fell asleep with a lit cigarette
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	90	19	40	32
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	19	39	32
Once	33	8	14	11
	36%	43%	34%	34%
Two to five times	16	3	8	6
	18%	15%	20%	18%
More than ten times	4	1	1	3
	5%	4%	2%	9%
Never	37	7	18	12
	41%	38%	45%	38%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q6. Sometimes people have reason to leave a cigarette burning in an ashtray while they attend to other things, such as answering the door or the phone. Would you say that you have found yourself in a situation where you had to leave a cigarette untended in an ashtray?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36	598	192
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	89	201	240	77	82	92	410	371	99	161	169	183	165	114	404	86	98	34	33	596	185
In the past week	156	18	59	50	7	10	12	88	68	37	31	34	33	21	24	83	21	10	9	8	100	56
	20%	24%	28% DEFG	18%	13%	13%	12%	22%	18%	31% KN	16%	22%	20%	13%	21%	20% R	25% R	11%	22%	23%	17%	29% U
In the past month	52	6	12	13	3	9	10	30	22	6	15	6	12	13	10	22	5	9	5	-	39	13
	7%	8%	6%	5%	5%	11%	10%	7%	6%	5%	8%	4%	7%	8%	9%	5%	6%	10%	13%		6%	7%
Within one to six months	54	1	19	17	5	5	8	25	29	5	12	13	15	8	9	29	4	6	3	3	38	16
	7%	2%	9% B	6% B	9%	6%	7%	6%	8%	4%	6%	8%	9%	5%	8%	7%	5%	6%	7%	9%	6%	8%
Over six months ago	99	7	20	36	6	14	17	50	49	8	29	23	20	19	14	54	10	12	3	6	81	19
	13%	9%	10%	13%	12%	18%	16%	12%	13%	7%	15% J	15% J	12%	12%	12%	13%	12%	13%	8%	17%	14%	10%
Never	417	41	95	155	32	40	54	209	208	63	101	78	86	86	56	221	44	50	21	17	331	86
	53%	55%	46%	57% C	60% C	52%	53%	51%	55%	53%	53%	51%	51%	56%	49%	54%	51%	54%	50%	46%	55% V	45%
Don't know/Refused	11	2	3	3	1	-	2	7	5	1	2	1	-	7	1	2	2	5	-	2	9	2
	1%	2%	2%	1%	1%		2%	2%	1%	1%	1%	1%		5% JL	1%	*%	2%	5% P		5%	1%	1%

Decima RESEARCH INC 25th Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q6. Sometimes people have reason to leave a cigarette burning in an ashtray while they attend to other things, such as answering the door or the phone. Would you say that you have found yourself in a situation where you had to leave a cigarette untended in an ashtray?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	447	334	362	153	106	35	62	362	184	139	25	64	257	360	158	199	238	154	190
In the past week	156	83	74	78	22	19	6	12	73	38	21	6	16	64	65	27	33	43	33	48
	20%	18%	23%	21%	14%	18%	17%	19%	21%	20%	15%	25%	21%	23%	18%	17%	17%	18%	22%	24%
In the past month	52	26	25	27	12	5	2	3	19	15	7	4	6	23	16	13	21	15	5	12
	7%	6%	8%	7%	8%	4%	5%	5%	5%	8%	5%	16%	8%	8%	4%	8%	11% S	6%	3%	6%
Within one to six months	54	37	16	26	14	5	5	3	24	15	7	2	6	19	21	12	8	18	15	12
	7%	8%	5%	7%	9%	5%	14%	6%	7%	8%	5%	8%	8%	7%	6%	8%	4%	8%	10%	6%
Over six months ago	99	61	39	52	21	10	6	7	46	25	19	-	8	31	44	25	30	28	21	21
	13%	13%	12%	14%	14%	9%	16%	11%	13%	13%	13%		10%	11%	12%	17%	15%	12%	14%	10%
Never	417	251	166	175	84	69	16	38	182	95	83	12	41	139	203	71	98	131	79	109
	53%	54%	51%	48%	55%	64% D	47%	59%	52%	51%	59%	52%	53%	50%	58% P	47%	50%	55%	51%	54%
Don't know/Refused	11	5	7	7	1	-	-	-	8	-	3	-	-	3	4	4	6	3	1	2
	1%	1%	2%	2%	1%				2%		2%			1%	1%	3%	3%	1%	*%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q6. Sometimes people have reason to leave a cigarette burning in an ashtray while they attend to other things, such as answering the door or the phone. Would you say that you have found yourself in a situation where you had to leave a cigarette untended in an ashtray?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	789	268	273	248
	100%	100%	100%	100%
UNWEIGHTED 'n'	781	270	267	244
In the past week	156	51	66	40
	20%	19%	24% D	16%
In the past month	52	17	16	18
	7%	6%	6%	7%
Within one to six months	54	21	20	13
	7%	8%	7%	5%
Over six months ago	99	26	43	31
	13%	10%	16% B	12%
Never	417	152	124	141
	53%	57% C	46%	57% C
Don't know/Refused	11	1	4	6
	1%	1%	1%	2%

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q7. In the last year, would you say that you have left a cigarette burning in an ashtray while you had to attend to something else....?
BASE: Those who have ever left a cigarette untended in an ashtray
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	361	32	110	116	20	37	46	193	168	56	87	76	81	60	57	188	41	37	20	18	258	104
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	361	38	105	103	32	40	43	195	166	48	74	81	91	66	57	187	43	41	16	16	262	99
Several times a day	36	2	20	10	1	2	1	18	18	4	9	7	9	6	5	16	7	4	-	4	17	19
	10%	6%	18% BEFG	9%	3%	6%	3%	9%	11%	8%	10%	9%	11%	11%	8%	8%	18%	12%		21%	7%	18% U
2-3 times a week	58	5	14	24	4	5	4	33	25	13	9	11	13	10	7	39	6	2	1	2	45	13
	16%	17%	13%	21%	22%	14%	9%	17%	15%	23%	11%	14%	16%	17%	12%	21% R	16%	7%	7%	12%	17%	13%
Once a week	45	6	10	18	2	4	4	27	18	11	3	10	12	9	6	25	6	6	1	2	36	9
	12%	18%	9%	16%	12%	11%	9%	14%	11%	19% K	3%	14% K	15% K	14% K	10%	13%	14%	15%	6%	10%	14%	9%
Less than monthly	183	16	52	49	12	21	33	99	83	25	56	42	35	25	35	88	16	19	16	8	135	48
	51%	50%	47%	43%	57%	57%	71% CD	52%	50%	45%	63% MN	56%	44%	41%	61% Q	47%	39%	52%	80% PQRT	45%	53%	46%
Never	36	3	14	14	1	2	2	15	20	2	8	6	10	10	5	16	6	5	2	2	20	15
	10%	8%	13%	12%	6%	5%	4%	8%	12%	4%	9%	7%	12%	17% J	9%	8%	14%	14%	8%	12%	8%	15%
Don't know/Refused	4	-	-	-	-	3	1	1	3	-	2	-	2	-	-	4	-	-	-	-	4	-
	1%					7%	3%	*%	2%		3%		2%			2%					2%	

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q7. In the last year, would you say that you have left a cigarette burning in an ashtray while you had to attend to something else....?
BASE: Those who have ever left a cigarette untended in an ashtray
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	361	207	155	182	69	39	18	26	162	93	54	12	36	137	145	77	91	104	74	92
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	361	204	157	180	68	42	20	25	167	93	56	11	30	131	150	77	95	106	74	86
Several times a day	36	20	16	20	5	4	1	3	20	8	4	4	-	12	15	10	10	10	8	8
	10%	10%	10%	11%	8%	11%	6%	12%	12%	8%	7%	35%		9%	10%	13%	11%	9%	11%	9%
2-3 times a week	58	31	27	20	14	11	3	4	26	15	10	1	4	20	28	10	11	17	13	17
	16%	15%	17%	11%	20%	29% D	15%	16%	16%	17%	19%	10%	10%	14%	19%	14%	12%	16%	17%	18%
Once a week	45	26	19	22	9	2	1	3	23	10	6	2	3	15	18	12	9	16	10	9
	12%	12%	12%	12%	13%	6%	8%	11%	14%	11%	11%	18%	9%	11%	13%	15%	10%	15%	13%	10%
Less than monthly	183	102	81	100	32	20	11	13	74	52	27	2	27	76	68	37	48	47	38	50
	51%	50%	52%	55%	46%	51%	62%	51%	46% L	56% L	50% L	17%	74% IKL	56%	47%	48%	53%	45%	51%	54%
Never	36	26	10	19	8	1	2	2	16	6	7	2	2	15	15	6	12	12	4	8
	10%	12%	7%	10% F	11%	3%	9%	7%	10%	7%	13%	20%	6%	11%	10%	7%	13%	12%	5%	8%
Don't know/Refused	4	2	2	2	1	-	-	1	3	1	-	-	-	-	2	2	-	2	2	-
	1%	1%	2%	1%	1%			3%	2%	1%					1%	3%		2%	3%	

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q7. In the last year, would you say that you have left a cigarette burning in an ashtray while you had to attend to something else....?
BASE: Those who have ever left a cigarette untended in an ashtray
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	361	115	145	102
	100%	100%	100%	100%
UNWEIGHTED 'n'	361	113	143	105
Several times a day	36	8	19	9
	10%	7%	13%	9%
2-3 times a week	58	14	25	19
	16%	12%	17%	19%
Once a week	45	18	13	13
	12%	16%	9%	13%
Less than monthly	183	57	73	53
	51%	49%	51%	52%
Never	36	16	13	7
	10%	14%	9%	7%
Don't know/Refused	4	2	1	1
	1%	2%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q8. Where do you usually empty your ashtrays?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36	598	192
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	89	201	240	77	82	92	410	371	99	161	169	183	165	114	404	86	98	34	33	596	185
Indoor garbage bin	276	22	86	99	20	26	22	156	120	55	62	46	58	52	38	157	31	30	10	7	192	84
	35%	30%	42% G	36% G	38% G	34%	21%	38%	31%	46% KL	33%	30%	35%	34%	33%	38% T	35%	33%	25%	20%	32%	44% U
Metal container	271	27	46	105	21	31	40	115	156	33	54	63	56	65	36	137	26	43	10	16	229	42
	34%	36% C	22%	38% C	40% C	40% C	39% C	28%	41% H	28%	28%	41% JK	34%	42% JK	32%	33%	30%	47% OPQS	24%	44%	38% V	22%
Outdoor garbage bin	158	16	26	59	12	13	33	86	72	32	40	30	32	25	29	80	20	16	6	5	132	26
	20%	21%	13%	21% C	22%	16%	32% CF	21%	19%	27%	21%	19%	19%	16%	26%	20%	23%	18%	16%	14%	22% V	13%
Toilet	153	13	65	35	8	17	16	77	76	17	39	31	34	30	21	83	16	18	6	5	95	58
	19%	17%	31% BDEG	13%	14%	21%	16%	19%	20%	15%	20%	20%	21%	19%	19%	20%	18%	20%	14%	15%	16%	30% U
Wood stove	18	6	5	6	1	-	1	11	6	-	5	5	6	2	3	7	5	-	1	2	13	5
	2%	7% EG	2%	2%	1%		1%	3%	2%		3%	3%	4%	1%	2%	2%	6%		2%	6%	2%	3%
Outside/on the street	16	1	3	6	1	5	-	10	5	4	6	1	4	-	3	9	2	-	1	-	14	1
	2%	1%	1%	2%	3%	6%		3%	1%	3%	3%	1%	2%		2%	2%	2%		3%		2%	1%
Fireplace	13	1	4	7	0	-	-	5	8	1	2	7	2	1	2	7	-	-	3	1	9	4
	2%	2%	2%	3%	1%			1%	2%	1%	1%	4% N	1%	1%	1%	2%			8%	3%	1%	2%
I/we don't smoke in the house/don't use ashtrays	7	2	-	3	1	2	-	5	3	1	2	1	2	1	-	7	-	-	-	-	7	-
	1%	2%		1%	1%	3%		1%	1%	1%	1%	*%	1%	1%		2%					1%	
Fire barrel/pit outdoors	3	-	-	3	-	-	-	1	2	-	-	3	-	-	1	1	-	-	-	1	3	-
	*%			1%				*%	1%			2%			1%	*%				3%	*%	
Compost	2	-	-	2	-	-	-	1	1	-	-	1	1	-	1	1	-	-	-	-	2	-
	*%			1%				*%	*%			1%	1%		1%	*%					*%	
Garbage bin (general)	1	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-
	*%				1%			*%					*%		1%						*%	
Other	20	1	7	5	2	1	5	12	8	3	7	4	6	1	4	6	3	1	6	1	17	4
	3%	1%	3%	2%	4%	1%	5%	3%	2%	2%	4%	3%	3% N	1%	4%	1%	4%	1%	14% PR	2%	3%	2%

Continued/...

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q8. Where do you usually empty your ashtrays? Continued
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment							Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker		Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)		(U)	(V)
Don't know/Refused	6	1	-	3	1	-	1	4	2	3	2	1	-	1	2	2	-	1	2	-		6	-
	1%	2%		1%	1%		1%	1%	1%	3%	1%	1%		*%	2%	*%		1%	5%			1%	

Q8. Where do you usually empty your ashtrays?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	447	334	362	153	106	35	62	362	184	139	25	64	257	360	158	199	238	154	190
Indoor garbage bin	276	178	98	127	59	34	11	18	128	59	50	10	25	112	100	60	83	80	52	61
	35%	39% C	30%	35%	38%	31%	33%	29%	36%	32%	35%	43%	32%	40% O	28%	40% O	42% T	34%	34%	30%
Metal container	271	141	130	137	47	34	14	14	134	75	45	0	15	84	128	58	67	86	53	64
	34%	31%	40% B	38% H	31%	32%	41%	22%	38% LM	40% LM	32% L	2%	19% L	30%	36%	38%	34%	36%	35%	32%
Outdoor garbage bin	158	92	66	60	31	31	7	17	57	40	34	7	16	54	79	24	28	53	33	44
	20%	20%	20%	16%	20%	29% D	19%	27%	16%	21%	24%	29%	20%	19%	22%	16%	14%	22% Q	21%	22%
Toilet	153	91	62	80	28	16	9	14	70	35	29	7	10	53	61	39	39	45	34	35
	19%	20%	19%	22%	18%	15%	26%	23%	20%	18%	20%	31%	13%	19%	17%	25% O	20%	19%	22%	18%
Wood stove	18	1	17	13	2	3	-	-	13	3	1	-	1	3	12	2	3	8	3	4
	2%	*%	5% B	4%	1%	3%			4% K	2%	1%		1%	1%	3%	2%	2%	3%	2%	2%
Outside/on the street	16	13	2	6	2	1	1	3	3	3	4	1	5	5	10	1	1	6	2	6
	2%	3% C	1%	2%	1%	1%	3%	5%	1%	2%	3%	5%	6%	2%	3%	1%	*%	3%	2%	3%
Fireplace	13	8	5	4	-	5	1	2	5	3	2	-	3	3	8	1	1	4	4	4
	2%	2%	2%	1%		4%	3%	4%	1%	1%	2%		4%	1%	2%	1%	*%	2%	2%	2%
I/we don't smoke in the house/don't use ashtrays	7	6	1	1	2	1	-	3	-	2	3	1	1	1	6	-	-	4	1	2
	1%	1%	*%	*%	1%	1%		5%		1%	2%	3%	2%	*%	2%			2%	1%	1%
Fire barrel/pit outdoors	3	1	2	1	-	1	-	1	3	-	-	-	-	-	3	-	-	1	1	1
	*%	*%	1%	*%		1%		2%	1%						1%			*%	1%	*%
Compost	2	-	2	1	1	-	-	-	-	1	1	-	-	-	2	-	-	-	-	2
	*%		1%	*%	1%					*%	1%				1%					1%
Garbage bin (general)	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
	*%		*%		*%				*%						*%				*%	
Other	20	9	11	13	3	3	-	-	3	4	2	1	10	11	6	3	7	5	2	6
	3%	2%	3%	3%	2%	3%			1%	2%	1%	3%	13% IJK	4%	2%	2%	4%	2%	1%	3%

Continued/...

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q8. Where do you usually empty your ashtrays? Continued
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Don't know/Refused	6	3	3	4	1	-	-	2	2	2	-	-	2	4	2	-	1	2	1	3
	1%	1%	1%	1%	*%			3%	1%	1%			3%	2%	1%		*%	1%	1%	1%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q8. Where do you usually empty your ashtrays?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	789	268	273	248
	100%	100%	100%	100%
UNWEIGHTED 'n'	781	270	267	244
Indoor garbage bin	276	82	97	97
	35%	31%	36%	39%
Metal container	271	90	99	82
	34%	34%	36%	33%
Outdoor garbage bin	158	56	52	50
	20%	21%	19%	20%
Toilet	153	42	56	55
	19%	16%	20%	22%
Wood stove	18	6	5	6
	2%	2%	2%	2%
Outside/on the street	16	-	11	5
	2%		4%	2%
Fireplace	13	5	5	3
	2%	2%	2%	1%
I/we don't smoke in the house/don't use ashtrays	7	-	5	2
	1%		2%	1%
Fire barrel/pit outdoors	3	3	-	-
	*%	1%		
Compost	2	2	-	-
	*%	1%		
Garbage bin (general)	1	-	1	-
	*%		*%	
Other	20	6	4	10
	3%	2%	1%	4%
Don't know/Refused	6	2	2	3
	1%	1%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q9. Do you empty ashtrays immediately after putting out a cigarette or do you usually wait till it is full or almost full?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	789	75	208	274	52	77	103	409	381	120	191	154	166	154	114	411	86	92	41	36	598	192
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	89	201	240	77	82	92	410	371	99	161	169	183	165	114	404	86	98	34	33	596	185
Yes empty immediately	123	12	42	34	7	13	15	55	67	12	27	24	29	30	25	57	15	15	3	5	85	37
	16%	16%	20% D	12%	14%	17%	15%	14%	18%	10%	14%	15%	18%	20% J	22% S	14%	17%	16%	8%	15%	14%	20%
Wait till it's full	468	38	136	169	31	39	55	247	221	82	125	85	98	76	64	250	54	50	29	17	340	128
	59%	51%	65% BF	62%	59%	51%	54%	60%	58%	68% LN	65% N	55%	59%	50%	56%	61%	63%	54%	71%	48%	57%	67% U
Half full	143	16	22	51	10	19	24	86	57	20	28	34	28	32	17	77	13	20	4	10	123	20
	18%	22% C	11%	19% C	19%	24% C	23% C	21% I	15%	17%	15%	22%	17%	21%	15%	19%	15%	22%	9%	28% S	21% V	10%
Someone else empties it	6	1	1	3	-	1	-	3	3	-	3	2	-	2	2	3	-	-	1	-	4	1
	1%	1%	1%	1%		1%		1%	1%		1%	1%		1%	1%	1%			3%		1%	1%
Don't know/Refused	50	8	7	17	4	5	8	18	32	6	8	10	12	14	6	24	4	7	4	3	44	6
	6%	10%	3%	6%	8%	7%	8%	4%	8% H	5%	4%	7%	7%	9%	5%	6%	5%	8%	10%	9%	7% V	3%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q9. Do you empty ashtrays immediately after putting out a cigarette or do you usually wait till it is full or almost full?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	789	463	327	365	154	108	34	63	352	188	141	24	78	279	352	152	195	238	154	202
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	781	447	334	362	153	106	35	62	362	184	139	25	64	257	360	158	199	238	154	190
Yes empty immediately	123	83	40	56	29	17	7	6	54	29	29	3	6	33	61	28	27	37	31	28
	16%	18% C	12%	15%	19%	15%	20%	10%	15%	16%	20% M	12%	8%	12%	17%	18%	14%	16%	20%	14%
Wait till it's full	468	270	198	219	92	61	17	41	201	112	79	15	56	186	201	78	115	137	86	130
	59%	58%	61%	60%	60%	57%	49%	64%	57%	60%	56%	63%	73% IK	67% OP	57%	51%	59%	58%	56%	64%
Half full	143	84	59	65	29	21	9	8	74	33	26	2	6	46	60	35	40	41	28	34
	18%	18%	18%	18%	19%	19%	26%	13%	21% M	18% M	19% M	9%	8%	16%	17%	23%	20%	17%	18%	17%
Someone else empties it	6	4	2	2	-	2	-	-	1	2	-	-	3	1	3	1	1	3	1	1
	1%	1%	*%	*%		2%			*%	1%			3%	1%	1%	1%	*%	1%	1%	*%
Don't know/Refused	50	22	28	24	4	7	2	8	22	11	7	4	7	13	27	10	13	19	7	10
	6%	5%	9% B	6%	3%	7%	5%	12% E	6%	6%	5%	15%	9%	5%	8%	7%	7%	8%	5%	5%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q9. Do you empty ashtrays immediately after putting out a cigarette or do you usually wait till it is full or almost full?
BASE: Those who smoke cigarettes every day or occasionally
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	789	268	273	248
	100%	100%	100%	100%
UNWEIGHTED 'n'	781	270	267	244
Yes empty immediately	123	47	37	39
	16%	17%	14%	16%
Wait till it's full	468	150	170	147
	59%	56%	62%	59%
Half full	143	47	50	45
	18%	18%	18%	18%
Someone else empties it	6	3	-	3
	1%	1%		1%
Don't know/Refused	50	20	15	15
	6%	8%	6%	6%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q10. It is quite common for things such as carpets, couches, and clothing to get burnt accidentally by cigarettes. Would you say that the last time one of your cigarettes accidentally burned something was....?
BASE: Those who smoke cigarettes every day or occasionally (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	598	56	151	196	40	73	80	305	292	98	144	115	126	113	89	313	60	64	29	33	455	143
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	594	65	146	170	60	78	75	307	287	80	122	127	139	123	89	307	62	69	26	30	457	137
Yesterday	3	-	1	2	-	-	-	2	1	2	-	-	1	-	-	2	-	-	-	1	2	1
	*%		1%	1%				1%	*%	2%			1%			1%				3%	*%	1%
The day before yesterday	2	1	-	-	-	1	-	1	1	1	1	-	-	-	-	-	2	-	-	-	2	-
	*%	2%				2%		*%	*%	1%	1%						4%				1%	
In the past week	10	1	3	2	1	2	1	5	5	3	2	3	2	1	3	5	1	1	-	1	7	3
	2%	2%	2%	1%	3%	2%	1%	2%	2%	3%	1%	2%	1%	1%	3%	1%	1%	1%		2%	2%	2%
In the past two weeks	79	10	22	24	3	12	8	39	40	19	25	15	7	12	13	42	7	8	5	4	55	24
	13%	18%	14%	12%	8%	17%	10%	13%	14%	20% M	18% M	13% M	5%	11%	14%	13%	12%	13%	19%	11%	12%	17%
Never	441	40	100	150	33	54	65	222	219	63	98	91	103	83	63	234	45	46	21	24	351	90
	74%	71%	66%	76% C	80% C	73%	81% C	73%	75%	64%	69%	79% J	82% JK	74%	71%	75%	75%	71%	74%	72%	77% V	63%
Don't know/Refused	63	4	26	19	3	4	6	37	26	10	17	6	14	16	10	31	5	9	2	4	38	25
	11%	7%	17% BFG	10%	9%	6%	8%	12%	9%	10%	12%	5%	11%	14% L	11%	10%	8%	14%	8%	12%	8%	18% U

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q10. It is quite common for things such as carpets, couches, and clothing to get burnt accidentally by cigarettes. Would you say that the last time one of your cigarettes accidentally burned something was....?
BASE: Those who smoke cigarettes every day or occasionally (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	598	347	251	278	111	87	23	50	270	142	102	21	57	211	271	109	133	177	124	163
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	594	336	258	274	114	86	24	49	277	142	100	22	48	193	281	114	137	179	125	153
Yesterday	3	2	1	2	1	-	-	-	3	-	-	-	-	2	1	-	-	-	-	3
	*%	*%	*%	1%	1%				1%					1%	*%					2%
The day before yesterday	2	2	-	1	-	-	-	1	1	-	-	-	1	2	-	-	-	-	1	1
	*%	1%		*%				3%	*%				2%	1%					1%	1%
In the past week	10	5	5	2	3	2	-	2	6	2	1	1	1	4	4	2	-	2	5	2
	2%	1%	2%	1%	2%	2%		3%	2%	1%	1%	6%	1%	2%	1%	2%		1%	4%	1%
In the past two weeks	79	56	24	48	11	8	2	6	34	21	6	4	13	31	33	15	16	20	14	29
	13%	16% C	9%	17% F	10%	9%	10%	13%	12% K	14% K	6%	20%	23% K	15%	12%	13%	12%	11%	11%	18%
Never	441	243	198	189	90	70	19	35	200	97	89	15	36	147	208	82	106	131	95	109
	74%	70%	79% B	68%	81% D	80% D	80%	71%	74%	68%	87% IJM	69%	64%	69%	77%	75%	80% T	74%	77%	67%
Don't know/Refused	63	39	24	35	6	9	2	5	27	23	6	1	5	26	25	11	11	25	9	19
	11%	11%	10%	13% E	5%	10%	10%	11%	10%	16% K	6%	6%	9%	12%	9%	10%	8%	14%	7%	11%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q10. It is quite common for things such as carpets, couches, and clothing to get burnt accidentally by cigarettes. Would you say that the last time one of your cigarettes accidentally burned something was....?
BASE: Those who smoke cigarettes every day or occasionally (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	598	268	273	57
	100%	100%	100%	100%
UNWEIGHTED 'n'	594	270	267	57
Yesterday	3	-	3	-
	*%		1%	
The day before yesterday	2	1	1	-
	*%	*%	*%	
In the past week	10	5	5	-
	2%	2%	2%	
In the past two weeks	79	34	40	6
	13%	13%	15%	10%
Never	441	198	196	47
	74%	74%	72%	82%
Don't know/Refused	63	30	28	4
	11%	11%	10%	8%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q11. Thinking back over the last year, how many things would you say you have accidentally burnt with a cigarette? Take a minute to think about it.
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
One to five objects	70	9	20	20	4	12	6	35	35	17	25	14	7	6	11	40	8	3	3	5	48	22
	74%	73%	77%	70%	100% CDFG	76%	65%	73%	75%	69%	90% N	79% N	75%	42%	68%	82% R	84% R	37%	50%	88% R	73%	79%
Six to 10 objects	8	1	-	4	-	2	1	2	6	5	-	1	1	-	1	2	1	1	3	-	8	-
	8%	5%		13%		13%	16%	4%	12%	20%		7%	16%		8%	5%	8%	7%	50%		12%	
Eleven to 15 objects	3	2	-	1	-	-	1	2	2	-	2	2	-	-	-	3	-	-	-	1	3	-
	4%	15%		3%			8%	3%	4%		6%	9%				5%				12%	5%	
More than 15 objects	2	-	-	2	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	2	-
	2%			6%				3%		6%						3%					2%	
Never	10	1	5	2	-	2	-	6	3	1	-	-	1	8	2	2	1	5	-	-	5	5
	10%	7%	20%	7%		11%		14%	7%	4%			10%	58% JM	12%	4%	8%	56% OPQ			7%	18%
Don't know/Refused	2	-	1	-	-	-	1	1	1	-	1	1	-	-	2	-	-	-	-	-	1	1
	2%		4%				11%	2%	2%		3%	5%			12%						1%	3%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q11. Thinking back over the last year, how many things would you say you have accidentally burnt with a cigarette? Take a minute to think about it.
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
One to five objects	70	51	18	36	13	6	2	9	30	19	6	4	11	29	31	10	8	17	16	28
	74%	80%	63%	67%	84%	69%	100% DF	100% DF	69%	84%	86%	66%	70%	75%	81%	60%	52%	76%	80%	79%
Six to 10 objects	8	4	4	4	1	1	-	-	1	1	-	2	4	5	1	1	1	2	1	3
	8%	6%	14%	8%	8%	9%			2%	6%		34%	25%	13%	4%	7%	8%	9%	6%	9%
Eleven to 15 objects	3	1	3	3	-	-	-	-	3	-	-	-	1	-	3	-	-	-	1	2
	4%	1%	9%	6%					6%				4%		9%				4%	7%
More then 15 objects	2	2	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	2
	2%	2%		3%					4%					4%						5%
Never	10	7	2	6	1	2	-	-	6	2	1	-	-	2	2	4	6	3	-	-
	10%	11%	8%	12%	8%	22%			14%	11%	14%			5%	6%	26%	40%	14%		
Don't know/Refused	2	-	2	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	2	-
	2%		6%	3%					4%					2%		6%			9%	

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q11. Thinking back over the last year, how many things would you say you have accidentally burnt with a cigarette? Take a minute to think about it.
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
One to five objects	70	29	36	4
	74%	73%	74%	79%
Six to 10 objects	8	3	3	1
	8%	9%	7%	21%
Eleven to 15 objects	3	2	2	-
	4%	4%	4%	
More then 15 objects	2	-	2	-
	2%		3%	
Never	10	6	4	-
	10%	14%	8%	
Don't know/Refused	2	-	2	-
	2%		4%	

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q12. As best you can remember, how many of the burn marks were larger than 2 cm, or the size of a quarter?
BASE: Those who burned at least one object in the past year (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	82	11	20	26	4	14	8	40	43	24	27	17	9	6	12	46	9	4	5	6	61	22
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	78	11	18	21	7	14	7	41	37	20	23	18	10	7	11	44	9	4	5	5	58	20
None	56	11	16	13	4	9	3	24	32	13	21	10	9	4	8	33	7	2	3	2	38	18
	68%	94% DG	84% DG	50%	89% DG	68%	40%	60%	76%	55%	76%	61%	100% JKL	64%	71%	71%	76%	61%	60%	39%	62%	85% U
One to three	22	1	2	11	0	4	4	13	9	9	5	6	-	2	3	12	2	2	2	1	21	2
	27%	6%	9%	44% BCE	11%	32%	52% BC	34%	21%	39%	19%	35%		36%	29%	25%	24%	39%	40%	22%	34% V	8%
Four to ten	2	-	-	2	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	2	-
	2%			6%				4%		7%						3%					3%	
More than ten	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-
	1%						9%	2%				4%								12%	1%	
Don't know/Refused	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1
	2%		7%						3%		5%									27%		7%

Q12. As best you can remember, how many of the burn marks were larger than 2 cm, or the size of a quarter?
BASE: Those who burned at least one object in the past year (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	82	57	25	45	14	7	2	9	35	20	6	5	15	36	35	11	10	19	18	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	78	55	23	40	14	8	3	9	32	20	6	6	13	31	36	11	10	18	18	32
None	56	40	16	29	10	7	-	8	22	14	6	3	10	24	26	6	8	12	13	23
	68%	70%	65%	65%	69%	100% DE		87%	63%	71%	100% IJLM	56%	65%	67%	74%	53%	84%	63%	71%	65%
One to three	22	15	7	12	4	-	2	1	10	6	-	2	5	10	7	5	2	7	5	9
	27%	26%	30%	27%	31%		100% DEH	13%	28%	29%		44%	30%	29%	19%	47%	16%	37%	29%	24%
Four to ten	2	2	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	2
	2%	3%		4%					5%					4%						5%
More than ten	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
	1%	1%		2%									4%		2%					2%
Don't know/Refused	1	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1
	2%		6%	3%					4%						4%					4%

Q12. As best you can remember, how many of the burn marks were larger than 2 cm, or the size of a quarter?
BASE: Those who burned at least one object in the past year (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	82	34	42	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	78	33	39	6
None	56	23	29	4
	68%	67%	68%	79%
One to three	22	9	12	1
	27%	27%	28%	21%
Four to ten	2	-	2	-
	2%		4%	
More than ten	1	1	-	-
	1%	2%		
Don't know/Refused	1	1	-	-
	2%	4%		

Q13. How many burn marks would you say were bigger than 10 cm, or the size of a small saucer?
BASE: Those who burned holes bigger then 12 centimeters (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment							Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker		Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)		(U)	(V)
Weighted 'n'	25	1	2	13	0	4	5	16	9	11	5	7	-	2	3	13	2	2	2	2		23	2
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		100%	100%	100%	100%	100%	100%	100%		100%	100%
UNWEIGHTED 'n'	22	1	2	10	1	4	4	15	7	9	4	7	-	2	3	12	2	1	2	2		20	2
None	21	1	2	13	0	3	2	14	7	10	5	6	-	0	3	12	2	-	2	1		19	2
	86%	100%	100%	100%	100%	70%	52%	87%	83%	88%	100% N	90%		24%	100%	90%	100%		100%	64%		85%	100%
One to three	3	-	-	-	-	1	2	1	2	1	-	-	-	2	-	1	-	2	-	-		3	-
	12%					30%	33%	8%	17%	12%				76%		10%		100% P				12%	
More than ten	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1		1	-
	3%						15%	4%				10%								36%		3%	

Q13. How many burn marks would you say were bigger than 10 cm, or the size of a small saucer?
BASE: Those who burned holes bigger then 12 centimeters (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	25	17	7	14	4	-	2	1	11	6	-	2	5	12	8	5	2	7	5	11
	100%	100%	100%	100%	100%		100%	100%	100%	100%		100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	22	16	6	12	4	-	3	1	10	5	-	2	5	10	8	4	1	7	5	9
None	21	14	7	11	4	-	2	1	10	6	-	2	3	11	7	4	-	7	5	9
	86%	79%	100% B	76%	100%		100%	100%	86%	100%		100%	63%	89%	91%	70%		100%	100%	82%
One to three	3	3	-	3	-	-	-	-	2	-	-	-	1	1	-	2	2	-	-	1
	12%	17%		20%					14%				24%	11%		30%	100% T			12%
More than ten	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
	3%	4%		5%									13%		9%					6%

Q13. How many burn marks would you say were bigger than 10 cm, or the size of a small saucer?
BASE: Those who burned holes bigger then 12 centimeters (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	25	10	13	1
	100%	100%	100%	100%
UNWEIGHTED 'n'	22	8	13	1
None	21	8	12	1
	86%	78%	90%	100%
One to three	3	2	1	-
	12%	16%	10%	
More than ten	1	1	-	-
	3%	7%		

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14a. Did any of the burn marks occur on: Upholstered furniture such as sofa, couch, or easy chair?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Yes	16	1	2	7	3	3	1	11	6	7	4	4	1	0	2	11	1	1	1	1	14	2
	17%	11%	8%	24%	62% BCG	20%	8%	23%	12%	27% N	12%	23%	14%	4%	12%	23%	6%	7%	23%	12%	22%	7%
No	78	11	24	21	2	12	8	36	41	18	25	14	8	13	14	37	10	8	4	5	52	26
	83%	89% E	92% E	76%	38%	80%	92% E	77%	88%	73%	88%	77%	86%	96% J	88%	77%	94%	93%	77%	88%	78%	93%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14a. Did any of the burn marks occur on: Upholstered furniture such as sofa, couch or easy chair?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Yes	16	12	4	9	3	1	1	1	5	5	2	1	3	7	9	1	-	3	6	7
	17%	19%	14%	17%	22%	8%	35%	13%	12%	24%	28%	12%	20%	17%	23% P	4%		14%	29%	21%
No	78	52	25	44	12	8	1	8	38	17	5	5	12	32	29	16	16	19	14	28
	83%	81%	86%	83%	78%	92%	65%	87%	88%	76%	72%	88%	80%	83%	77%	96% O	100% ST	86%	71%	79%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14a. Did any of the burn marks occur on: Upholstered furniture such as sofa, couch or easy chair?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
Yes	16	6	8	2
	17%	15%	17%	36%
No	78	34	40	4
	83%	85%	83%	64%

Decima RESEARCH INC 25th Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14B. Did any of the burn marks occur on: Carpet?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Yes	30	3	5	12	2	6	3	12	18	13	8	5	3	1	3	19	2	1	2	2	25	5
	32%	25%	20%	42%	37%	36%	32%	24%	39%	53% N	29% N	27%	29%	6%	22%	39%	22%	16%	43%	35%	37%	19%
No	64	9	20	16	3	10	6	36	28	12	20	13	7	13	12	29	8	8	3	4	42	22
	68%	75%	80%	58%	63%	64%	68%	76%	61%	47%	71%	73%	71%	94% JK	78%	61%	78%	84%	57%	65%	63%	81%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14B. Did any of the burn marks occur on: Carpet?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Yes	30	21	9	20	3	2	-	3	14	8	2	2	5	15	11	4	2	8	7	13
	32%	32%	32%	38%	21%	25%		35%	32%	36%	23%	34%	33%	38%	29%	27%	12%	37%	36%	35%
No	64	44	20	33	12	7	2	6	29	14	5	4	10	24	27	12	14	14	13	23
	68%	68%	68%	62%	79%	75%	100% DH	65%	68%	64%	77%	66%	67%	62%	71%	73%	88%	63%	64%	65%

Q14B. Did any of the burn marks occur on: Carpet?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
Yes	30	11	16	3
	32%	29%	33%	49%
No	64	29	32	3
	68%	71%	67%	51%

Q14C. Did any of the burn marks occur on: Clothing?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Yes	58	10	13	19	3	8	6	34	25	18	18	9	4	8	8	33	5	7	5	2	43	15
	62%	79%	51%	68%	60%	53%	70%	71%	53%	72%	65%	53%	47%	60%	52%	68%	45%	73%	83%	32%	65%	54%
No	36	3	13	9	2	7	3	14	22	7	10	8	5	5	8	15	6	2	1	4	23	13
	38%	21%	49%	32%	40%	47%	30%	29%	47%	28%	35%	47%	53%	40%	48%	32%	55%	27%	17%	68%	35%	46%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14C. Did any of the burn marks occur on: Clothing?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Yes	58	41	17	34	11	5	-	6	28	13	2	5	9	24	25	9	9	11	13	26
	62%	64%	58%	64%	71%	54%		60%	66%	57%	31%	85% K	61%	62%	67%	55%	53%	50%	63%	73%
No	36	23	12	19	4	4	2	4	15	9	5	1	6	15	13	7	8	11	7	10
	38%	36%	42%	36%	29%	46%	100% DEFH	40%	34%	43%	69% L	15%	39%	38%	33%	45%	47%	50%	37%	27%

Q14C. Did any of the burn marks occur on: Clothing?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
Yes	58	28	29	2
	62%	69%	59%	34%
No	36	12	20	4
	38%	31%	41%	66%

Decima RESEARCH INC
25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14D. Did any of the burn marks occur on: Bedding or mattresses?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Yes	4	-	1	1	-	1	1	3	1	1	1	2	-	-	1	2	-	-	-	1	3	1
	4%		4%	4%		7%	8%	6%	3%	4%	4%	11%			8%	4%				12%	4%	4%
No	90	12	24	27	4	14	8	44	45	24	27	16	9	13	14	46	10	9	5	5	63	26
	96%	100%	96%	96%	100%	93%	92%	94%	97%	96%	96%	89%	100%	100%	92%	96%	100%	100%	100%	88%	96%	96%

Q14D. Did any of the burn marks occur on: Bedding or mattresses?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Yes	4	4	-	2	2	-	-	-	1	1	-	1	1	1	2	1	-	1	2	1
	4%	6%		3%	15%				2%	5%		22%	4%	3%	5%	7%		5%	12%	2%
No	90	60	29	51	13	9	2	9	42	21	7	4	15	37	36	15	16	21	18	35
	96%	94%	100% B	97%	85%	100%	100%	100%	98%	95%	100%	78%	96%	97%	95%	93%	100%	95%	88%	98%

Q14D. Did any of the burn marks occur on: Bedding or mattresses?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

		Wave of survey		
	Total	November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
Yes	4	3	1	-
	4%	7%	2%	
No	90	37	47	6
	96%	93%	98%	100%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q14. Did any of the burn marks occur on:? Summary Table
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Clothing	58	10	13	19	3	8	6	34	25	18	18	9	4	8	8	33	5	7	5	2	43	15
	62%	79%	51%	68%	60%	53%	70%	71%	53%	72%	65%	53%	47%	60%	52%	68%	45%	73%	83%	32%	65%	54%
Carpet	30	3	5	12	2	6	3	12	18	13	8	5	3	1	3	19	2	1	2	2	25	5
	32%	25%	20%	42%	37%	36%	32%	24%	39%	53% N	29% N	27%	29%	6%	22%	39%	22%	16%	43%	35%	37%	19%
Upholstered furniture such as sofa, couch or easy chair	16	1	2	7	3	3	1	11	6	7	4	4	1	0	2	11	1	1	1	1	14	2
	17%	11%	8%	24%	62% BCG	20%	8%	23%	12%	27% N	12%	23%	14%	4%	12%	23%	6%	7%	23%	12%	22%	7%
Bedding or mattresses	4	-	1	1	-	1	1	3	1	1	1	2	-	-	1	2	-	-	-	1	3	1
	4%		4%	4%		7%	8%	6%	3%	4%	4%	11%			8%	4%				12%	4%	4%

Q14. Did any of the burn marks occur on:? Summary Table
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Clothing	58	41	17	34	11	5	-	6	28	13	2	5	9	24	25	9	9	11	13	26
	62%	64%	58%	64%	71%	54%		60%	66%	57%	31%	85% K	61%	62%	67%	55%	53%	50%	63%	73%
Carpet	30	21	9	20	3	2	-	3	14	8	2	2	5	15	11	4	2	8	7	13
	32%	32%	32%	38%	21%	25%		35%	32%	36%	23%	34%	33%	38%	29%	27%	12%	37%	36%	35%
Upholstered furniture such as sofa, couch or easy chair	16	12	4	9	3	1	1	1	5	5	2	1	3	7	9	1	-	3	6	7
	17%	19%	14%	17%	22%	8%	35%	13%	12%	24%	28%	12%	20%	17%	23% P	4%		14%	29%	21%
Bedding or mattresses	4	4	-	2	2	-	-	-	1	1	-	1	1	1	2	1	-	1	2	1
	4%	6%		3%	15%				2%	5%		22%	4%	3%	5%	7%		5%	12%	2%

Q14. Did any of the burn marks occur on:? Summary Table
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94	40	48	6
	100%	100%	100%	100%
UNWEIGHTED 'n'	90	39	45	6
Clothing	58	28	29	2
	62%	69%	59%	34%
Carpet	30	11	16	3
	32%	29%	33%	49%
Upholstered furniture such as sofa, couch or easy chair	16	6	8	2
	17%	15%	17%	36%
Bedding or mattresses	4	3	1	-
	4%	7%	2%	

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q15. Was the fire department called?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
Weighted 'n'	94	12	25	28	4	15	9	47	47	25	28	18	9	13	16	48	10	9	5	6	66	27
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	12	24	23	7	16	8	49	41	21	24	19	11	15	15	46	10	9	5	5	64	26
Yes	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-
	1%						8%	1%				4%								12%	1%	
No	93	12	25	28	4	15	8	46	47	25	28	17	9	13	16	48	10	9	5	5	66	27
	99%	100%	100%	100%	100%	100%	92%	99%	100%	100%	100%	96%	100%	100%	100%	100%	100%	100%	100%	88%	99%	100%

Q15. Was the fire department called?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'n'	94	64	29	53	15	9	2	9	43	22	7	5	15	39	38	16	16	22	20	36
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	90	62	28	49	15	10	3	9	41	22	7	6	13	34	38	17	17	21	20	32
Yes	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
	1%	1%		1%									4%		2%					2%
No	93	64	29	52	15	9	2	9	43	22	7	5	15	39	37	16	16	22	20	35
	99%	99%	100%	99%	100%	100%	100%	100%	100%	100%	100%	100%	96%	100%	98%	100%	100%	100%	100%	98%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Q15. Was the fire department called?
BASE: Those who have burned objects in the past 2 weeks (First 2 waves + day one of wave 3)
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
Weighted 'n'	94 100%	40 100%	48 100%	6 100%
UNWEIGHTED 'n'	90	39	45	6
Yes	1 1%	1 2%	-	-
No	93 99%	39 98%	48 100%	6 100%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Gender
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Male	1,485	121	373	552	105	138	196	1,485	-	223	280	298	288	383	225	786	107	252	87	9	1,144	340
	48%	48%	48%	48%	49%	50%	49%	100%		56%	46%	50%	49%	45%	56%	52%	51%	47%	47%	5%	49%	48%
										KN		N			RT	T	T	T	T			
Female	1,582	129	400	595	112	140	206	-	1,582	179	328	293	298	467	179	732	101	285	97	166	1,209	373
	52%	52%	52%	52%	51%	50%	51%		100%	44%	54%	50%	51%	55%	44%	48%	49%	53%	53%	95%	51%	52%
											J			JL				O		OPQRS		

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Gender
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Male	1,485	926	559	473	341	234	115	182	500	342	357	104	162	468	801	199	308	490	247	429
	48%	49%	48%	44%	53%	49%	59%	60%	48%	48%	47%	54%	50%	55%	48%	38%	48%	49%	46%	50%
					D		DF	DEF						OP	P					
Female	1,582	977	605	599	305	246	79	121	543	377	397	89	159	378	864	325	333	514	292	428
	52%	51%	52%	56%	47%	51%	41%	40%	52%	52%	53%	46%	50%	45%	52%	62%	52%	51%	54%	50%
				EGH	H	GH									N	NO				

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Gender
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Male	1,485	490	503	491
	48%	48%	48%	48%
Female	1,582	523	537	523
	52%	52%	52%	52%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Region
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
ATLANTIC	250	250	-	-	-	-	-	121	129	34	50	43	51	69	23	109	33	44	18	18	240	10
	8%	100%						8%	8%	8%	8%	7%	9%	8%	6%	7%	16% OPR	8%	10%	10%	10% V	1%
QUEBEC	773	-	773	-	-	-	-	373	400	98	148	152	157	214	90	385	60	144	55	34	72	701
	25%		100%					25%	25%	24%	24%	26%	27%	25%	22%	25%	29% T	27% T	30% T	20%	3%	98% U
ONTARIO	1,147	-	-	1,147	-	-	-	552	595	152	229	228	202	321	148	587	80	192	55	74	1,146	2
	37%			100%				37%	38%	38%	38%	39%	35%	38%	37%	39% S	38%	36%	30%	42% S	49% V	*%
MANITOBA	108	-	-	-	108	-	-	54	55	9	21	17	30	30	10	61	5	23	2	5	108	-
	4%				50%			4%	3%	2%	3%	3%	5% J	4%	3%	4% S	2%	4% S	1%	3%	5%	
SASKATCHEWAN	109	-	-	-	109	-	-	52	57	19	21	14	17	36	10	57	3	19	11	7	109	-
	4%				50%			3%	4%	5%	3%	2%	3%	4%	2%	4% Q	2%	3%	6% Q	4%	5%	
ALBERTA	278	-	-	-	-	278	-	138	140	37	61	58	51	66	53	150	9	32	13	16	278	-
	9%					100%		9%	9%	9%	10%	10%	9%	8%	13% QRS	10% QR	4%	6%	7%	9%	12%	
BC	402	-	-	-	-	-	402	196	206	51	79	78	77	113	70	169	18	83	31	21	401	1
	13%						100%	13%	13%	13%	13%	13%	13%	13%	17% PQ	11%	9%	15% PQ	17% Q	12%	17% V	*%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Region
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
ATLANTIC	250	71	178	112	58	28	16	14	98	40	60	15	32	66	149	31	47	77	56	69
	8%	4%	15%	10%	9%	6%	8%	5%	9%	6%	8%	8%	10%	8%	9%	6%	7%	8%	10%	8%
			B	FH	H				J				J		P					
QUEBEC	773	515	258	327	181	98	42	56	280	189	179	35	79	212	409	148	177	270	136	186
	25%	27%	22%	30%	28%	20%	22%	18%	27%	26%	24%	18%	25%	25%	25%	28%	28%	27%	25%	22%
		C		FGH	FH				L	L							T	T		
ONTARIO	1,147	796	352	338	217	203	82	156	361	278	292	91	116	317	616	198	235	344	200	361
	37%	42%	30%	31%	34%	42%	42%	51%	35%	39%	39%	47%	36%	37%	37%	38%	37%	34%	37%	42%
		C				DE	DE	DEF				IJKM								QR
MANITOBA	108	64	44	41	19	22	7	5	45	26	29	4	3	29	61	17	24	39	19	25
	4%	3%	4%	4%	3%	5%	4%	2%	4%	4%	4%	2%	1%	3%	4%	3%	4%	4%	3%	3%
				H		H			M	M	M									
SASKATCHEWAN	109	43	66	41	25	15	4	6	42	19	26	7	14	30	59	19	23	45	15	24
	4%	2%	6%	4%	4%	3%	2%	2%	4%	3%	3%	4%	4%	4%	4%	4%	4%	5%	3%	3%
			B																	
ALBERTA	278	188	90	78	59	47	18	36	94	72	68	16	26	70	165	41	43	113	42	76
	9%	10%	8%	7%	9%	10%	9%	12%	9%	10%	9%	8%	8%	8%	10%	8%	7%	11%	8%	9%
		C						D										QS		
BC	402	226	175	136	87	66	25	31	123	95	100	26	52	123	204	69	93	116	72	116
	13%	12%	15%	13%	13%	14%	13%	10%	12%	13%	13%	14%	16%	15%	12%	13%	14%	12%	13%	14%
			B																	

Decima 25th RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Region
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
ATLANTIC	250	83	85	83
	8%	8%	8%	8%
QUEBEC	773	255	262	256
	25%	25%	25%	25%
ONTARIO	1,147	379	389	379
	37%	37%	37%	37%
MANITOBA	108	34	37	37
	4%	3%	4%	4%
SASKATCHEWAN	109	38	37	35
	4%	4%	4%	3%
ALBERTA	278	92	94	92
	9%	9%	9%	9%
BC	402	133	136	133
	13%	13%	13%	13%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Education
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Current Student	322	32	79	116	17	26	52	162	159	205	75	14	14	10	19	102	19	3	174	2	257	65
	10%	13% E	10%	10%	8%	9%	13% E	11%	10%	51% KLMN	12% LMN	2%	2%	1%	5% RT	7% RT	9% RT	1%	94% OPQRT	1%	11%	9%
Public/Elementary	106	9	41	31	9	4	12	49	56	-	7	5	13	79	6	16	10	61	-	11	66	40
	3%	4%	5% DF	3%	4%	1%	3%	3%	4%		1%	1%	2%	9% KLM	1%	1%	5% OP	11% OPQT		6% OP	3%	6% U
Some High School	418	47	111	131	45	35	49	215	204	27	47	65	96	179	59	161	40	105	1	49	315	104
	14%	19% DFG	14%	11%	21% CDFG	13%	12%	14%	13%	7%	8%	11% J	16% JKL	21% JKLM	15% PS	11% S	19% PS	20% OPS	*%	28% OPRS	13%	15%
Graduated High School	519	42	128	199	34	55	62	236	283	61	75	111	116	155	67	261	51	96	2	37	399	120
	17%	17%	17%	17%	15%	20%	15%	16%	18%	15%	12%	19% K	20% K	18% K	17% S	17% S	24% OPS	18% S	1%	21% S	17%	17%
Some Vocational/ Technical/College/CEGEP	186	5	53	70	10	22	26	104	82	26	31	44	42	41	29	109	12	29	1	5	135	51
	6%	2%	7% B	6% B	5%	8% B	6% B	7% I	5%	6%	5%	8% N	7%	5%	7% ST	7% ST	6% S	5% S	*%	3%	6%	7%
Completed Vocational/ Technical/College/CEGEP	533	35	136	208	35	50	69	238	296	47	136	138	114	97	80	318	34	62	2	32	408	126
	17%	14%	18%	18%	16%	18%	17%	16%	19%	12%	22% JN	23% JN	19% JN	11%	20% RS	21% RS	17% S	12% S	1%	18% S	17%	18%
Some University	149	15	36	38	18	19	22	76	72	13	21	29	31	53	22	69	11	35	2	5	114	34
	5%	6%	5%	3%	8% D	7% D	5%	5%	5%	3%	4%	5%	5%	6% JK	5% S	5% S	5% S	7% ST	1%	3%	5%	5%
Completed University	606	45	142	254	37	49	78	281	325	19	182	139	105	157	86	363	24	101	1	26	473	133
	20%	18%	18%	22%	17%	18%	20%	19%	21%	5%	30% JLMN	24% JMN	18% J	19% J	21% QS	24% QRST	12% S	19% QS	*%	15% S	20%	19%
Post Graduate	194	15	35	91	11	16	26	104	89	3	31	42	51	65	35	112	7	36	-	4	163	30
	6%	6%	5%	8% C	5%	6%	7%	7%	6%	1%	5% J	7% J	9% JK	8% J	9% QT	7% QT	3%	7% T		2%	7% V	4%
Refused	35	4	11	10	2	2	5	18	17	-	1	2	4	13	2	8	-	9	1	3	23	12
	1%	2%	1%	1%	1%	1%	1%	1%	1%		*%	*%	1%	1% KL	*%	1%		2% P	1%	2%	1%	2%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Education
BASE: Representative Adults
BANNER 2

	Total	CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
		CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Current Student	322	237	85	140	38	51	19	23	-	-	-	-	322	250	59	12	22	78	69	153
	10%	12% C	7%	13% EH	6%	11% E	10%	8%					100%	29% OP	4%	2%	3%	8% Q	13% QR	18% QRS
Public/Elementary	106	46	59	71	10	5	2	-	106	-	-	-	-	7	53	45	46	38	9	10
	3%	2%	5% B	7% EFG	2%	1%	1%		10%					1%	3% N	9% NO	7% RST	4% ST	2%	1%
Some High School	418	197	221	222	81	33	15	15	418	-	-	-	-	90	233	93	104	156	58	98
	14%	10%	19% B	21% EFGH	13% FGH	7%	8%	5%	40%					11%	14% N	18% N	16% ST	16% ST	11%	11%
Graduated High School	519	269	250	222	111	52	32	28	519	-	-	-	-	106	315	97	88	174	100	155
	17%	14%	22% B	21% FH	17% FH	11%	16% H	9%	50%					13%	19% N	19% N	14%	17% Q	19% Q	18% Q
Some Vocational/ Technical/College/CEGEP	186	113	72	63	50	34	11	13	-	186	-	-	-	49	97	36	47	46	32	62
	6%	6%	6%	6%	8% H	7%	6%	4%		26%				6%	6%	7%	7% R	5%	6%	7% R
Completed Vocational/ Technical/College/CEGEP	533	327	206	151	139	105	40	45	-	533	-	-	-	118	320	92	99	169	113	149
	17%	17%	18%	14%	22% DH	22% DH	20% D	15%		74%				14%	19% N	18%	15%	17%	21% Q	17%
Some University	149	93	56	50	30	25	13	19	-	-	149	-	-	38	82	28	41	60	22	25
	5%	5%	5%	5%	5%	5%	7%	6%			20%			4%	5%	5%	6% T	6% T	4%	3%
Completed University	606	454	151	119	148	124	45	114	-	-	606	-	-	147	371	84	149	199	104	151
	20%	24% C	13%	11%	23% D	26% D	23% D	38% DEFG			80%			17%	22% NP	16%	23% T	20%	19%	18%
Post Graduate	194	143	50	28	34	51	18	46	-	-	-	194	-	41	120	30	40	77	27	48
	6%	8% C	4%	3%	5% D	11% DE	9% D	15% DE				100%		5%	7% N	6%	6%	8%	5%	6%
Refused	35	23	12	7	4	-	1	1	-	-	-	-	-	-	14	5	7	7	4	5
	1%	1%	1%	1%	1%		*%	*%							1%	1%	1%	1%	1%	1%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Education
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Current Student	322	103	116	103
	10%	10%	11%	10%
Public/Elementary	106	31	29	46
	3%	3%	3%	5%
				C
Some High School	418	146	135	138
	14%	14%	13%	14%
Graduated High School	519	171	186	162
	17%	17%	18%	16%
Some Vocational/ Technical/College/CEGEP	186	72	62	52
	6%	7%	6%	5%
Completed Vocational/ Technical/College/CEGEP	533	172	168	194
	17%	17%	16%	19%
Some University	149	52	48	49
	5%	5%	5%	5%
Completed University	606	193	211	201
	20%	19%	20%	20%
Post Graduate	194	65	71	58
	6%	6%	7%	6%
Refused	35	9	14	12
	1%	1%	1%	1%

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Age group
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
18-24	402	34	98	152	29	37	51	223	179	402	-	-	-	-	21	212	33	1	126	6	316	86
	13%	14%	13%	13%	13%	13%	13%	15% I	11%	100%					5% R	14% ORT	16% ORT	*%	68% OPQRT	4% R	13%	12%
25-34	607	50	148	229	42	61	79	280	328	-	607	-	-	-	74	412	33	1	44	42	471	136
	20%	20%	19%	20%	19%	22%	20%	19%	21%		100%				18% R	27% OQR	16% R	*%	24% R	24% R	20%	19%
35-44	590	43	152	228	32	58	78	298	293	-	-	590	-	-	109	380	49	3	6	34	450	140
	19%	17%	20% E	20% E	15%	21%	19%	20%	18%			100%			27% RST	25% RS	24% RS	1%	3%	19% RS	19%	20%
45-54	586	51	157	202	47	51	77	288	298	-	-	-	586	-	121	337	48	32	5	33	440	146
	19%	21%	20%	18%	22%	18%	19%	19%	19%				100%		30% PRST	22% RS	23% RS	6%	3%	19% RS	19%	21%
55+	850	69	214	321	66	66	113	383	467	-	-	-	-	850	75	168	44	495	-	60	649	201
	28%	28%	28%	28%	31%	24%	28%	26%	29% H					100%	18% P	11%	21% P	92% OPQT		34% OPQ	28%	28%
Don't Know/No Response	32	3	4	15	1	4	4	13	19	-	-	-	-	-	5	9	1	4	3	-	27	5
	1%	1%	1%	1%	1%	2%	1%	1%	1%						1%	1%	1%	1%	2%		1%	1%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Age group
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
18-24	402	274	127	179	64	55	17	27	88	73	33	3	205	332	64	5	29	90	100	183
	13%	14%	11%	17%	10%	12%	9%	9%	8%	10%	4%	2%	64%	39%	4%	1%	5%	9%	19%	21%
		C		EFGH					KL	KL	L		IJKL	OP	P			Q	QR	QR
25-34	607	407	200	204	158	103	42	50	130	167	203	31	75	237	334	35	102	197	131	177
	20%	21%	17%	19%	24%	21%	22%	17%	12%	23%	27%	16%	23%	28%	20%	7%	16%	20%	24%	21%
		C			DH					IL	IL		I	OP	P				QR	Q
35-44	590	381	209	176	121	108	57	87	182	182	168	42	14	121	397	69	94	108	121	265
	19%	20%	18%	16%	19%	23%	29%	29%	17%	25%	22%	22%	4%	14%	24%	13%	15%	11%	23%	31%
						D	DE	DE	M	IM	IM	M			NP		R		QR	QRS
45-54	586	334	252	153	136	106	47	92	225	155	136	51	14	74	399	108	108	192	114	167
	19%	18%	22%	14%	21%	22%	24%	30%	22%	22%	18%	27%	4%	9%	24%	21%	17%	19%	21%	19%
			B		D	D	D	DEF	M	M	M	KM			N	N				
55+	850	485	364	355	164	108	31	47	413	138	210	65	10	77	461	304	301	414	69	57
	28%	26%	31%	33%	25%	22%	16%	16%	40%	19%	28%	34%	3%	9%	28%	58%	47%	41%	13%	7%
			B	EFGH	GH	H			JKM	M	JM	JM			N	NO	RST	ST	T	
Don't Know/No Response	32	21	11	5	1	1	-	-	6	4	3	-	3	6	10	2	6	5	4	7
	1%	1%	1%	*%	*%	*%			1%	1%	*%		1%	1%	1%	*%	1%	*%	1%	1%

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Age group
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
18-24	402	129	146	127
	13%	13%	14%	13%
25-34	607	204	196	207
	20%	20%	19%	20%
35-44	590	193	205	192
	19%	19%	20%	19%
45-54	586	200	194	192
	19%	20%	19%	19%
55+	850	281	288	281
	28%	28%	28%	28%
Don't Know/No Response	32	6	11	15
	1%	1%	1%	1%
				B

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What is your marital status?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Single (never married)	847	66	212	317	59	70	123	468	378	332	237	121	74	77	97	456	85	48	146	7	659	188
	28%	26%	27%	28%	27%	25%	31%	32%	24%	83%	39%	20%	13%	9%	24%	30%	41%	9%	79%	4%	28%	26%
								I		KLMN	LMN	MN	N		RT	ORT	OPRT	T	OPQRT			
Married/Living common law	1,665	149	409	616	121	165	204	801	864	64	334	397	399	461	237	874	82	287	33	139	1,283	382
	54%	60%	53%	54%	56%	60%	51%	54%	55%	16%	55%	67%	68%	54%	58%	58%	39%	53%	18%	79%	55%	53%
		CG				G					J	JKN	JKN	J	QS	QS	S	QS		OPQRS		
Separated	116	9	31	47	5	11	13	63	53	3	22	33	27	31	22	69	9	11	2	2	86	30
	4%	4%	4%	4%	2%	4%	3%	4%	3%	1%	4%	6%	5%	4%	5%	5%	4%	2%	1%	1%	4%	4%
											J	J	J	J	RST	RST	ST					
Divorced	209	9	72	71	12	17	28	86	123	-	10	35	69	95	31	90	22	52	1	8	143	66
	7%	4%	9%	6%	5%	6%	7%	6%	8%		2%	6%	12%	11%	8%	6%	10%	10%	*%	5%	6%	9%
			BDE						H			K	KL	KL	S	S	ST	PST		S		U
Widowed	199	13	45	81	19	13	28	50	149	2	4	2	12	178	13	21	9	135	2	20	155	44
	6%	5%	6%	7%	9%	5%	7%	3%	9%	*%	1%	*%	2%	21%	3%	1%	4%	25%	1%	11%	7%	6%
									H				JKL	JKLM			PS	OPQST		OPQS		
REFUSED	32	3	4	16	1	2	6	16	15	1	1	4	4	8	6	8	1	4	2	-	26	5
	1%	1%	1%	1%	1%	1%	1%	1%	1%	*%	*%	1%	1%	1%	1%	1%	*%	1%	1%		1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What is your marital status?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Single (never married)	847	596	250	376	155	122	36	57	203	167	185	41	250	847	-	-	310	174	144	219
	28%	31%	22%	35%	24%	25%	19%	19%	19%	23%	25%	21%	78%	100%			48%	17%	27%	26%
		C		EFGH		H					I		IJKL				RST		R	R
Married/Living common law	1,665	976	689	406	395	306	145	224	601	417	453	120	59	-	1,665	-	28	729	330	572
	54%	51%	59%	38%	61%	64%	75%	74%	58%	58%	60%	62%	18%		100%		4%	73%	61%	67%
			B		D	D	DEF	DEF	M	M	M	M						QST	Q	QS
Separated	116	67	49	55	30	13	4	8	35	41	27	9	1	-	-	116	49	24	24	19
	4%	4%	4%	5%	5%	3%	2%	3%	3%	6%	4%	5%	*%			22%	8%	2%	4%	2%
				FGH					M	IM	M	M					RST		T	
Divorced	209	126	82	114	38	26	6	11	86	52	48	17	7	-	-	209	112	45	24	28
	7%	7%	7%	11%	6%	5%	3%	4%	8%	7%	6%	9%	2%			40%	17%	4%	4%	3%
				EFGH					M	M	M	M					RST			
Widowed	199	116	83	113	27	10	3	2	115	35	38	5	5	-	-	199	136	28	15	15
	6%	6%	7%	11%	4%	2%	1%	1%	11%	5%	5%	2%	1%			38%	21%	3%	3%	2%
				EFGH	FGH				JKLM	M	M						RST			
REFUSED	32	22	10	8	-	3	-	-	3	7	3	2	1	-	-	-	7	4	3	3
	1%	1%	1%	1%		1%			*%	1%	*%	1%	*%				1%	*%	1%	*%

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What is your marital status?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Single (never married)	847	258	321	268
	28%	25%	31%	26%
			BD	
Married/Living common law	1,665	565	535	565
	54%	56%	51%	56%
Separated	116	43	37	36
	4%	4%	4%	4%
Divorced	209	69	72	68
	7%	7%	7%	7%
Widowed	199	67	67	65
	6%	7%	6%	6%
REFUSED	32	11	8	13
	1%	1%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

How many people, including yourself, live in the household?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
One	641	47	177	235	47	43	93	308	333	29	102	94	108	301	83	253	60	203	15	20	478	163
	21%	19%	23%	20%	22%	15%	23%	21%	21%	7%	17%	16%	18%	35%	21%	17%	29%	38%	8%	12%	20%	23%
			F	F			F				J	J	J	JKLM	ST	S	OPST	OPQST				
Two	1,005	77	270	344	85	113	116	490	514	90	197	108	192	414	123	450	59	264	50	46	752	253
	33%	31%	35%	30%	39%	41%	29%	33%	33%	22%	32%	18%	33%	49%	30%	30%	28%	49%	27%	26%	32%	35%
			DG		BDG	BDG					JL		JL	JKLM				OPQST				
Three	539	56	136	200	34	42	72	247	292	100	131	121	114	69	71	320	32	35	40	37	416	123
	18%	22%	18%	17%	15%	15%	18%	17%	18%	25%	22%	21%	19%	8%	18%	21%	16%	6%	22%	21%	18%	17%
		EF								N	N	N	N		R	R	R		R	R		
Four	527	40	126	228	23	45	66	256	271	106	118	158	101	38	79	303	38	18	48	40	411	117
	17%	16%	16%	20%	10%	16%	16%	17%	17%	26%	19%	27%	17%	5%	20%	20%	18%	3%	26%	23%	17%	16%
			E	E		E	E			KMN	N	KMN	N		R	R	R		R	R		
Five or more	329	29	60	133	26	31	50	172	157	77	59	107	65	19	46	187	19	11	31	31	276	53
	11%	12%	8%	12%	12%	11%	12%	12%	10%	19%	10%	18%	11%	2%	11%	12%	9%	2%	17%	18%	12%	7%
				C			C			KMN	N	KMN	N		R	R	R		QR	QR	V	
REFUSED	25	1	5	8	3	3	6	11	15	-	-	2	5	9	2	4	-	6	1	1	20	5
	1%	1%	1%	1%	1%	1%	1%	1%	1%			*%	1%	1%	*%	*%		1%	1%	*%	1%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

How many people, including yourself, live in the household?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
One	641	402	240	331	131	68	15	20	238	145	190	40	22	310	28	297	641	-	-	-
	21%	21%	21%	31%	20%	14%	8%	7%	23%	20%	25%	21%	7%	37%	2%	57%	100%			
				EFGH	FGH	GH			M	M	JM	M		O		NO				
Two	1,005	589	416	323	213	173	65	98	368	214	259	77	78	174	729	97	-	1,005	-	-
	33%	31%	36%	30%	33%	36%	33%	32%	35%	30%	34%	40%	24%	21%	44%	19%		100%		
			B			D			JM		M	JM			NP					
Three	539	349	190	171	122	93	48	60	167	145	127	27	69	144	330	63	-	-	539	-
	18%	18%	16%	16%	19%	19%	25%	20%	16%	20%	17%	14%	21%	17%	20%	12%			100%	
							D			IL			L	P	P					
Four	527	325	202	139	110	96	42	86	155	145	111	28	85	127	358	41	-	-	-	527
	17%	17%	17%	13%	17%	20%	22%	28%	15%	20%	15%	15%	26%	15%	22%	8%				62%
					D	D	D	DEF		IK			IJKL	P	NP					
Five or more	329	219	110	103	68	49	24	40	108	66	64	20	68	91	214	21	-	-	-	329
	11%	12%	9%	10%	11%	10%	12%	13%	10%	9%	9%	10%	21%	11%	13%	4%				38%
													IJKL	P	P					
REFUSED	25	19	7	4	1	2	-	-	7	4	2	1	-	1	6	5	-	-	-	-
	1%	1%	1%	*%	*%	*%			1%	1%	*%	1%		*%	*%	1%				
																N				

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

How many people, including yourself, live in the household?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
One	641	207	217	217
	21%	20%	21%	21%
Two	1,005	316	351	338
	33%	31%	34%	33%
Three	539	187	183	169
	18%	18%	18%	17%
Four	527	175	189	163
	17%	17%	18%	16%
Five or more	329	124	94	112
	11%	12%	9%	11%
		C		
REFUSED	25	5	6	14
	1%	*%	1%	1%
				B

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Are there any children 17 or younger living in the household?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Children under 6 yrs in household	413	34	107	148	32	38	55	184	230	50	201	123	30	6	53	260	16	3	20	59	315	98
	13%	14%	14%	13%	15%	14%	14%	12%	15%	13% MN	33% JLMN	21% JMN	5% N	1%	13% QR	17% OQRS	8% R	1%	11% R	34% OPQRS	13%	14%
Children 6-12 yrs in household	500	49	126	177	39	46	63	239	261	37	118	233	89	16	84	315	26	12	21	39	382	117
	16%	20%	16%	15%	18%	17%	16%	16%	16%	9% N	20% JN	39% JKMN	15% JN	2%	21% QRS	21% QRS	12% R	2%	11% R	22% QRS	16%	16%
Children 13-17 yrs in household	384	38	87	139	28	35	56	197	186	79	20	145	113	24	62	222	30	12	34	22	302	82
	13%	15%	11%	12%	13%	13%	14%	13%	12%	20% KN	3%	25% KMN	19% KN	3%	15% R	15% R	14% R	2%	18% R	12% R	13%	11%
NO CHILDREN 17 OR YOUNGER AT HOME	2,055	159	526	778	145	184	263	1,002	1,054	268	347	224	398	805	251	907	151	512	122	88	1,570	485
	67%	64%	68%	68%	67%	66%	65%	67%	67%	67% KL	57% L	38%	68% KL	95% JKLM	62% T	60% T	73% OPT	95% OPQST	66% T	50%	67%	68%
REFUSED	30	1	5	12	3	3	6	12	18	-	1	4	6	9	4	6	-	6	1	1	24	5
	1%	1%	1%	1%	1%	1%	1%	1%	1%		*%	1%	1%	1% K	1%	*%		1%	1%	*%	1%	1%

Decima 25th RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Are there any children 17 or younger living in the household?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Children under 6 yrs in household	413	260	153	138	99	66	26	53	108	119	115	29	40	54	334	23	-	17	126	270
	13%	14%	13%	13%	15%	14%	13%	17%	10%	17% I	15% I	15%	12%	6%	20% NP	4%		2%	23% R	32% RS
Children 6-12 yrs in household	500	295	205	145	119	77	44	79	154	141	125	31	44	69	372	57	-	20	103	377
	16%	15%	18%	14%	18% D	16%	23% D	26% DEF	15%	20% IM	17%	16%	14%	8%	22% NP	11%		2%	19% R	44% RS
Children 13-17 yrs in household	384	229	155	102	71	68	39	56	119	97	70	20	75	93	244	45	-	15	72	296
	13%	12%	13%	10%	11%	14% D	20% DE	19% DE	11%	13% K	9%	10%	23% IJKL	11%	15% NP	9%		2%	13% R	35% RS
NO CHILDREN 17 OR YOUNGER AT HOME	2,055	1,282	774	770	433	317	107	169	746	444	514	133	202	678	943	420	641	952	251	211
	67%	67%	66%	72% FGH	67% GH	66% GH	55%	56%	72% JM	62%	68% J	69%	63%	80% O	57%	80% O	100% RST	95% ST	47% T	25%
REFUSED	30	22	8	5	1	3	-	-	7	5	5	1	-	1	9	6	-	-	1	3
	1%	1%	1%	1%	*%	1%			1%	1%	1%	1%		*%	1% N	1% N			*%	*%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Are there any children 17 or younger living in the household?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Children under 6 yrs in household	413	139	129	146
	13%	14%	12%	14%
Children 6-12 yrs in household	500	175	167	158
	16%	17%	16%	16%
Children 13-17 yrs in household	384	125	130	128
	13%	12%	13%	13%
NO CHILDREN 17 OR YOUNGER AT HOME	2,055	684	706	665
	67%	68%	68%	66%
REFUSED	30	6	7	17
	1%	1%	1%	2%
				B

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Which of the following best describes your current job status?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Working on your own business within your home	193	10	40	73	7	28	33	80	113	9	37	49	63	34	193	-	-	-	-	-	156	37
	6%	4%	5%	6%	3%	10%	8%	5%	7%	2%	6%	8%	11%	4%	48%						7%	5%
				E		BCDE	BE				J	JN	JKN									
Working on your own business outside of your home	212	13	50	75	13	24	37	145	67	12	37	60	58	41	212	-	-	-	-	-	167	45
	7%	5%	6%	7%	6%	9%	9%	10%	4%	3%	6%	10%	10%	5%	52%						7%	6%
							B	I			J	JKN	JKN									
Working on an employer's business full-time	1,250	79	323	486	96	128	138	683	567	136	361	337	285	124	-	1,250	-	-	-	-	953	297
	41%	32%	42%	42%	44%	46%	34%	46%	36%	34%	60%	57%	49%	15%		82%					40%	42%
			BG	BG	BG	BG		I		N	JMN	JMN	JN									
Working on an employer's business part-time	268	29	62	102	22	22	31	103	165	76	51	44	52	44	-	268	-	-	-	-	210	58
	9%	12%	8%	9%	10%	8%	8%	7%	10%	19%	8%	7%	9%	5%		18%					9%	8%
									H	KLMN	N		N									
Currently unemployed	208	33	60	80	8	9	18	107	101	33	33	49	48	44	-	-	208	-	-	-	155	54
	7%	13%	8%	7%	4%	3%	4%	7%	6%	8%	5%	8%	8%	5%			100%				7%	8%
		CDEFG	EFG	EF								N	N									
Student	184	18	55	55	13	13	31	87	97	126	44	6	5	-	-	-	-	-	184	-	137	47
	6%	7%	7%	5%	6%	5%	8%	6%	6%	31%	7%	1%	1%						100%		6%	7%
			D							KLM	LM											
Retired	537	44	144	192	42	32	83	252	285	1	1	3	32	495	-	-	-	537	-	-	396	141
	18%	18%	19%	17%	19%	12%	21%	17%	18%	*%	*%	1%	6%	58%				100%			17%	20%
		F	F	F	F		F						JKL	JKLM								
Homemaker	175	18	34	74	12	16	21	9	166	6	42	34	33	60	-	-	-	-	-	175	145	30
	6%	7%	4%	6%	5%	6%	5%	1%	11%	2%	7%	6%	6%	7%						100%	6%	4%
									H		J	J	J	J							V	
Don't Know/No Response	40	5	5	12	5	4	9	18	21	3	1	9	9	8	-	-	-	-	-	-	34	6
	1%	2%	1%	1%	2%	2%	2%	1%	1%	1%	*%	2%	2%	1%							1%	1%
												K	K	K								

Which of the following best describes your current job status?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Working on your own business within your home	193	117	76	60	33	30	17	27	63	48	53	18	10	43	114	34	41	53	36	61
	6%	6%	6%	6%	5%	6%	9%	9%	6%	7%	7%	9%	3%	5%	7%	6%	6%	5%	7%	7%
								E	M	M	M	M								
Working on your own business outside of your home	212	132	80	52	42	38	16	41	69	61	55	17	9	54	123	32	42	69	35	65
	7%	7%	7%	5%	7%	8%	8%	13%	7%	8%	7%	9%	3%	6%	7%	6%	7%	7%	7%	8%
						D		DEF	M	M	M	M								
Working on an employer's business full-time	1,250	838	412	286	326	248	122	178	358	371	390	100	25	350	745	149	220	382	266	377
	41%	44%	35%	27%	51%	52%	63%	59%	34%	52%	52%	51%	8%	41%	45%	28%	34%	38%	49%	44%
		C			D	D	DEF	DE	M	IM	IM	IM		P	P				QR	QR
Working on an employer's business part-time	268	168	100	117	49	42	7	15	79	56	42	13	77	107	129	31	32	68	55	113
	9%	9%	9%	11%	8%	9%	4%	5%	8%	8%	6%	7%	24%	13%	8%	6%	5%	7%	10%	13%
				EGH	G	GH							IJKL	OP					QR	QR
Currently unemployed	208	114	94	130	33	15	5	5	100	47	35	7	19	85	82	40	60	59	32	56
	7%	6%	8%	12%	5%	3%	3%	2%	10%	6%	5%	4%	6%	10%	5%	8%	9%	6%	6%	7%
			B	EFGH	H				JKLM					O		O	RS			
Student	184	131	53	84	25	28	8	9	3	3	3	-	174	146	33	4	15	50	40	79
	6%	7%	5%	8%	4%	6%	4%	3%	*%	*%	*%		54%	17%	2%	1%	2%	5%	7%	9%
		C		EGH									IJK	OP	P			Q	Q	QR
Retired	537	297	240	238	108	56	10	21	262	91	136	36	3	48	287	199	203	264	35	29
	18%	16%	21%	22%	17%	12%	5%	7%	25%	13%	18%	18%	1%	6%	17%	38%	32%	26%	6%	3%
			B	EFGH	FGH	GH			JKLM	M	JM	M			N	NO	RST	ST	T	
Homemaker	175	86	89	95	27	17	6	6	97	37	32	4	2	7	139	29	20	46	37	71
	6%	5%	8%	9%	4%	4%	3%	2%	9%	5%	4%	2%	1%	1%	8%	6%	3%	5%	7%	8%
			B	EFGH	H				JKLM	LM	M				NP	N			Q	QR
Don't Know/No Response	40	21	19	12	3	5	2	2	11	5	9	-	3	8	14	5	7	12	4	6
	1%	1%	2%	1%	*%	1%	1%	*%	1%	1%	1%		1%	1%	1%	1%	1%	1%	1%	1%

Which of the following best describes your current job status?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Working on your own business within your home	193	68	64	61
	6%	7%	6%	6%
Working on your own business outside of your home	212	66	72	73
	7%	7%	7%	7%
Working on an employer's business full-time	1,250	436	392	423
	41%	43% C	38%	42%
Working on an employer's business part-time	268	87	102	78
	9%	9%	10%	8%
Currently unemployed	208	59	76	73
	7%	6%	7%	7%
Student	184	53	70	61
	6%	5%	7%	6%
Retired	537	175	182	180
	18%	17%	17%	18%
Homemaker	175	61	64	50
	6%	6%	6%	5%
Don't Know/No Response	40	8	17	14
	1%	1%	2%	1%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Do you have access to the internet at work, at home, at both or neither?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Has Internet - NET	2,290	173	514	900	155	233	316	1,160	1,130	348	519	500	476	430	333	1,310	120	244	171	98	1,826	464
	75%	69%	67%	78%	71%	84%	79%	78%	71%	86%	85%	85%	81%	51%	82%	86%	58%	45%	93%	56%	78%	65%
				BCE		BCDE	BCE	I		MN	N	N	N		QRT	QRT	R		OPQRT	R	V	
Work	224	12	67	72	27	25	20	107	117	26	60	45	50	41	21	181	2	4	14	3	164	60
	7%	5%	9%	6%	12%	9%	5%	7%	7%	6%	10%	8%	8%	5%	5%	12%	1%	1%	7%	1%	7%	8%
			BG		BDG	BG					N	N	N		QRT	OQRT			QRT			
Home	1,008	83	218	387	61	100	160	499	508	183	168	176	190	283	147	350	111	230	78	85	815	192
	33%	33%	28%	34%	28%	36%	40%	34%	32%	46%	28%	30%	32%	33%	36%	23%	54%	43%	42%	48%	35%	27%
				C		CE	CDE			KLMN				K	P		OPRS	OP	P	OP	V	
Both	1,058	78	229	441	67	108	136	553	505	139	290	279	236	107	166	780	7	10	80	10	847	212
	35%	31%	30%	38%	31%	39%	34%	37%	32%	35%	48%	47%	40%	13%	41%	51%	3%	2%	43%	6%	36%	30%
				BCE		CE		I		N	JMN	JMN	N		QRT	OQRT			QRT	R	V	
Neither	754	75	254	242	59	43	81	315	439	54	88	89	106	410	71	207	88	288	13	72	509	245
	25%	30%	33%	21%	27%	15%	20%	21%	28%	14%	14%	15%	18%	48%	18%	14%	42%	54%	7%	41%	22%	34%
		DFG	DFG	F	DFG				H					JKLM	S	S	OPS	OPQST		OPS		U
Don't Know/No Response	23	3	5	5	3	2	5	10	13	-	1	1	4	10	-	1	-	5	1	5	19	4
	1%	1%	1%	*%	1%	1%	1%	1%	1%		*%	*%	1%	1%		*%		1%	*%	3%	1%	1%
														KL				P		P		

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Do you have access to the internet at work, at home, at both or neither?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Has Internet - NET	2,290	1,507	783	637	524	426	176	294	575	573	655	176	299	674	1,320	282	356	732	467	726
	75%	79% C	67%	59%	81% D	89% DE	91% DE	97% DEFG	55%	80% I	87% IJ	91% IJ	93% IJK	80% P	79% P	54%	56%	73% Q	87% QR	85% QR
Work	224	146	78	76	69	34	9	15	68	62	62	11	21	89	91	43	73	74	47	31
	7%	8%	7%	7%	11% DFGH	7%	5%	5%	6%	9%	8%	6%	6%	11% O	5%	8% O	11% RT	7% T	9% T	4%
Home	1,008	606	402	365	238	161	43	69	355	252	207	48	140	274	594	132	129	343	206	329
	33%	32%	35%	34% GH	37% GH	34% GH	22%	23%	34% KL	35% KL	27%	25%	44% IJKL	32% P	36% P	25%	20%	34% Q	38% Q	38% Q
Both	1,058	756	302	196	217	231	125	211	152	259	385	117	138	311	635	106	154	315	214	367
	35%	40% C	26%	18%	34% D	48% DE	64% DEF	70% DEF	15%	36% I	51% IJM	61% IJKM	43% I	37% P	38% P	20%	24%	31% Q	40% QR	43% QR
Neither	754	381	372	429	119	55	17	9	459	146	97	17	22	172	341	235	282	267	71	128
	25%	20%	32% B	40% EFGH	18% FGH	11% H	9% H	3%	44% JKLM	20% KLM	13% M	9%	7%	20%	20%	45% NO	44% RST	27% ST	13%	15%
Don't Know/No Response	23	14	9	7	2	-	-	-	9	1	3	-	1	1	5	7	3	5	1	2
	1%	1%	1%	1%	*%				1% J	*%	*%		*%	*%	*%	1% N	*%	1%	*%	*%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Do you have access to the internet at work, at home, at both or neither?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Has Internet - NET	2,290	751	797	742
	75%	74%	77%	73%
Work	224	70	83	72
	7%	7%	8%	7%
Home	1,008	333	374	301
	33%	33%	36%	30%
			D	
Both	1,058	349	340	369
	35%	34%	33%	36%
Neither	754	258	236	260
	25%	25%	23%	26%
Don't Know/No Response	23	4	7	12
	1%	*%	1%	1%
				B

Decima RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What was your total household income for 2003?
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Under $40,000 (NET)	1,072	112	327	338	82	78	136	473	599	179	204	176	153	355	112	402	130	238	84	95	774	299
	35%	45% DFG	42% DFG	29%	38% DF	28%	34%	32%	38% H	44% KLM	34% M	30%	26%	42% KLM	28%	26%	62% OPRS	44% OP	45% OP	54% OPR	33%	42% U
Under $20,000	385	42	119	115	27	30	53	149	236	77	78	46	49	133	43	109	66	91	39	32	277	108
	13%	17% DF	15% DF	10%	12%	11%	13%	10%	15% H	19% KLM	13% LM	8%	8%	16% LM	11% P	7%	32% OPRST	17% OP	21% OP	18% OP	12%	15% U
$20,000 - $30,000	389	47	118	114	37	23	50	169	220	62	63	61	58	141	36	140	47	93	28	40	283	106
	13%	19% DFG	15% DF	10%	17% DF	8%	12%	11%	14% H	15% KLM	10%	10%	10%	17% KLM	9%	9%	23% OP	17% OP	15% OP	23% OP	12%	15%
$30,000 - $40,000	298	24	90	109	18	25	33	154	144	39	63	68	46	81	33	153	17	54	16	23	214	84
	10%	9%	12%	9%	8%	9%	8%	10%	9%	10%	10%	12% M	8%	10%	8%	10%	8%	10%	9%	13%	9%	12%
Over $40,000 (NET)	1,622	116	376	658	103	161	209	871	751	164	353	373	381	351	245	987	58	195	71	56	1,270	352
	53%	46%	49%	57% BCE	47%	58% BCE	52%	59% I	47%	41%	58% JN	63% JN	65% JKN	41%	61% QRST	65% QRST	28%	36% Q	38% Q	32%	54% V	49%
$40,000 - $50,000	358	31	108	107	23	36	53	187	170	40	90	60	64	103	47	190	21	66	16	15	255	102
	12%	13%	14% D	9%	11%	13%	13%	13%	11%	10%	15% JL	10%	11%	12%	12%	13%	10%	12%	9%	9%	11%	14% U
$50,000 - $60,000	288	26	73	110	21	23	34	153	134	24	68	62	72	62	27	185	11	42	9	12	219	68
	9%	10%	9%	10%	10%	8%	8%	10%	8%	6%	11% JN	10% JN	12% JN	7%	7%	12% OQRST	5%	8%	5%	7%	9%	10%
$60,000 - $70,000	326	20	56	143	25	34	47	160	167	46	59	78	66	76	54	191	9	37	20	12	272	54
	11%	8%	7%	12% BC	12% C	12% C	12% C	11%	11%	11%	10%	13% N	11%	9%	13% QRT	13% QRT	5%	7%	11% Q	7%	12% V	8%
$70,000 - $80,000	154	8	42	60	12	13	19	75	79	10	44	30	39	31	15	99	5	20	9	5	115	39
	5%	3%	5%	5%	6%	5%	5%	5%	5%	2%	7% JN	5% J	7% JN	4%	4%	7% OQRT	2%	4%	5%	3%	5%	6%
$80,000 - $100,000	193	16	42	82	11	18	25	115	79	17	42	57	47	31	34	129	5	10	8	6	159	35
	6%	6%	5%	7%	5%	7%	6%	8% I	5%	4%	7% N	10% JN	8% JN	4%	8% QRT	8% QRST	3%	2%	5%	3%	7%	5%
$100,000 - $120,000	129	6	26	65	5	14	12	76	52	12	27	34	39	16	22	84	3	10	6	2	103	25
	4%	2%	3%	6% BCEG	2%	5%	3%	5% I	3%	3%	4% N	6% N	7% JN	2%	5% QRT	6% QRT	2%	2%	3%	1%	4%	4%

Continued/...

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What was your total household income for 2003? Continued
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
$120,000 & Over	175	9	30	90	6	21	19	106	69	14	23	53	53	32	46	109	2	10	3	4	147	28
	6%	3%	4%	8%	3%	8%	5%	7%	4%	4%	4%	9%	9%	4%	11%	7%	1%	2%	2%	2%	6%	4%
				BCEG		BCE		I				JKN	JKN		PQRST	QRST					V	
Refused	373	22	70	152	32	39	57	141	232	59	50	41	53	144	48	129	20	104	30	24	309	63
	12%	9%	9%	13%	15%	14%	14%	9%	15%	15%	8%	7%	9%	17%	12%	9%	10%	19%	16%	14%	13%	9%
				BC	BC	BC	BC		H	KLM				KLM				OPQ	P		V	

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What was your total household income for 2003?
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Under $40,000 (NET)	1,072	591	481	1,072	-	-	-	-	514	214	169	28	140	376	406	282	331	323	171	243
	35%	31%	41%	100%					49%	30%	22%	15%	43%	44%	24%	54%	52%	32%	32%	28%
			B						JKL	KL	L		JKL	O		NO	RST			
Under $20,000	385	209	176	385	-	-	-	-	203	59	44	7	70	159	95	130	142	106	47	89
	13%	11%	15%	36%					20%	8%	6%	4%	22%	19%	6%	25%	22%	11%	9%	10%
			B						JKL	L			JKL	O		NO	RST			
$20,000 - $30,000	389	204	186	389	-	-	-	-	190	81	62	8	44	121	167	99	114	127	63	83
	13%	11%	16%	36%					18%	11%	8%	4%	14%	14%	10%	19%	18%	13%	12%	10%
			B						JKL	L	L		KL	O		NO	RST			
$30,000 - $40,000	298	178	120	298	-	-	-	-	121	75	63	13	26	96	144	53	75	91	61	70
	10%	9%	10%	28%					12%	10%	8%	7%	8%	11%	9%	10%	12%	9%	11%	8%
									KL					O			T			
Over $40,000 (NET)	1,622	1,070	552	-	645	480	193	303	383	436	518	149	130	370	1,070	178	233	548	323	514
	53%	56%	47%		100%	100%	100%	100%	37%	61%	69%	77%	41%	44%	64%	34%	36%	55%	60%	60%
		C								IM	IJM	IJKM		P	NP			Q	Q	QR
$40,000 - $50,000	358	221	136	-	358	-	-	-	117	102	97	19	22	89	206	62	84	126	66	82
	12%	12%	12%		55%				11%	14%	13%	10%	7%	11%	12%	12%	13%	12%	12%	10%
									M	M	M						T	T		
$50,000 - $60,000	288	182	106	-	288	-	-	-	85	87	82	15	16	66	189	33	47	88	56	97
	9%	10%	9%		45%				8%	12%	11%	8%	5%	8%	11%	6%	7%	9%	10%	11%
									M	IM	M				NP					Q
$60,000 - $70,000	326	203	123	-	-	326	-	-	66	96	93	34	37	91	197	36	54	114	52	105
	11%	11%	11%			68%			6%	13%	12%	18%	12%	11%	12%	7%	8%	11%	10%	12%
										I	I	I	I	P	P					Q
$70,000 - $80,000	154	100	54	-	-	154	-	-	24	44	56	16	14	31	109	14	14	59	41	39
	5%	5%	5%			32%			2%	6%	7%	8%	4%	4%	7%	3%	2%	6%	8%	5%
										I	I	I			NP			Q	QT	Q
$80,000 - $100,000	193	128	66	-	-	-	193	-	48	50	57	18	19	36	145	12	15	65	48	66
	6%	7%	6%				100%		5%	7%	8%	9%	6%	4%	9%	2%	2%	6%	9%	8%
										I	I	I			NP			Q	Q	Q
$100,000 - $120,000	129	90	39	-	-	-	-	129	21	33	50	14	10	26	94	9	9	45	23	51
	4%	5%	3%					42%	2%	5%	7%	7%	3%	3%	6%	2%	1%	5%	4%	6%
										I	IM	I			NP			Q	Q	Q

Continued/...

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What was your total household income for 2003? Continued
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
$120,000 & Over	175	147	28	-	-	-	-	175	22	25	83	31	13	31	131	13	11	52	37	75
	6%	8%	2%					58%	2%	3%	11%	16%	4%	4%	8%	2%	2%	5%	7%	9%
		C									IJM	IJM			NP			Q	Q	QR
Refused	373	242	130	-	-	-	-	-	146	68	67	17	52	100	189	63	77	133	45	99
	12%	13%	11%						14%	10%	9%	9%	16%	12%	11%	12%	12%	13%	8%	12%
									JKL				JKL				S	S		

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

What was your total household income for 2003?
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Under $40,000 (NET)	1,072	361	371	341
	35%	36%	36%	34%
Under $20,000	385	124	127	133
	13%	12%	12%	13%
$20,000 - $30,000	389	122	143	124
	13%	12%	14%	12%
$30,000 - $40,000	298	114	100	84
	10%	11% D	10%	8%
Over $40,000 (NET)	1,622	559	540	523
	53%	55%	52%	52%
$40,000 - $50,000	358	126	120	112
	12%	12%	12%	11%
$50,000 - $60,000	288	98	98	91
	9%	10%	9%	9%
$60,000 - $70,000	326	125	105	96
	11%	12%	10%	10%
$70,000 - $80,000	154	42	65	47
	5%	4%	6% B	5%
$80,000 - $100,000	193	75	48	70
	6%	7% C	5%	7% C
$100,000 - $120,000	129	40	46	43
	4%	4%	4%	4%
$120,000 & Over	175	54	57	64
	6%	5%	6%	6%
Refused	373	93	129	150
	12%	9%	12% B	15% B

Decima RESEARCH INC 25th
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Province
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
Newfoundland	58	58	-	-	-	-	-	29	29	5	10	8	17	18	7	26	8	10	1	6	58	-
	2%	23%						2%	2%	1%	2%	1%	3% L	2%	2%	2%	4%	2%	1%	4%	2%	
PEI	18	18	-	-	-	-	-	8	10	3	2	4	5	4	4	9	2	3	2	-	17	1
	1%	7%						1%	1%	1%	*%	1%	1%	*%	1%	1%	1%	*%	1%		1% V	*%
Nova Scotia	98	98	-	-	-	-	-	48	51	16	21	18	17	25	8	46	12	14	7	8	98	1
	3%	39%						3%	3%	4%	3%	3%	3%	3%	2%	3%	6% O	3%	4%	5%	4% V	*%
New Brunswick	75	75	-	-	-	-	-	36	39	10	17	14	12	22	5	29	11	18	8	3	67	8
	2%	30%						2%	2%	2%	3%	2%	2%	3%	1%	2%	6% OP	3% O	4%	2%	3% V	1%
Quebec	773	-	773	-	-	-	-	373	400	98	148	152	157	214	90	385	60	144	55	34	72	701
	25%		100%					25%	25%	24%	24%	26%	27%	25%	22%	25%	29% T	27% T	30% T	20%	3%	98% U
Ontario	1,147	-	-	1,147	-	-	-	552	595	152	229	228	202	321	148	587	80	192	55	74	1,146	2
	37%			100%				37%	38%	38%	38%	39%	35%	38%	37%	39% S	38%	36%	30%	42% S	49% V	*%
Manitoba	108	-	-	-	108	-	-	54	55	9	21	17	30	30	10	61	5	23	2	5	108	-
	4%				50%			4%	3%	2%	3%	3%	5% J	4%	3%	4% S	2%	4% S	1%	3%	5%	
Saskatchewan	109	-	-	-	109	-	-	52	57	19	21	14	17	36	10	57	3	19	11	7	109	-
	4%				50%			3%	4%	5%	3%	2%	3%	4%	2%	4% Q	2%	3%	6% Q	4%	5%	
Alberta	278	-	-	-	-	278	-	138	140	37	61	58	51	66	53	150	9	32	13	16	278	-
	9%					100%		9%	9%	9%	10%	10%	9%	8%	13% QRS	10% QR	4%	6%	7%	9%	12%	
British Columbia	402	-	-	-	-	-	402	196	206	51	79	78	77	113	70	169	18	83	31	21	401	1
	13%						100%	13%	13%	13%	13%	13%	13%	13%	17% PQ	11%	9%	15% PQ	17% Q	12%	17% V	*%

Decima 25th RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Province
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
Newfoundland	58	17	41	24	14	4	5	5	27	11	13	2	3	13	39	6	10	16	16	16
	2%	1%	4% B	2% F	2%	1%	3%	2%	3% M	2%	2%	1%	1%	2%	2%	1%	2%	2%	3%	2%
PEI	18	-	18	7	7	3	1	-	4	2	6	2	4	6	11	1	2	4	2	10
	1%		2%	1%	1%	1%	*%		*%	*%	1%	1%	1%	1%	1%	*%	*%	*%	*%	1%
Nova Scotia	98	42	56	43	17	15	5	8	36	12	24	10	14	24	59	13	17	36	20	25
	3%	2%	5% B	4%	3%	3%	3%	3%	3% J	2%	3%	5%	4% J	3%	4%	2%	3%	4%	4%	3%
New Brunswick	75	12	63	37	20	7	5	1	31	14	17	1	11	23	41	11	17	22	18	18
	2%	1%	5% B	3% FH	3% H	1%	2%	*%	3% L	2% L	2% L	*%	3% L	3%	2%	2%	3%	2%	3%	2%
Quebec	773	515	258	327	181	98	42	56	280	189	179	35	79	212	409	148	177	270	136	186
	25%	27% C	22%	30% FGH	28% FH	20%	22%	18%	27% L	26% L	24%	18%	25%	25%	25%	28%	28% T	27% T	25%	22%
Ontario	1,147	796	352	338	217	203	82	156	361	278	292	91	116	317	616	198	235	344	200	361
	37%	42% C	30%	31%	34%	42% DE	42% DE	51% DEF	35%	39%	39%	47% IJKM	36%	37%	37%	38%	37%	34%	37%	42% QR
Manitoba	108	64	44	41	19	22	7	5	45	26	29	4	3	29	61	17	24	39	19	25
	4%	3%	4%	4% H	3%	5% H	4%	2%	4% M	4% M	4% M	2%	1%	3%	4%	3%	4%	4%	3%	3%
Saskatchewan	109	43	66	41	25	15	4	6	42	19	26	7	14	30	59	19	23	45	15	24
	4%	2%	6% B	4%	4%	3%	2%	2%	4%	3%	3%	4%	4%	4%	4%	4%	4%	5%	3%	3%
Alberta	278	188	90	78	59	47	18	36	94	72	68	16	26	70	165	41	43	113	42	76
	9%	10% C	8%	7%	9%	10%	9%	12% D	9%	10%	9%	8%	8%	8%	10%	8%	7%	11% QS	8%	9%
British Columbia	402	226	175	136	87	66	25	31	123	95	100	26	52	123	204	69	93	116	72	116
	13%	12%	15% B	13%	13%	14%	13%	10%	12%	13%	13%	14%	16%	15%	12%	13%	14%	12%	13%	14%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Province
BASE: Representative Adults
BANNER 3

	Total	Wave of survey: November	December	January
	(A)	(B)	(C)	(D)
WEIGHTED 'N'	3,067	1,013	1,040	1,014
	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,013	1,040	1,014
Newfoundland	58	19	20	19
	2%	2%	2%	2%
PEI	18	6	7	5
	1%	1%	1%	1%
Nova Scotia	98	33	34	32
	3%	3%	3%	3%
New Brunswick	75	24	24	27
	2%	2%	2%	3%
Quebec	773	255	262	256
	25%	25%	25%	25%
Ontario	1,147	379	389	379
	37%	37%	37%	37%
Manitoba	108	34	37	37
	4%	3%	4%	4%
Saskatchewan	109	38	37	35
	4%	4%	4%	3%
Alberta	278	92	94	92
	9%	9%	9%	9%
British Columbia	402	133	136	133
	13%	13%	13%	13%

Decima 25th RESEARCH INC
Significantly different since 1979

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Language
BASE: Representative Adults
BANNER 1

		Region						Gender		Age Group					Employment						Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Self Emp	Emp	Unemp	Ret.	Stud.	Home-maker	Eng.	Fr.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)
WEIGHTED 'N'	3,067	250	773	1,147	217	278	402	1,485	1,582	402	607	590	586	850	405	1,518	208	537	184	175	2,353	714
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	314	758	985	317	304	389	1,529	1,538	336	508	636	636	918	413	1,484	209	581	159	176	2,365	702
English	2,353	240	72	1,146	217	278	401	1,144	1,209	316	471	450	440	649	323	1,164	155	396	137	145	2,353	-
	77%	96% C	9%	100% BC	100% BC	100% BC	100% BC	77%	76%	79%	78%	76%	75%	76%	80% R	77%	74%	74%	75%	83% R	100%	
French	714	10	701	2	-	-	1	340	373	86	136	140	146	201	81	355	54	141	47	30	-	714
	23%	4% DG	91% BDG	*%			*%	23%	24%	21%	22%	24%	25%	24%	20%	23%	26%	26% OT	25%	17%		100%

Health Canada – Smoker Fire-Risk Behaviour Survey Winter 2004-2005

Language
BASE: Representative Adults
BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
WEIGHTED 'N'	3,067	1,903	1,164	1,072	645	480	193	303	1,043	719	754	194	322	847	1,665	524	641	1,005	539	856
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
UNWEIGHTED 'n'	3,067	1,839	1,228	1,088	630	478	195	302	1,093	708	758	196	273	774	1,721	539	655	1,025	526	832
English	2,353	1,441	913	774	475	387	159	250	780	543	587	163	257	659	1,283	384	478	752	416	687
	77%	76%	78%	72%	74%	81%	82%	83%	75%	75%	78%	84%	80%	78%	77%	73%	75%	75%	77%	80%
						DE	DE	DE				IJK								QR
French	714	462	251	299	171	94	35	53	263	176	167	30	65	188	382	139	163	253	123	170
	23%	24%	22%	28%	26%	19%	18%	17%	25%	25%	22%	16%	20%	22%	23%	27%	25%	25%	23%	20%
				FGH	FGH				L	L	L						T	T		

CA.2.2003-25
e.2
v.2

Second-hand Smoke in the Workplace

Banner Tables

Prepared for: *Nizam Siddiqui*
Health Canada

Date: July 24, 2002

POR-02-38

Decima
RESEARCH INC

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,287	102	338	461	87	126	173	660	627	155	257	250	252	361	827	74	282	79	986	301
	63.0%	61.4%	65.6% d	60.3%	59.9%	68.2% De	64.7%	66.7% I	59.5%	59.4%	62.5%	64.5%	63.6%	63.8%	64.1%	62.0%	60.3%	58.5%	62.3%	65.3%
No	755	64	177	302	58	59	94	328	427	106	154	138	143	205	463	45	185	56	595	160
	37.0%	38.6%	34.4%	39.6% cF	40.1% f	31.8%	35.3%	33.2%	40.5% H	40.6%	37.5%	35.5%	36.1%	36.2%	35.8%	38.0%	39.7%	41.5%	37.6%	34.7%
Don' t know/No answer	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-
	*%			0.1%				0.1%					0.3%		0.1%				0.1%	
CHI-SQUARE		<----------6.99---------->						<----11.774--->		<----------2.091---------->					<----------3.274---------->				<----1.278---->	
SIGNIFICANCE				77.9%				99.9%				28.1%					64.9%			74.2%

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,287	765	522	417	258	228	88	117	545	302	251	60	109	341	729	205	209	445	227	401
	63.0%	62.1%	64.4%	62.4% h	66.5% H	65.1% H	64.1%	55.6%	68.7% KLM	65.9% KLM	58.6% L	47.8%	51.8%	62.1%	62.2%	68.1% no	65.1%	66.0% T	62.0%	59.6%
No	755	466	289	250	130	122	49	94	248	156	177	65	101	208	441	96	112	229	138	272
	37.0%	37.8%	35.6%	37.4%	33.5%	34.9%	35.9%	44.4% dEF	31.2%	34.1%	41.4% IJ	52.2% IJK	48.2% IJ	37.9% p	37.7% p	31.9%	34.9%	34.0%	37.7%	40.4% R
Don' t know/No answer	1	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
	*%	0.1%		0.2%					0.1%						0.1%				0.3%	
CHI-SQUARE		<----1.078---->		<----------7.722---------->					<----------40.125---------->					<----------3.822---------->			<----------6.669---------->		
SIGNIFICANCE		70.1%				89.8%					100.0%				85.2%				91.7%	

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1. Have you ever smoked cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	1,287	-	749	749	538	128	125	150	97
	63.0%		100.0%	49.8%	100.0%	100.0%	100.0%	100.0%	100.0%
			D		D				
No	755	755	-	755	-	-	-	-	-
	37.0%	99.9%		50.2%					
		D							
Don' t know/No answer	1	1	-	1	-	-	-	-	-
	*%	0.1%		0.1%					
CHI-SQUARE		<----------2008.157---------->				<----------.0---------->			
SIGNIFICANCE		100.0%				.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1
or more than 20% of the cells have an expected value of less than 5.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,287	102	338	461	87	126	173	660	627	155	257	250	252	361	827	74	282	79	986	301
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,294	127	331	399	128	137	172	686	608	136	219	256	261	410	804	73	316	77	998	296
Yes	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	41.8%	40.8%	44.0%	41.1%	36.0%	42.5%	42.1%	42.7%	40.8%	54.6% MN	46.0% N	48.9% N	42.7% N	26.9%	45.7% Qr	52.7% QR	28.9%	35.9%	41.2%	43.8%
No	747	60	189	270	55	71	100	378	368	70	138	128	143	264	448	35	200	51	578	169
	58.0%	59.2%	56.0%	58.7%	64.0%	56.5%	57.9%	57.3%	58.8%	45.4%	53.5%	51.1%	56.8% J	73.1% JKLM	54.2%	47.3%	71.1% OP	64.1% oP	58.6%	56.2%
Don' t know/No answer	2	-	-	1	-	1	-	-	2	-	1	-	1	-	1	-	-	-	2	-
	0.2%			0.2%		1.0%			0.4%		0.5%		0.4%		0.1%				0.2%	
CHI-SQUARE		<----------2.068---------->						<-----.369---->		<----------51.094---------->					<----------29.134---------->				<-----.627---->	
SIGNIFICANCE				16.0%				45.6%				100.0%					100.0%		57.2%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div, Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,287	765	522	417	258	228	88	117	545	302	251	60	109	341	729	205	209	445	227	401
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,294	745	549	423	262	231	83	110	568	293	249	61	102	313	754	215	213	470	224	381
Yes	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	41.8%	43.3%	39.6%	46.1% FH	44.7% F	34.2%	42.2%	35.6%	46.9% KL	41.3% KL	32.3%	27.1%	46.0% KL	52.0% O	35.5%	46.9% O	49.3% RT	33.1%	53.5% RT	40.7% R
No	747	432	315	223	143	150	51	76	288	177	169	44	59	164	468	109	106	297	105	237
	58.0%	56.4%	60.4%	53.6%	55.3%	65.8% DE	57.8%	64.4% D	52.9%	58.7%	67.3% IJM	72.9% IJM	54.0%	48.0%	64.2% NP	53.1%	50.7%	66.6% QST	46.5%	59.0% qS
Don' t know/No answer	2	2	-	1	-	-	-	-	1	-	1	-	-	-	2	-	-	1	-	1
	0.2%	0.3%		0.3%					0.2%		0.4%				0.3%			0.2%		0.3%
CHI-SQUARE		<----1.825---->		<----------11.614---------->					<----------21.299---------->					<---------28.153--------->			<----------31.322---------->			
SIGNIFICANCE		82.3%		98.0%					100.0%					100.0%			100.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC2. Do you currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS (HAVE SMOKED CIGARETTES OR OTHER TOBACCO PRODUCTS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,287	-	749	749	538	128	125	150	97
	100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	1,294	-	767	767	527	119	123	148	98
Yes	538	-	-	-	538	128	125	150	97
	41.8%				100.0%	100.0%	100.0%	100.0%	100.0%
No	747	-	747	747	-	-	-	-	-
	58.0%		99.7%	99.7%					
Don' t know/No answer	2	-	2	2	-	-	-	-	-
	0.2%		0.3%	0.3%					
CHI-SQUARE		<----------2031.505---------->				<----------.0---------->			
SIGNIFICANCE			100.0%*				.0%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,040	166	515	762	145	184	268	988	1,052	261	410	388	394	566	1,289	119	467	135	1,578	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,040	204	501	652	213	204	266	1,019	1,021	221	351	399	405	642	1,254	114	510	132	1,589	451
Never Smoked	755	64	177	302	58	59	94	328	427	106	154	138	143	205	463	45	185	56	595	160
	37.0%	38.6%	34.4%	39.7% cf	40.1% f	32.1%	35.3%	33.2%	40.6% H	40.6%	37.6%	35.5%	36.3%	36.2%	35.9%	38.0%	39.7%	41.5%	37.7%	34.7%
Previous Smoker	747	60	189	270	55	71	100	378	368	70	138	128	143	264	448	35	200	51	578	169
	36.6%	36.3%	36.7%	35.5%	38.3%	38.8%	37.4%	38.3%	35.0%	27.0%	33.6%	32.9%	36.4% J	46.7% JKLM	34.8%	29.3%	42.9% OP	37.5%	36.6%	36.7%
Current Smoker	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	26.4%	25.0%	28.9% E	24.9%	21.6%	29.2% e	27.3%	28.5% I	24.3%	32.5% N	28.8% N	31.5% N	27.3% N	17.1%	29.3% QR	32.7% QR	17.5%	21.0%	25.7%	28.6%
CHI-SQUARE		<----------8.929---------->						<----12.416--->		<----------53.059---------->					<----------31.634---------->				<-----1.97---->	
SIGNIFICANCE				46.1%				99.8%				100.0%					100.0%		62.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,040	1,229	811	666	388	350	137	211	791	458	427	125	210	548	1,168	301	321	673	364	671
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,040	1,189	851	677	387	355	130	197	827	446	426	125	187	500	1,198	319	335	707	356	631
Never Smoked	755	466	289	250	130	122	49	94	248	156	177	65	101	208	441	96	112	229	138	272
	37.0%	37.9%	35.6%	37.6%	33.5%	34.9%	35.9%	44.4%	31.3%	34.1%	41.5%	52.2%	48.2%	37.9%	37.8%	31.9%	34.9%	34.0%	37.8%	40.5%
								dEF			IJ	IJK	IJ	p	p					qR
Previous Smoker	747	432	315	223	143	150	51	76	288	177	169	44	59	164	468	109	106	297	105	237
	36.6%	35.1%	38.9%	33.6%	36.7%	42.9%	37.1%	35.8%	36.4%	38.7%	39.6%	34.8%	28.0%	29.8%	40.0%	36.2%	33.0%	44.1%	28.9%	35.3%
			b			De			M	M	M				N	n		QST		S
Current Smoker	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	26.4%	26.9%	25.5%	28.9%	29.7%	22.2%	27.0%	19.8%	32.3%	27.2%	19.0%	13.0%	23.9%	32.3%	22.2%	32.0%	32.1%	21.9%	33.3%	24.3%
				FH	FH				jKLM	KL			L	O		O	RT		RT	
CHI-SQUARE		<----2.984---->		<----------19.305---------->					<----------59.917---------->					<---------31.839--------->			<----------38.641---------->			
SIGNIFICANCE		77.5%		98.7%					100.0%					100.0%			100.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC1&2. SMOKING STATUS
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,040	755	747	1,502	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,040	748	765	1,513	527	119	123	148	98
Never Smoked	755	755	-	755	-	-	-	-	-
	37.0%	100.0% D		50.3%					
Previous Smoker	747	-	747	747	-	-	-	-	-
	36.6%		100.0% D	49.7%					
Current Smoker	538	-	-	-	538	128	125	150	97
	26.4%				100.0%	100.0%	100.0%	100.0%	100.0%
CHI-SQUARE		<----------5312.463---------->				<----------.0---------->			
SIGNIFICANCE		100.0%				.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	49	146	162	45	56	69	283	244	71	100	128	111	110	363	38	87	28	398	129
1	14	-	2	8	-	3	2	11	4	-	5	3	2	5	12	-	2	-	13	1
	2.6%		1.1%	4.3% c		4.9%	2.5%	3.7% i	1.4%		4.1%	2.4%	1.8%	4.7%	3.2%		2.7%		3.3% T	0.7%
2	12	1	5	4	1	1	2	7	5	4	3	1	-	3	8	1	2	-	8	5
	2.3%	1.2%	3.1%	1.9%	2.0%	1.0%	3.3%	2.4%	2.1%	4.3%	2.6%	0.7%		3.4%	2.1%	3.1%	2.0%		1.9%	3.5%
3	8	1	2	3	1	-	1	3	5	-	4	1	1	2	7	-	1	-	7	1
	1.5%	2.7%	1.2%	1.8%	2.3%		1.4%	1.1%	2.0%		3.7%	0.6%	0.7%	2.3%	1.8%		1.3%		1.7%	0.8%
4	4	1	-	1	1	-	1	3	1	-	1	2	1	-	3	-	-	1	4	-
	0.7%	2.1%		0.6%	2.3%		1.2%	1.0%	0.3%		1.0%	1.3%	0.8%		0.7%			3.0%	0.9%	
5	11	1	6	2	-	1	1	7	4	5	3	1	1	1	8	1	3	-	8	3
	2.1%	2.7%	3.9%	1.2%		1.9%	1.3%	2.5%	1.7%	5.7% l	3.0%	0.8%	1.0%	1.0%	2.1%	2.5%	3.2%		1.9%	2.6%
6	4	-	2	2	-	-	-	2	2	3	1	-	-	-	4	-	-	-	2	2
	0.7%		1.6%	0.8%				0.9%	0.6%	3.2%	1.0%				1.0%				0.4%	1.8%
7	461	34	129	159	27	49	63	237	224	70	97	110	96	83	321	35	71	26	344	116
	85.7%	80.4%	86.8%	83.8%	85.7%	92.2% bd	86.5%	84.1%	87.4%	82.9%	81.8%	90.1% k	89.3%	85.8%	85.0%	89.8%	87.4%	90.9%	84.9%	88.0%
Don't Know/No Answer	24	4	3	11	2	-	3	12	12	3	3	5	7	3	15	2	3	2	20	3
	4.4%	10.8% c	2.3%	5.7%	7.7%		3.8%	4.3%	4.6%	3.8%	2.8%	4.2%	6.4%	2.8%	4.1%	4.7%	3.4%	6.1%	5.0%	2.6%
MEAN	6.6	6.7	6.6	6.5	6.7	6.6	6.6	6.5	6.7	6.6	6.4	6.7 kn	6.8 KN	6.4	6.5	6.8	6.6	6.9	6.5	6.7
CHI-SQUARE		<----------20.488---------->						<----5.064---->		<----------38.039---------->					<----------10.119---------->				<----8.418---->	
SIGNIFICANCE		9.7%*						46.4%*		96.6%*					7.2%*				79.1%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	317	210	190	115	78	34	39	258	120	77	17	45	159	262	101	103	150	118	153
1	14	6	8	6	2	3	1	1	4	6	3	-	1	5	4	6	6	3	1	4
	2.6%	1.9%	3.8%	3.2%	1.5%	3.6%	3.0%	1.9%	1.7%	4.6%	3.3%		2.8%	2.7%	1.5%	5.8% o	6.1% S	1.8%	0.7%	2.7%
2	12	9	3	5	1	2	-	1	2	3	2	2	2	5	4	2	4	4	3	1
	2.3%	2.8%	1.4%	2.8%	1.2%	2.0%		2.1%	0.7%	2.3%	2.6%	10.6%	4.9%	3.0%	1.5%	1.8%	3.5% t	2.6%	2.4%	0.3%
3	8	6	2	2	2	1	-	-	3	-	4	1	-	2	3	3	1	1	2	4
	1.5%	1.9%	0.9%	1.2%	1.8%	1.4%			1.0%		5.4%	6.8%		1.3%	1.1%	3.0%	1.0%	0.7%	1.6%	2.5%
4	4	3	1	1	1	1	-	1	1	1	2	-	-	1	2	-	-	-	4	-
	0.7%	0.8%	0.4%	0.5%	0.7%	0.9%		2.9%	0.3%	0.6%	2.6%			0.7%	0.9%				3.0%	
5	11	8	3	3	1	1	-	1	1	2	2	-	6	10	-	1	3	2	3	3
	2.1%	2.4%	1.6%	1.7%	1.0%	1.5%		2.6%	0.4%	1.8%	2.6%		11.9% IJk	5.8% P		1.0%	3.2%	1.4%	2.1%	2.1%
6	4	2	2	1	-	1	-	-	2	1	1	-	-	-	4	-	-	3	1	-
	0.7%	0.7%	0.7%	0.6%		1.6%			0.6%	1.0%	1.5%				1.5%			1.9%	1.0%	
7	461	283	177	167	104	67	35	37	233	108	62	12	39	147	229	81	85	127	102	144
	85.7%	85.7%	85.7%	86.6%	90.4%	86.1%	94.9% d	88.0%	90.9% KM	86.4%	77.1%	76.7%	77.3%	83.1%	88.5%	84.2%	82.6%	86.3%	84.4%	88.5%
Don't Know/No Answer	24	12	11	6	4	2	1	1	11	4	4	1	2	6	13	4	4	8	6	6
	4.4%	3.7%	5.5%	3.4%	3.3%	2.9%	2.0%	2.4%	4.4%	3.3%	5.0%	5.9%	3.0%	3.4%	4.9%	4.2%	3.6%	5.2%	4.9%	3.9%
MEAN	6.6	6.6	6.6	6.5	6.7	6.5	6.8	6.6	6.8 jKLM	6.5	6.3	6.2	6.3	6.5	6.7 nP	6.4	6.3	6.7 q	6.6	6.7 q
CHI-SQUARE		<----4.664---->		<----------11.244---------->					<----------62.063---------->					<---------30.771--------->			<-----------30.54---------->			
SIGNIFICANCE		41.2%*		1.3%*					100.0%*					99.8%*			96.7%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC3. In an average week, from Monday to Sunday on how many days out of seven do you smoke?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	538	-	-	-	538	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	-	-	-	527	119	123	148	98
1	14	-	-	-	14	10	1	-	1
	2.6%				2.6%	7.7% GI	0.8%		1.2%
2	12	-	-	-	12	10	-	-	-
	2.3%				2.3%	7.9%			
3	8	-	-	-	8	6	2	-	-
	1.5%				1.5%	4.5%	1.8%		
4	4	-	-	-	4	2	1	-	-
	0.7%				0.7%	1.9%	1.0%		
5	11	-	-	-	11	9	1	1	-
	2.1%				2.1%	7.1% GH	1.0%	0.6%	
6	4	-	-	-	4	4	-	-	-
	0.7%				0.7%	3.1%			
7	461	-	-	-	461	87	119	149	96
	85.7%				85.7%	67.8%	95.5% F	99.4% F	98.8% F
Don't Know/No Answer	24	-	-	-	24	-	-	-	-
	4.4%				4.4%				
MEAN	6.6	-	-	-	6.6	5.7	6.8 F	7.0 FG	6.9 F
CHI-SQUARE	<----------.0---------->					<----------103.958---------->			
SIGNIFICANCE	.0%*					100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	514	37	145	179	29	54	70	270	244	81	115	117	101	94	362	37	79	27	385	129
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	43	142	153	42	56	66	269	233	68	97	122	104	106	347	36	84	26	377	125
<10 per day	128	10	36	43	6	13	20	60	68	31	44	21	16	14	99	2	16	5	98	30
	24.9%	27.7%	24.9%	23.9%	21.6%	23.4%	28.6%	22.3%	27.8%	38.3% LMN	38.3% LMN	17.5%	15.4%	15.3%	27.4% P	5.4%	20.6% P	20.6% p	25.6%	23.0%
10-14 per day	125	10	34	43	10	13	15	55	71	19	31	32	20	21	93	6	19	6	95	30
	24.4%	25.8%	23.7%	24.0%	34.8%	23.8%	22.0%	20.2%	28.9% H	22.8%	27.1%	27.2%	20.0%	22.6%	25.6%	17.4%	23.8%	23.3%	24.7%	23.3%
15-24 per day	150	15	35	50	7	17	26	81	69	24	27	38	33	27	103	13	24	9	114	35
	29.1%	39.2% c	24.3%	28.1%	22.9%	32.4%	36.5% c	29.9%	28.3%	30.0%	23.6%	32.4%	32.5%	29.1%	28.4%	35.8%	30.0%	33.2%	29.7%	27.5%
25 +	97	3	35	39	6	9	5	64	33	6	11	23	30	25	60	14	15	6	67	30
	18.9%	7.4%	24.2% BG	22.1% BG	20.7% bg	17.0% g	6.9%	23.8% I	13.6%	7.9%	10.0%	19.6% JK	30.3% JKl	26.6% JK	16.5%	38.2% OQ	19.4%	22.9%	17.4%	23.6%
Don't know/No answer	14	-	4	3	-	2	4	10	3	1	1	4	2	6	8	1	5	-	10	3
	2.7%		2.8%	1.9%		3.4%	6.0%	3.9% i	1.3%	1.0%	1.0%	3.3%	1.8%	6.4% JKm	2.1%	3.2%	6.2%		2.7%	2.6%
MEAN	15.0	13.9	15.5 g	15.3 g	15.3	15.1	13.1	16.2 I	13.6	12.2	12.1	15.9 JK	17.0 JK	17.9 JK	14.1	20.7 OqR	16.5 O	15.2	14.7	15.6
CHI-SQUARE		<----------17.89---------->						<----12.497--->		<----------47.021---------->					<----------17.708---------->				<----2.409---->	
SIGNIFICANCE				40.5%*				98.6%*				100.0%*					87.5%*			33.9%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	514	318	195	186	112	75	36	41	244	120	77	15	49	171	246	92	99	140	115	157
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	305	197	182	111	75	33	38	245	116	73	16	44	153	248	97	99	142	111	147
<10 per day	128	83	45	38	25	25	8	8	52	21	28	3	21	49	63	14	20	26	32	47
	24.9%	26.2%	22.9%	20.5%	22.0%	33.6% Deh	20.7%	18.8%	21.1%	17.2%	36.9% IJl	17.0%	43.4% IJL	28.8% P	25.4% P	15.1%	20.0%	18.8%	27.9%	29.9% qR
10-14 per day	125	82	43	47	24	17	10	10	48	39	19	7	11	41	59	24	20	35	27	44
	24.4%	25.9%	21.9%	25.4%	21.2%	22.5%	27.2%	23.8%	19.5%	32.3% I	24.6%	43.7% i	23.2%	24.1%	23.9%	26.2%	20.2%	24.9%	23.2%	27.8%
15-24 per day	150	87	63	51	42	20	14	10	78	36	22	2	11	50	75	25	29	44	35	42
	29.1%	27.4%	32.0%	27.5%	38.0% d	27.1%	38.9%	25.2%	32.0% l	29.6%	28.5%	15.6%	23.6%	28.9%	30.6%	27.0%	28.9%	31.4%	30.7%	26.7%
25 +	97	56	41	44	19	10	5	11	61	20	7	2	5	29	42	25	28	30	18	22
	18.9%	17.6%	21.2%	23.8% F	16.9%	13.3%	13.2%	28.1% f	25.1% jKM	16.3%	8.8%	13.6%	9.8%	17.0%	17.0%	27.4% nO	27.7% ST	21.4%	15.8%	13.9%
Don't know/No answer	14	10	4	5	2	3	-	2	6	5	1	2	-	2	8	4	3	5	3	3
	2.7%	3.0%	2.1%	2.7%	2.0%	3.5%		4.1%	2.4%	4.5%	1.1%	10.1%		1.2%	3.1%	4.3%	3.1%	3.5%	2.5%	1.8%
MEAN	15.0	14.3	16.1 B	16.6 eF	14.6	12.8	14.3	17.7 eF	16.7 jKM	14.8 kM	12.4	12.5	11.4	14.5	14.6	17.1 NO	17.1 ST	15.9 T	14.2	13.6
CHI-SQUARE		<----3.057---->		<----------15.152---------->					<----------37.667---------->					<----------9.541--------->			<----------14.393---------->			
SIGNIFICANCE		45.2%*		48.6%*					99.8%*					70.1%*			72.4%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC4. On the days that you smoke, about how many cigarettes do you smoke per day, on average?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	514	-	-	-	514	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	502	-	-	-	502	119	123	148	98
<10 per day	128	-	-	-	128	128	-	-	-
	24.9%				24.9%	100.0%			
10-14 per day	125	-	-	-	125	-	125	-	-
	24.4%				24.4%		100.0%		
15-24 per day	150	-	-	-	150	-	-	150	-
	29.1%				29.1%			100.0%	
25 +	97	-	-	-	97	-	-	-	97
	18.9%				18.9%				100.0%
Don't know/No answer	14	-	-	-	14	-	-	-	-
	2.7%				2.7%				
MEAN	15.0	-	-	-	15.0	4.9	10.9	17.9	28.8
							F	FG	FGH
CHI-SQUARE		<----------.0---------->				<----------1500.668---------->			
SIGNIFICANCE		.0%*				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	504	40	145	195	33	37	54	235	269	99	91	106	102	103	341	37	85	34	368	136
	24.7%	24.2%	28.1%	25.5%	22.7%	20.1%	20.2%	23.8%	25.5%	38.0%	22.2%	27.4%	25.7%	18.2%	26.4%	31.4%	18.1%	25.5%	23.2%	29.6%
			FG	g						KLMN		N	N		Q	Q		q		S
No	1,532	126	369	565	112	148	212	752	780	162	318	281	291	462	946	80	382	99	1,208	324
	75.0%	75.8%	71.7%	73.9%	77.3%	79.9%	79.1%	76.0%	74.0%	62.0%	77.3%	72.4%	73.5%	81.6%	73.3%	67.5%	81.9%	73.6%	76.4%	70.2%
						Cd	Cd				J	J	J	JLM			OPr		T	
Don' t know/No answer	7	-	1	4	-	-	2	2	5	-	2	1	3	1	4	1	-	1	6	1
	0.4%		0.2%	0.6%			0.7%	0.2%	0.5%		0.5%	0.2%	0.8%	0.2%	0.3%	1.0%		0.8%	0.4%	0.2%
CHI-SQUARE		<----------8.918---------->						<------.897---->		<----------40.114---------->					<----------16.235---------->				<----7.609---->	
SIGNIFICANCE		88.8%						65.7%		100.0%					99.9%				99.4%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	504	283	221	162	109	85	37	45	232	114	69	17	64	146	292	61	25	164	118	196
	24.7%	22.9%	27.3%	24.2%	28.0%	24.4%	27.0%	21.2%	29.2%	25.0%	16.2%	13.9%	30.3%	26.7%	24.9%	20.1%	7.8%	24.3%	32.4%	29.2%
			B		h				KL	KL			KL	P	p			Q	QR	Qr
No	1,532	943	589	505	277	264	99	166	557	344	359	106	145	399	877	238	293	510	245	475
	75.0%	76.5%	72.6%	75.6%	71.5%	75.6%	72.3%	78.8%	70.2%	75.0%	83.8%	84.6%	69.1%	72.8%	74.9%	79.2%	91.3%	75.6%	67.1%	70.7%
		c						e		i	IJM	IJM				N	RST	ST		
Don' t know/No answer	7	6	1	1	2	-	1	-	4	-	-	2	1	3	2	2	3	1	2	1
	0.4%	0.5%	0.1%	0.2%	0.5%		0.7%		0.5%			1.5%	0.5%	0.6%	0.2%	0.7%	0.9%	0.2%	0.6%	0.2%
		c																		
CHI-SQUARE		<----4.708---->		<----------4.304---------->					<----------37.131---------->					<----------4.507---------->			<----------67.637---------->		
SIGNIFICANCE		97.0%				63.4%					100.0%				89.5%				100.0%	

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC5. Does anyone else in your immediate household currently smoke cigarettes or other tobacco products?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Yes	504	137	135	271	233	45	56	65	55
	24.7%	18.1%	18.0%	18.0%	43.3%	35.0%	44.9%	43.2%	56.6%
					BCD				FH
No	1,532	615	614	1,229	303	83	69	84	42
	75.0%	81.4%	81.9%	81.6%	56.3%	65.0%	55.1%	56.1%	43.4%
		E	E	E		I			
Don' t know/No answer	7	4	1	5	2	-	-	1	-
	0.4%	0.6%	0.1%	0.4%	0.4%			0.7%	
CHI-SQUARE		<----------171.318---------->				<----------10.424---------->			
SIGNIFICANCE		100.0%				98.5%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very much	728	51	171	290	55	53	108	300	428	68	144	132	151	221	442	40	177	57	577	151
	35.6%	30.8%	33.3%	37.9% bF	37.9% F	28.5%	40.3% BcF	30.3%	40.6% H	26.0%	35.0% J	34.0% J	38.3% J	39.0% J	34.3%	33.9%	38.0%	42.2% o	36.5%	32.7%
Somewhat	519	50	124	194	34	50	67	265	253	76	120	106	102	111	346	24	107	36	411	108
	25.4%	30.1%	24.0%	25.4%	23.5%	27.0%	25.0%	26.8%	24.0%	29.0% N	29.1% N	27.4% N	25.7% N	19.6%	26.8% q	20.2%	22.9%	26.4%	26.0%	23.3%
Not very much	266	23	89	78	17	33	26	133	132	51	54	55	46	59	181	17	45	19	179	86
	13.0%	13.7%	17.3% DEG	10.2%	11.6%	17.8% DeG	9.6%	13.5%	12.5%	19.6% KMN	13.1%	14.2% n	11.6%	10.4%	14.0% Q	14.0%	9.7%	14.1%	11.3%	18.7% S
Not at all	481	39	125	178	35	42	62	267	214	59	83	84	87	164	291	34	126	21	369	112
	23.6%	23.5%	24.3%	23.3%	24.1%	22.6%	23.2%	27.0% I	20.3%	22.4%	20.2%	21.7%	22.1%	28.9% jKLM	22.6% R	28.8% R	27.0% oR	15.5%	23.3%	24.3%
Depends (e.g. on circumstances)	43	3	5	20	4	7	4	21	22	6	9	10	8	9	30	2	9	2	39	4
	2.1%	1.9%	1.0%	2.6% C	2.8%	3.9% c	1.5%	2.1%	2.1%	2.4%	2.3%	2.7%	2.1%	1.5%	2.3%	2.1%	1.9%	1.8%	2.5% T	0.9%
Don't know/No answer	6	-	-	5	-	1	1	2	4	1	1	-	1	3	1	1	3	-	6	-
	0.3%			0.6%		0.3%	0.4%	0.2%	0.4%	0.5%	0.3%		0.3%	0.5%	0.1%	0.9%	0.6%		0.4%	
TOP 2 BOX	1,246	101	295	483	89	103	175	565	681	143	264	238	253	332	788	64	284	93	988	259
	61.0%	61.0%	57.3%	63.3% Cf	61.5%	55.5%	65.3% CF	57.1%	64.6% H	55.0%	64.1% Jn	61.4%	63.9% Jn	58.6%	61.1%	54.1%	60.9%	68.6% oP	62.4% T	56.1%
BOTTOM 2 BOX	747	62	215	256	52	75	88	400	346	110	137	139	133	223	472	51	171	40	548	198
	36.6%	37.2%	41.7% DG	33.5%	35.7%	40.4% d	32.8%	40.5% I	32.9%	42.0% KM	33.3%	36.0%	33.6%	39.4% km	36.6%	42.8% R	36.6%	29.6%	34.7%	43.0% S
CHI-SQUARE		<----------35.201---------->						<----26.48---->		<----------45.502---------->					<----------20.126---------->				<----21.577---->	
SIGNIFICANCE		98.1%*						100.0%*		100.0%*					93.5%*				100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very much	728	455	273	233	125	138	39	80	236	162	187	65	71	173	449	93	118	254	113	239
	35.6%	36.9%	33.7%	34.9%	32.2%	39.6% EG	28.2%	37.9% g	29.7%	35.4% I	43.7% IJM	52.1% IJM	33.9%	31.6%	38.4% NP	30.8%	36.8%	37.7% S	30.8%	35.6%
Somewhat	519	318	201	142	109	93	49	64	180	118	121	32	64	146	304	65	57	172	89	198
	25.4%	25.8%	24.8%	21.3%	28.1% D	26.6% d	35.8% Df	30.4% D	22.7%	25.8%	28.2% I	25.2%	30.3% I	26.6%	26.0%	21.6%	17.7%	25.5% Q	24.5% Q	29.5% Qs
Not very much	266	140	125	90	51	45	13	24	117	59	39	14	31	79	157	28	33	90	50	90
	13.0%	11.4%	15.5% B	13.4%	13.2%	12.9%	9.6%	11.3%	14.8% K	12.9% k	9.0%	11.4%	14.9% k	14.4% P	13.4% P	9.3%	10.4%	13.3%	13.8%	13.5%
Not at all	481	287	195	184	93	69	29	39	240	109	70	14	37	137	231	108	104	142	104	128
	23.6%	23.3%	24.0%	27.6% FH	24.1%	19.9%	21.5%	18.5%	30.2% JKLM	23.8% KLm	16.3%	11.3%	17.6%	24.9% O	19.7%	36.0% NO	32.6% RT	21.1%	28.4% RT	19.1%
Depends (e.g. on circumstances)	43	26	17	14	8	4	6	4	15	8	12	-	7	14	26	4	7	13	8	15
	2.1%	2.1%	2.1%	2.1%	2.1%	1.0%	4.2% f	2.0%	1.9%	1.8%	2.8%		3.4%	2.5%	2.2%	1.2%	2.2%	1.9%	2.2%	2.3%
Don't know/No answer	6	6	-	4	1	-	1	-	5	1	-	-	-	-	3	3	1	3	1	1
	0.3%	0.5%		0.6%	0.3%		0.8%		0.7%	0.2%					0.3%	1.1%	0.3%	0.5%	0.3%	0.2%
TOP 2 BOX	1,246	772	474	375	234	231	88	144	417	280	308	97	135	319	754	158	175	426	202	437
	61.0%	62.7% c	58.4%	56.2%	60.3%	66.2% D	64.0%	68.3% De	52.5%	61.2% I	71.9% IJm	77.4% IJM	64.2% I	58.1%	64.3% NP	52.4%	54.5%	63.2% QS	55.3%	65.0% QS
BOTTOM 2 BOX	747	427	320	274	145	115	43	63	357	168	108	28	68	216	389	136	138	232	154	219
	36.6%	34.6%	39.5% B	41.1% FGH	37.3% h	32.8%	31.1%	29.8%	45.0% JKLM	36.7% KL	25.3%	22.6%	32.4% kl	39.3% O	33.2%	45.3% O	42.9% RT	34.4%	42.2% RT	32.5%
CHI-SQUARE SIGNIFICANCE		<----8.066----> 91.1%*		<----------34.2----------> 99.5%*					<----------80.151----------> 100.0%*					<---------42.389---------> 100.0%*			<----------39.863----------> 100.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC6. To what extent, if at all, are you personally bothered by other people's smoking, or second hand smoke? Does being exposed to second-hand smoke bother you:
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Very much	728	398	288	685	42	14	10	8	3
	35.6%	52.6% CDE	38.4% E	45.5% CE	7.9%	11.3% I	8.1%	5.1%	3.2%
Somewhat	519	202	210	412	107	31	25	29	11
	25.4%	26.7% E	28.0% E	27.3% E	19.9%	24.3% I	19.8%	19.6%	11.0%
Not very much	266	76	109	185	81	22	23	21	11
	13.0%	10.0%	14.5% B	12.3%	15.1% B	17.1%	18.3%	14.2%	11.5%
Not at all	481	61	129	190	291	58	57	90	71
	23.6%	8.1%	17.2% BD	12.6% B	54.2% BCD	45.6%	45.8%	59.8% FG	73.1% FGH
Depends (e.g. on circumstances)	43	15	12	27	16	2	10	2	1
	2.1%	2.0%	1.7%	1.8%	3.0%	1.7%	8.1% FHI	1.3%	1.1%
Don't know/No answer	6	5	2	6	-	-	-	-	-
	0.3%	0.6%	0.2%	0.4%					
TOP 2 BOX	1,246	599	498	1,097	149	46	35	37	14
	61.0%	79.2% CDE	66.4% E	72.9% CE	27.8%	35.6% I	27.9% I	24.7% I	14.2%
BOTTOM 2 BOX	747	137	237	374	372	80	80	111	82
	36.6%	18.1%	31.7% BD	24.9% B	69.3% BCD	62.7%	64.0%	74.0%	84.7% FGH
CHI-SQUARE		<----------635.063---------->				<----------37.472---------->			
SIGNIFICANCE		100.0%*				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	737	59	177	279	53	58	112	318	420	79	163	128	159	199	461	38	170	50	580	157
	36.1%	35.3%	34.3%	36.4%	36.9%	31.4%	41.7% cF	32.1%	39.8% H	30.4%	39.5% J1	32.9%	40.2% JL	35.1%	35.7%	32.3%	36.4%	37.4%	36.7%	34.1%
No	1,227	103	329	450	87	118	140	632	596	177	242	241	220	337	784	77	275	77	928	299
	60.1%	62.1% G	63.9% dG	58.8% g	59.8%	63.8% G	52.4%	63.9% I	56.5%	68.1% KMN	58.8%	62.0% m	55.5%	59.6%	60.7%	64.8%	58.9%	56.9%	58.7%	64.8% S
Possibly/not certain	54	4	7	23	4	7	10	28	27	3	5	17	9	20	31	2	15	7	51	4
	2.7%	2.6%	1.3%	3.0% C	2.9%	3.6%	3.7% c	2.8%	2.5%	1.1%	1.2%	4.3% JK	2.4%	3.5% JK	2.4%	1.9%	3.2%	4.9%	3.2% T	0.8%
Don' t know/No answer	24	-	2	13	1	2	6	12	12	1	2	3	8	10	15	1	7	1	23	1
	1.2%		0.4%	1.7% Ce	0.4%	1.1%	2.2% ce	1.2%	1.1%	0.4%	0.5%	0.8%	1.9% jk	1.8% jk	1.1%	1.0%	1.5%	0.8%	1.4% T	0.3%
CHI-SQUARE		<----------14.407---------->						<----13.066--->		<----------22.452---------->					<----------4.871---------->				<----10.177--->	
SIGNIFICANCE		84.5%						99.9%		99.6%					43.9%				99.4%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	737	451	286	250	120	132	52	77	250	157	184	51	85	201	429	96	117	263	124	231
	36.1%	36.6%	35.3%	37.5%	30.9%	37.7%	38.0%	36.7%	31.5%	34.2%	43.1%	41.2%	40.6%	36.7%	36.6%	32.1%	36.5%	38.9%	33.9%	34.3%
				E		e					IJ	I	I					t		
No	1,227	730	497	401	247	202	83	124	508	288	223	69	122	335	697	183	184	390	231	414
	60.1%	59.2%	61.3%	60.0%	63.6%	57.9%	60.6%	58.9%	64.0%	62.8%	52.0%	55.4%	58.0%	61.1%	59.5%	60.9%	57.5%	57.9%	63.2%	61.5%
									Kl	K										
Possibly/not certain	54	34	21	10	15	11	1	8	23	9	17	3	2	10	31	14	14	17	6	18
	2.7%	2.7%	2.5%	1.5%	3.9%	3.0%	0.8%	3.9%	2.8%	2.0%	3.9%	2.5%	0.9%	1.8%	2.6%	4.6%	4.3%	2.4%	1.7%	2.7%
					DG	g		g	M		M					N	S			
Don' t know/No answer	24	17	7	7	6	5	1	1	13	4	4	1	1	2	14	7	5	5	4	10
	1.2%	1.4%	0.9%	1.0%	1.6%	1.4%	0.7%	0.5%	1.7%	0.9%	1.0%	0.9%	0.5%	0.4%	1.2%	2.4%	1.6%	0.7%	1.2%	1.5%
															n	N				
CHI-SQUARE		<-----.655---->		<----------14.025---------->					<----------26.657---------->					<----------7.368---------->			<----------9.048---------->		
SIGNIFICANCE		27.9%				91.9%					99.9%				88.2%				82.9%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC7. Does second-hand smoke cause you any physical irritation or affect your health in a noticeable way?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	737	367	299	666	71	21	14	18	6
	36.1%	48.6% CE	39.9% E	44.3% E	13.2%	16.2% I	11.0%	12.2%	6.0%
No	1,227	362	421	782	445	101	110	127	86
	60.1%	47.8%	56.1% B	52.0%	82.7% BCD	78.6%	88.1%	85.0%	88.1%
Possibly/not certain	54	17	23	40	15	3	1	4	2
	2.7%	2.2%	3.0%	2.6%	2.8%	2.5%	1.0%	2.8%	2.4%
Don' t know/No answer	24	10	7	17	7	3	-	-	3
	1.2%	1.4%	0.9%	1.1%	1.3%	2.7%			3.6%
CHI-SQUARE		<----------200.335---------->				<----------7.073---------->			
SIGNIFICANCE		100.0%				68.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very much	729	75	165	276	54	55	104	317	411	79	141	140	145	213	447	45	172	56	591	137
	35.7%	45.3% CDF	32.1%	36.1% f	37.3%	29.6%	38.7% cF	32.1%	39.0% H	30.4%	34.3%	36.1%	36.6%	37.6% j	34.6%	37.6%	36.8%	41.7%	37.4% T	29.8%
Somewhat	966	69	236	366	68	102	125	480	485	141	222	191	190	219	643	54	189	62	748	218
	47.3%	41.3%	45.8%	47.9%	47.3%	55.0% BCdg	46.6%	48.6%	46.0%	54.3% N	54.0% N	49.1% N	47.9% N	38.6%	49.8% Q	45.5%	40.6%	45.9%	47.3%	47.2%
Not very much	126	8	57	38	8	7	9	77	49	27	20	23	28	27	83	10	29	3	73	52
	6.2%	4.6%	11.0% BDEFG	4.9%	5.5%	3.8%	3.4%	7.8% I	4.6%	10.2% KlN	4.9%	5.8%	7.1%	4.9%	6.4% R	8.2% R	6.3% R	2.2%	4.6%	11.4% S
Not at all	45	6	14	16	2	3	3	23	22	3	9	4	7	21	24	-	14	5	31	14
	2.2%	3.5%	2.7%	2.2%	1.7%	1.7%	1.2%	2.3%	2.1%	1.1%	2.1%	1.1%	1.8%	3.7% JLm	1.9%		2.9%	4.0%	2.0%	3.0%
Depends (e.g. on circumstances)	91	3	22	30	6	10	20	54	37	8	10	16	22	35	51	9	28	3	73	18
	4.4%	1.9%	4.2% b	3.9%	3.9%	5.6% b	7.6% BcDe	5.4% I	3.5%	2.9%	2.4%	4.0%	5.4% K	6.1% JK	3.9%	7.9% R	6.0% oR	2.0%	4.6%	3.9%
Don't know/No answer	87	6	22	39	6	8	7	38	49	3	9	15	5	51	44	1	35	6	65	22
	4.3%	3.4%	4.3%	5.1% G	4.2%	4.3%	2.5%	3.8%	4.7%	1.1%	2.3%	3.8% JM	1.2%	9.1% JKLM	3.4% P	0.9%	7.5% OP	4.3% p	4.1%	4.8%
TOP 2 BOX	1,694	144	401	642	123	157	228	798	896	221	364	331	335	432	1,089	99	361	118	1,339	355
	82.9%	86.6% C	77.9%	83.9% C	84.7% C	84.6% C	85.3% C	80.7%	85.0% H	84.6% N	88.3% N	85.2% N	84.5% N	76.3%	84.4% Q	83.1%	77.4%	87.5% Q	84.6% T	77.0%
BOTTOM 2 BOX	171	13	70	54	10	10	12	100	71	29	29	27	35	48	107	10	43	8	105	66
	8.4%	8.1%	13.7% BDEFG	7.1%	7.2%	5.5%	4.6%	10.1% I	6.7%	11.3% kl	7.0%	6.9%	8.9%	8.5%	8.3%	8.2%	9.2%	6.2%	6.6%	14.4% S
CHI-SQUARE		<----------52.636---------->						<----19.865--->		<----------46.7---------->					<----------26.479---------->				<----34.251--->	
SIGNIFICANCE		100.0%*						99.9%*		100.0%*					99.1%*				100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very much	729	450	278	231	150	127	48	62	292	160	162	43	65	177	436	107	109	252	139	225
	35.7%	36.6%	34.3%	34.6%	38.6% H	36.4% h	35.2%	29.2%	36.8%	35.0%	37.9% m	34.7%	30.7%	32.2%	37.3% n	35.6%	34.0%	37.4%	38.1%	33.5%
Somewhat	966	573	392	290	193	169	74	122	324	228	223	67	115	276	557	122	142	304	174	342
	47.3%	46.5%	48.4%	43.5%	49.8% d	48.4%	53.8% D	58.1% DeF	40.8%	49.9% I	52.2% I	53.7% I	54.6% I	50.3% P	47.6% P	40.6%	44.3%	45.0%	47.7%	50.9% qR
Not very much	126	68	58	49	22	20	7	12	60	23	16	5	18	50	60	15	15	42	23	43
	6.2%	5.5%	7.1%	7.4%	5.6%	5.8%	4.8%	5.9%	7.5% jK	4.9%	3.8%	4.4%	8.5% K	9.1% OP	5.1%	5.0%	4.8%	6.3%	6.3%	6.4%
Not at all	45	30	15	25	8	2	1	-	28	7	6	1	2	7	26	11	14	13	6	11
	2.2%	2.4%	1.9%	3.8% eFG	2.0% f	0.5%	0.8%		3.5% JKLM	1.5%	1.3%	0.5%	0.8%	1.3%	2.2%	3.5% n	4.4% rST	2.0%	1.7%	1.6%
Depends (e.g. on circumstances)	91	62	29	41	7	12	5	8	39	22	11	3	10	27	44	20	21	32	10	27
	4.4%	5.1% c	3.5%	6.1% EF	1.7%	3.4%	3.6%	3.8%	4.9% Kl	4.8% k	2.5%	2.1%	4.6%	4.8%	3.7%	6.6% o	6.5% S	4.8% s	2.6%	4.1%
Don't know/No answer	87	48	39	31	9	19	2	6	51	18	10	6	2	12	48	26	19	31	13	23
	4.3%	3.9%	4.9%	4.7% EG	2.3%	5.5% EG	1.8%	3.0%	6.4% JKM	3.8% M	2.3%	4.5% m	0.8%	2.2%	4.1% N	8.8% NO	6.0%	4.6%	3.5%	3.5%
TOP 2 BOX	1,694	1,024	670	521	343	296	122	184	616	389	386	111	179	452	994	229	251	555	314	568
	82.9%	83.1%	82.6%	78.1%	88.4% D	84.8% D	89.0% D	87.3% D	77.6%	84.9% I	90.1% IJ	88.4% I	85.3% I	82.5% P	84.8% P	76.2%	78.3%	82.4%	85.8% Q	84.4% Q
BOTTOM 2 BOX	171	98	73	74	29	22	8	12	88	30	22	6	20	57	86	26	30	56	29	54
	8.4%	7.9%	9.0%	11.2% eFGH	7.6%	6.3%	5.7%	5.9%	11.0% JKL	6.4%	5.1%	4.9%	9.3% k	10.4% o	7.3%	8.5%	9.2%	8.3%	8.0%	8.1%
CHI-SQUARE SIGNIFICANCE		<----6.357----> 82.6%*		<----45.241----> 100.0%*					<----43.115----> 100.0%*					<---25.079---> 99.8%*			<----21.315----> 95.4%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC8. To what extent, if at all, do you think that other people in general are bothered by second-hand smoke? Would you say they are bothered:
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Very much	729	284	246	530	199	57	46	56	28
	35.7%	37.6%	32.8%	35.2%	37.0%	44.2% I	36.7%	37.1%	29.1%
Somewhat	966	357	388	745	220	51	54	60	42
	47.3%	47.3% E	51.8% E	49.5% E	40.9%	39.8%	43.0%	40.3%	42.7%
Not very much	126	40	40	80	46	11	10	14	11
	6.2%	5.2%	5.3%	5.3%	8.6% BCD	8.4%	7.8%	9.2%	11.5%
Not at all	45	12	15	27	18	2	1	6	5
	2.2%	1.5%	2.1%	1.8%	3.3%	1.9%	1.2%	3.9%	5.3%
Depends (e.g. on circumstances)	91	28	28	56	35	4	10	8	6
	4.4%	3.7%	3.8%	3.7%	6.5% BCD	3.1%	8.3%	5.4%	5.9%
Don't know/No answer	87	36	32	68	20	3	4	6	5
	4.3%	4.7%	4.3%	4.5%	3.6%	2.6%	3.1%	4.1%	5.4%
TOP 2 BOX	1,694	641	634	1,275	419	108	100	116	70
	82.9%	84.8% E	84.6% E	84.7% E	78.0%	84.0% I	79.7%	77.5%	71.8%
BOTTOM 2 BOX	171	51	55	107	64	13	11	20	16
	8.4%	6.8%	7.4%	7.1%	11.9% BCD	10.3%	8.9%	13.0%	16.8%
CHI-SQUARE		<----------33.917---------->				<----------11.692---------->			
SIGNIFICANCE		99.9%*				52.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Significant hazard	1,224	109	335	460	74	86	161	551	673	167	257	225	230	330	773	73	277	85	922	302
	59.9%	65.2% EF	65.1% dEF	60.1% EF	51.0%	46.4%	60.1% eF	55.7%	63.8% H	64.0%	62.4%	58.1%	58.0%	58.3%	59.9%	61.2%	59.4%	63.3%	58.3%	65.6% S
Moderate hazard	529	40	125	182	49	67	65	270	259	71	113	118	103	121	357	24	107	33	418	112
	25.9%	24.2%	24.3%	23.8%	34.2% BCDG	36.2% BCDG	24.4%	27.3%	24.6%	27.1%	27.4% N	30.4% N	25.9%	21.4%	27.6% pQ	20.2%	23.0%	24.4%	26.4%	24.2%
Minor hazard, or	189	14	35	75	15	23	27	116	72	19	33	34	40	61	126	10	42	8	159	30
	9.2%	8.2%	6.8%	9.8% c	10.1%	12.6% C	10.2%	11.7% I	6.9%	7.4%	8.0%	8.7%	10.2%	10.8%	9.7% r	8.0%	9.0%	5.9%	10.0% T	6.5%
No hazard at all	44	2	12	14	5	3	7	26	18	1	3	3	15	20	18	9	13	3	32	11
	2.1%	1.4%	2.4%	1.8%	3.3%	1.6%	2.8%	2.6%	1.7%	0.4%	0.8%	0.8%	3.8% JKL	3.6% JKL	1.4%	7.6% Oqr	2.9% o	2.3%	2.0%	2.5%
Don't know/No answer	58	2	7	34	2	6	7	26	32	3	6	7	8	33	18	3	27	5	52	6
	2.8%	1.1%	1.4%	4.5% BCE	1.4%	3.3%	2.5%	2.6%	3.0%	1.1%	1.4%	1.9%	2.1%	5.9% JKLM	1.4%	2.9%	5.7% O	4.1%	3.3% T	1.3%
CHI-SQUARE		<----------32.615---------->						<----22.228--->		<----------34.11---------->					<----------27.134---------->				<----8.859---->	
SIGNIFICANCE		99.5%						100.0%		99.9%					99.9%				96.9%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Significant hazard	1,224	743	481	391	232	219	88	127	424	275	286	84	142	329	719	160	177	411	206	425
	59.9%	60.3%	59.3%	58.6%	59.7%	62.6%	63.9%	60.4%	53.4%	60.0%	66.8%	67.0%	67.5%	60.1%	61.4%	53.2%	55.1%	61.0%	56.3%	63.3%
										I	IJ	I	Ij	p	p			q		QS
Moderate hazard	529	322	207	163	101	97	40	59	217	125	103	26	52	143	307	75	74	170	105	177
	25.9%	26.1%	25.6%	24.4%	26.0%	27.8%	29.2%	28.2%	27.4%	27.4%	24.1%	21.2%	24.8%	26.1%	26.2%	24.9%	23.1%	25.2%	28.8%	26.3%
																			q	
Minor hazard, or	189	108	81	63	47	21	7	21	97	41	25	9	12	53	105	30	36	59	36	55
	9.2%	8.8%	10.0%	9.4%	12.1%	6.1%	5.2%	10.1%	12.2%	9.0%	5.8%	7.0%	5.9%	9.7%	8.9%	9.9%	11.3%	8.7%	9.7%	8.2%
				fg	FG				jKLM	k										
No hazard at all	44	28	16	25	5	4	2	1	25	6	6	3	1	9	16	19	19	14	5	6
	2.1%	2.3%	1.9%	3.7%	1.3%	1.1%	1.6%	0.3%	3.2%	1.4%	1.5%	2.5%	0.3%	1.6%	1.4%	6.2%	5.9%	2.0%	1.5%	0.8%
				EFH					JKM							NO	RST	t		
Don't know/No answer	58	31	27	27	4	8	-	2	30	10	8	3	3	14	24	17	15	21	13	9
	2.8%	2.5%	3.3%	4.0%	1.0%	2.4%		1.0%	3.8%	2.2%	1.9%	2.4%	1.4%	2.5%	2.0%	5.8%	4.6%	3.1%	3.7%	1.3%
				EH					kM							NO	T	T	T	
CHI-SQUARE		<----1.172---->		<----------26.896---------->					<----------41.067---------->					<---------31.185--------->			<-----------35.514---------->		
SIGNIFICANCE		24.0%		99.2%					100.0%					100.0%			100.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC9. To what extent, if at all, do you think being exposed to second-hand smoke is a hazard to people's health?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Significant hazard	1,224	521	483	1,004	220	60	51	61	27
	59.9%	68.9% E	64.5% E	66.7% E	40.8%	46.6% I	41.0% I	40.8% I	27.5%
Moderate hazard	529	176	174	350	179	42	44	51	35
	25.9%	23.3%	23.2%	23.3%	33.3% BCD	32.7%	35.0%	33.8%	36.4%
Minor hazard, or	189	31	58	88	100	25	18	30	22
	9.2%	4.0%	7.7% B	5.9%	18.7% BCD	19.4%	14.6%	20.0%	22.7%
No hazard at all	44	7	14	21	23	-	5	5	11
	2.1%	0.9%	1.9%	1.4%	4.2% BCD		4.4%	3.7%	11.2% H
Don't know/No answer	58	22	20	42	16	2	6	3	2
	2.8%	2.8%	2.7%	2.8%	3.0%	1.3%	5.1%	1.8%	2.2%
CHI-SQUARE		<----------193.404---------->				<----------23.502---------->			
SIGNIFICANCE		100.0%				99.5%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Critically important	904	73	261	334	54	69	114	385	519	92	183	176	190	252	578	45	202	67	669	236
	44.3%	43.6%	50.7% bDEFG	43.6%	37.2%	37.4%	42.7%	38.9%	49.3% H	35.2%	44.6% J	45.4% J	47.9% J	44.5% J	44.8%	37.7%	43.2%	49.9% p	42.3%	51.1% S
Definitely important	562	48	122	214	41	56	80	272	290	96	114	106	102	142	353	37	129	36	460	102
	27.5%	28.9%	23.7%	28.0%	28.5%	30.4% c	30.1% c	27.5%	27.5%	36.7% KLMN	27.6%	27.4%	25.9%	25.1%	27.3%	30.9%	27.6%	26.6%	29.1% T	22.2%
Somewhat important	323	28	81	119	27	34	34	185	138	46	62	74	57	80	212	22	66	15	246	77
	15.8%	16.8%	15.7%	15.6%	18.4% g	18.2%	12.7%	18.7% I	13.1%	17.7%	15.0%	19.0% mn	14.5%	14.2%	16.4% r	18.4%	14.1%	11.1%	15.6%	16.6%
Not very important, or	100	4	26	38	7	10	15	52	48	15	29	9	19	27	61	10	20	8	75	25
	4.9%	2.4%	5.0% b	4.9% b	5.1%	5.6%	5.5% b	5.2%	4.6%	5.6% l	7.0% L	2.3%	4.9% L	4.8% L	4.7%	8.6%	4.2%	5.7%	4.7%	5.4%
Not at all important	87	10	17	29	9	9	13	58	29	6	17	13	21	30	59	4	19	4	71	16
	4.3%	5.8%	3.4%	3.8%	6.3%	4.8%	4.9%	5.9% I	2.8%	2.4%	4.0%	3.3%	5.3% j	5.3% J	4.5%	3.4%	4.0%	2.8%	4.5%	3.5%
Depends	33	3	3	14	3	2	9	24	9	1	5	7	5	13	19	1	13	1	32	2
	1.6%	1.6%	0.6%	1.8% c	2.2%	1.1%	3.2% C	2.4% I	0.9%	0.5%	1.3%	1.9%	1.3%	2.3% J	1.4%	0.9%	2.7% R	0.6%	2.0% T	0.4%
Don't know/No answer	33	1	5	17	3	5	2	13	20	5	2	3	1	22	9	-	19	5	29	4
	1.6%	0.8%	0.9%	2.2% c	2.2%	2.5%	0.9%	1.4%	1.9%	1.8%	0.5%	0.8%	0.3%	3.9% jKLM	0.7%		4.1% O	3.4%	1.9% t	0.8%
TOP 2 BOX	1,466	121	383	547	95	126	195	657	809	187	297	282	292	394	931	81	330	103	1,129	338
	71.8%	72.5%	74.4% Ef	71.6%	65.7%	67.8%	72.8%	66.4%	76.8% H	71.9%	72.2%	72.8%	73.8%	69.6%	72.1%	68.6%	70.8%	76.5%	71.3%	73.2%
BOTTOM 2 BOX	187	14	43	67	17	19	28	110	77	21	46	22	40	57	120	14	39	11	146	41
	9.2%	8.2%	8.4%	8.7%	11.4%	10.4%	10.4%	11.1% I	7.3%	8.0%	11.1% L	5.6%	10.2% L	10.0% L	9.3%	12.0%	8.3%	8.4%	9.2%	8.9%
CHI-SQUARE		<----------30.503---------->						<----41.771--->		<----------39.428---------->					<----------16.322---------->				<----19.57---->	
SIGNIFICANCE				79.4%*				100.0%*				99.4%*					63.9%*			99.8%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:

BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Critically important	904	590	314	266	145	183	66	117	286	194	247	71	96	220	556	118	130	323	145	301
	44.3%	47.9% C	38.7%	39.8%	37.2%	52.3% DE	48.1% dE	55.6% DE	36.1%	42.4% I	57.6% IJM	57.0% IJm	45.9% I	40.0%	47.5% NP	39.4%	40.5%	48.0% QS	39.5%	44.8%
Definitely important	562	312	250	189	131	84	44	47	210	137	106	32	72	164	319	75	78	168	106	208
	27.5%	25.4%	30.8% B	28.3% h	33.9% dFH	24.1%	32.1% fh	22.3%	26.5%	29.9%	24.8%	25.7%	34.2% IK	29.9%	27.2%	24.8%	24.3%	25.0%	29.0%	31.0% QR
Somewhat important	323	181	142	121	57	52	15	30	152	79	43	12	30	97	171	50	54	99	69	99
	15.8%	14.7%	17.5% b	18.1% G	14.7%	14.9%	11.0%	14.3%	19.1% KL	17.3% KL	10.1%	9.8%	14.5%	17.8%	14.6%	16.8%	16.9%	14.7%	18.8%	14.7%
Not very important, or	100	58	42	43	22	10	5	5	62	18	5	4	7	33	47	19	23	27	24	25
	4.9%	4.7%	5.1%	6.4% FH	5.7% fH	2.8%	3.4%	2.4%	7.8% JKLM	3.9% K	1.1%	3.2%	3.3%	6.0%	4.0%	6.3%	7.2% RT	4.0%	6.6% rt	3.7%
Not at all important	87	52	35	25	18	13	6	8	45	19	17	3	3	20	48	19	22	28	12	25
	4.3%	4.2%	4.3%	3.8%	4.6%	3.8%	4.6%	3.8%	5.7% LM	4.2% M	4.1% M	2.1%	1.4%	3.6%	4.1%	6.2%	6.8% St	4.2%	3.3%	3.8%
Depends	33	21	13	11	9	2	1	2	20	3	7	1	1	7	18	8	6	14	4	9
	1.6%	1.7%	1.6%	1.7%	2.2% f	0.6%	0.8%	1.1%	2.5% JLM	0.6%	1.6%	0.6%	0.5%	1.3%	1.6%	2.6%	1.9%	2.1%	1.2%	1.3%
Don't know/No answer	33	18	16	13	6	5	-	1	19	8	3	2	1	7	14	12	8	14	6	6
	1.6%	1.4%	1.9%	2.0% h	1.6%	1.6%		0.5%	2.4% KM	1.8% m	0.8%	1.7%	0.3%	1.3%	1.2%	4.0% NO	2.4% t	2.1% t	1.6%	0.8%
TOP 2 BOX	1,466	903	564	455	276	267	110	164	496	331	353	103	168	384	874	193	208	492	250	509
	71.8%	73.3% c	69.5%	68.1%	71.1%	76.3% D	80.2% DE	77.9% De	62.5%	72.3% I	82.4% IJ	82.6% IJ	80.1% IJ	70.0% p	74.6% nP	64.2%	64.8%	72.9% Q	68.5%	75.8% QS
BOTTOM 2 BOX	187	110	77	68	40	23	11	13	107	37	22	7	10	53	94	38	45	55	36	50
	9.2%	9.0%	9.5%	10.2% Fh	10.3% fh	6.6%	7.9%	6.2%	13.4% JKLM	8.0% k	5.1%	5.3%	4.7%	9.7%	8.1%	12.5% O	14.0% RT	8.1%	9.9%	7.5%
CHI-SQUARE		<----17.291--->		<----------48.563---------->					<----------106.948---------->					<---------20.957--------->			<----------31.543---------->			
SIGNIFICANCE		99.6%*				100.0%*					100.0%*				97.9%*				99.3%*		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC10. Turning now to smoking in the workplace . . . How important do you feel it is for employers to provide a completely smoke-free environment for their employees? Is this something that is:

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Critically important	904	424	344	768	136	41	40	26	19
	44.3%	56.1% CDE	45.9% E	51.0% CE	25.3%	31.9% HI	32.2% HI	17.2%	19.4%
Definitely important	562	205	208	413	149	39	36	42	22
	27.5%	27.1%	27.8%	27.4%	27.8%	30.3%	29.0%	28.2%	22.4%
Somewhat important	323	70	107	177	146	28	28	47	34
	15.8%	9.3%	14.2% B	11.8%	27.1% BCD	21.9%	22.4%	31.1%	35.4% FG
Not very important, or	100	22	34	56	44	7	10	18	7
	4.9%	2.9%	4.6%	3.7%	8.1% BCD	5.3%	7.9%	12.0%	6.8%
Not at all important	87	18	28	46	41	9	6	10	13
	4.3%	2.4%	3.7%	3.1%	7.7% BCD	7.1%	5.0%	6.8%	13.2% G
Depends	33	6	16	22	12	3	3	1	1
	1.6%	0.8%	2.1% B	1.4%	2.1%	2.6%	2.2%	0.9%	1.1%
Don't know/No answer	33	10	13	23	10	1	2	6	2
	1.6%	1.4%	1.7%	1.5%	1.9%	0.9%	1.4%	3.8%	1.7%
TOP 2 BOX	1,466	629	552	1,181	285	80	76	68	41
	71.8%	83.2% CDE	73.7% E	78.5% CE	53.0%	62.2% HI	61.1% HI	45.4%	41.8%
BOTTOM 2 BOX	187	40	62	102	85	16	16	28	20
	9.2%	5.3%	8.3% B	6.8%	15.8% BCD	12.5%	12.8%	18.8%	20.0%
CHI-SQUARE		<----------211.115---------->				<----------27.487---------->			
SIGNIFICANCE		100.0%*				97.5%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,712	142	449	636	119	146	219	808	903	220	356	330	332	457	1,098	93	384	111	1,311	401
	83.8%	85.5% f	87.2% dFg	83.2%	82.2%	78.9%	82.0%	81.7%	85.7% H	84.4%	86.4% N	85.0% n	83.8%	80.8%	85.1%	78.5%	82.4%	82.0%	82.9%	87.0% S
No	216	21	37	88	18	27	26	122	94	27	41	42	40	63	131	19	47	16	183	34
	10.6%	12.8% C	7.1%	11.5% C	12.1% c	14.5% C	9.6%	12.4% I	8.9%	10.5%	10.0%	10.7%	10.2%	11.2%	10.2%	15.8%	10.1%	11.7%	11.5% T	7.3%
Depends	76	2	20	26	6	7	15	37	39	12	8	9	21	24	42	7	18	7	58	18
	3.7%	1.2%	3.8% B	3.3% B	4.0% b	3.8% b	5.8% B	3.7%	3.7%	4.8% k	1.9%	2.4%	5.3% KL	4.2% K	3.3%	5.7%	3.9%	5.5%	3.7%	3.9%
Don't know/No answer	39	1	10	15	2	5	7	22	18	1	7	7	3	21	19	-	17	1	31	9
	1.9%	0.5%	1.9% b	1.9% B	1.7%	2.8% b	2.6% b	2.2%	1.7%	0.3%	1.8% j	1.9% J	0.7%	3.7% JklM	1.5%		3.6% OR	0.8%	1.9%	1.9%
CHI-SQUARE		<----------18.185---------->						<----6.695---->		<----------10.518---------->					<----------7.222---------->				<----6.839---->	
SIGNIFICANCE		94.8%						96.5%		76.9%					69.9%				96.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,712	1,033	678	538	329	307	123	187	625	377	388	116	185	460	1,001	233	249	576	308	571
	83.8%	83.9%	83.6%	80.6%	84.7%	88.0%	89.8%	88.7%	78.7%	82.4%	90.6%	92.6%	88.3%	83.8%	85.5%	77.5%	77.7%	85.4%	84.4%	84.9%
					d	D	D	D			IJ	IJ	Ij	P	P			Q	Q	Q
No	216	132	84	88	37	30	11	15	109	54	24	8	18	63	109	42	49	63	38	65
	10.6%	10.7%	10.4%	13.2%	9.6%	8.6%	7.8%	7.0%	13.7%	11.8%	5.6%	6.1%	8.6%	11.6%	9.3%	13.8%	15.2%	9.4%	10.4%	9.7%
				eFgH					KLM	KL						O	RsT			
Depends	76	46	29	28	15	9	3	6	41	17	8	2	6	17	42	15	12	20	11	31
	3.7%	3.8%	3.6%	4.2%	3.8%	2.5%	2.4%	3.0%	5.2%	3.6%	1.8%	1.3%	3.0%	3.2%	3.6%	4.8%	3.6%	3.0%	3.0%	4.6%
									KL	l										
Don't know/No answer	39	20	19	13	7	3	-	3	19	10	9	-	-	8	19	12	11	15	8	5
	1.9%	1.7%	2.4%	2.0%	1.8%	0.9%		1.2%	2.4%	2.2%	2.0%			1.4%	1.7%	3.8%	3.4%	2.2%	2.2%	0.8%
																no	T	T		
CHI-SQUARE		<-----.042---->		<----------14.788---------->					<----------38.577---------->					<----------8.551--------->			<----------12.635---------->		
SIGNIFICANCE		2.1%				93.7%					100.0%					92.7%			95.1%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC11. Do you believe that all workers should have the right to a completely smoke-free workplace?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,712	687	633	1,320	392	97	95	113	59
	83.8%	90.9% CDE	84.4% E	87.7% CE	72.9%	76.2% I	75.6% I	75.3% I	60.3%
No	216	39	77	115	101	24	20	27	26
	10.6%	5.1%	10.2% B	7.6% B	18.8% BCD	18.9%	15.7%	18.2%	26.5%
Depends	76	19	24	43	33	5	8	6	10
	3.7%	2.5%	3.2%	2.9%	6.1% BCD	3.9%	6.6%	4.1%	10.5%
Don't know/No answer	39	11	16	28	12	1	3	4	3
	1.9%	1.5%	2.2%	1.8%	2.2%	1.1%	2.1%	2.4%	2.8%
CHI-SQUARE		<----------99.78---------->				<----------11.391----------			
SIGNIFICANCE		100.0%				92.3%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	292	23	57	114	23	34	41	159	133	40	49	51	61	87	173	26	65	23	240	52
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	301	30	57	98	35	39	42	167	134	36	42	53	61	105	173	24	76	24	249	52
Need to provide places to smoke	94	5	24	39	7	12	7	48	46	13	19	18	23	21	51	13	17	10	74	20
	32.2%	21.6%	41.7% bG	34.4% G	30.8%	36.3% G	16.4%	30.2%	34.5%	31.4%	38.7%	35.2%	37.2% n	24.2%	29.5%	51.8% OQ	26.7%	43.3%	30.8%	38.5%
Up to the individual/ Personal choice/Gov't no right to control it	60	5	7	27	5	8	8	36	24	5	11	11	10	23	34	2	16	7	53	7
	20.5%	20.0%	12.8%	24.0% c	19.8%	23.8%	19.5%	22.8%	17.8%	12.7%	22.3%	21.1%	16.8%	26.3% j	19.7%	9.1%	25.0% P	30.7% P	21.9%	14.0%
Some workplaces cannot be smoke-free	32	4	4	13	2	3	6	22	11	6	10	8	4	4	25	1	5	1	29	4
	11.1%	18.3%	7.0%	11.3%	8.4%	9.2%	15.4%	13.7%	8.1%	15.7% n	20.3% mN	15.2% n	7.2%	4.8%	14.4% Pr	4.4%	8.0%	4.7%	11.9%	7.6%
Smokers and non-smokers have rights/should not affect rights	27	3	7	8	3	4	4	17	10	1	7	4	9	6	15	4	6	1	21	7
	9.3%	10.9%	11.7%	7.1%	11.7%	10.5%	8.9%	10.6%	7.7%	3.0%	13.7% j	7.0%	15.4% J	7.2%	8.7%	17.5%	8.7%	3.8%	8.6%	12.8%
I smoke/need to smoke/ want to smoke	21	2	2	5	3	4	6	10	11	3	4	5	4	4	16	2	1	1	20	2
	7.3%	7.1%	2.9%	4.2%	13.3% c	12.6%	14.4% cd	6.4%	8.4%	8.7%	7.6%	9.0%	7.2%	4.6%	8.9% Q	8.4%	2.2%	4.7%	8.2%	3.2%
It depends on the job/ field of work/place of work	20	-	3	5	2	2	9	12	8	2	6	3	6	3	15	-	3	2	17	3
	7.0%		5.9%	4.0%	6.8%	4.6%	22.8% CDEF	7.6%	6.2%	5.2%	13.3%	5.5%	9.1%	4.0%	8.8%		4.6%	9.3%	7.1%	6.5%
Second-hand smoke not a hazard/problem	16	1	5	5	1	1	3	12	4	1	3	3	2	7	9	1	5	1	11	5
	5.3%	2.2%	9.0%	4.0%	5.4%	2.4%	8.3%	7.3%	3.0%	2.0%	5.8%	5.6%	4.0%	7.6%	5.2%	3.3%	7.0%	4.7%	4.4%	9.8%
Not practical to enforce	13	-	5	4	1	1	2	9	4	2	4	1	4	3	9	1	4	-	9	4
	4.6%		8.3%	3.9%	5.3%	3.9%	4.0%	5.6%	3.4%	4.8%	7.4%	2.9%	5.9%	3.2%	5.0%	4.4%	5.5%		3.9%	7.7%
Other things can be more polluting/irritating than smoking	11	2	1	3	-	2	2	5	5	-	-	3	2	5	8	-	2	-	9	1
	3.6%	7.5%	2.3%	3.0%		5.9%	5.0%	3.2%	4.1%			5.5%	3.8%	6.1%	4.9%		3.1%		3.8%	2.5%
They should not be smoking in the workplace	6	1	1	3	-	1	-	3	3	-	1	-	1	4	1	1	3	1	6	-
	2.2%	3.4%	2.1%	2.9%		3.2%		2.2%	2.2%		2.5%		1.8%	4.7%	0.6%	4.7%	5.0%	3.4%	2.7%	
Government spending money for non-smoking environment	5	2	1	2	-	-	-	4	1	-	-	3	-	2	4	-	1	-	4	1
	1.8%	9.3%	1.6%	2.0%				2.8%	0.6%			5.6%		2.7%	2.3%		2.0%		1.8%	1.7%
Other	31	2	2	16	3	2	6	14	17	9	1	3	4	11	20	2	8	1	29	2
	10.7%	10.3%	3.0%	13.8% C	14.8% c	6.5%	14.1% c	9.1%	12.6%	23.8% KLM	2.9%	6.4%	7.2%	12.4% K	11.4%	9.5%	12.2%	4.0%	12.3% T	3.3%
Don't know/No answer	10	1	3	6	1	-	-	6	3	3	-	-	2	5	4	1	5	-	7	3
	3.4%	2.2%	4.9%	5.2%	2.7%			4.0%	2.6%	7.4%			3.5%	5.4%	2.3%	4.3%	7.2%		2.9%	5.4%
CHI-SQUARE		<----62.68---->						<---9.867--->		<----56.63---->					<----34.025---->				<---13.882--->	
SIGNIFICANCE		15.6%*						17.2%*				40.0%*				11.6%*			46.6%*	

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	292	178	114	116	52	39	14	21	150	71	32	9	25	81	151	56	60	83	49	96
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	301	175	126	122	56	39	12	20	159	69	34	10	23	77	157	63	67	92	49	89
Need to provide places to smoke	94	59	35	33	18	11	6	9	38	32	9	3	10	26	50	15	14	35	18	27
	32.2%	33.1%	30.8%	28.4%	35.3%	29.2%	42.5%	43.0%	25.2%	45.8% Ik	28.6%	35.9%	39.6%	32.1%	33.3%	26.6%	23.1%	41.6% Qt	35.9%	28.1%
Up to the individual/ Personal choice/Gov't no right to control it	60	30	30	26	9	6	4	4	36	10	9	2	3	14	33	13	14	27	7	12
	20.5%	17.0%	26.1% b	21.9%	17.3%	16.5%	30.5%	18.1%	24.1% j	13.8%	27.1%	18.4%	11.7%	17.3%	21.7%	23.5%	23.8% t	32.0% ST	13.5%	12.8%
Some workplaces cannot be smoke-free	32	23	9	12	8	1	3	4	12	12	3	1	5	14	16	3	4	6	8	15
	11.1%	13.0%	8.2%	10.5% F	14.8% F	2.1%	21.1%	21.1% F	7.9%	16.5% i	10.1%	11.0%	19.3%	17.0% P	10.3%	5.7%	7.0%	6.7%	15.7%	15.6% qr
Smokers and non-smokers have rights/should not affect rights	27	15	12	11	3	2	2	1	21	4	2	-	1	7	17	3	5	7	3	11
	9.3%	8.6%	10.4%	9.9%	6.5%	5.1%	15.9%	5.7%	13.9% JM	5.3%	6.0%		2.6%	8.7%	11.0%	6.2%	8.8%	8.3%	6.6%	11.4%
I smoke/need to smoke/ want to smoke	21	11	10	6	4	2	3	2	15	2	1	-	2	3	15	2	4	2	3	11
	7.3%	6.2%	9.0%	5.5%	8.6%	4.8%	23.0%	11.5%	10.1% Jk	2.7%	3.2%		8.3%	4.0%	10.0% nP	3.2%	6.9%	2.5%	6.0%	11.4% R
It depends on the job/ field of work/place of work	20	13	7	5	5	3	2	2	10	6	3	-	1	3	16	1	1	6	4	9
	7.0%	7.4%	6.4%	4.2%	8.9%	8.6%	13.1%	10.5%	6.5%	8.8%	10.8%		4.1%	4.0%	10.5% nP	2.4%	1.4%	7.1% q	7.2%	9.9% Q
Second-hand smoke not a hazard/problem	16	8	7	9	3	2	-	1	8	3	-	2	2	2	6	8	4	4	3	4
	5.3%	4.7%	6.4%	7.8%	5.0%	5.3%		3.8%	5.3%	4.1%		22.8%	7.8%	3.0%	3.7%	13.4% NO	7.3%	4.5%	6.0%	3.8%
Not practical to enforce	13	9	4	6	4	-	1	2	9	-	1	1	2	4	5	4	3	3	1	6
	4.6%	5.3%	3.4%	5.0%	8.4%		8.0%	7.4%	6.2%		3.5%	11.0%	7.8%	4.7%	3.6%	7.5%	5.0%	3.7%	2.9%	6.1%
Other things can be more polluting/irritating than smoking	11	6	5	3	2	4	-	-	3	5	1	1	-	2	6	2	4	1	2	3
	3.6%	3.3%	4.1%	2.8%	3.8%	11.3%			1.9%	7.5%	3.9%	11.9%		2.6%	4.0%	4.2%	7.0%	1.6%	4.0%	3.2%
They should not be smoking in the workplace	6	3	4	2	2	1	-	-	4	1	1	-	1	1	3	2	2	3	-	1
	2.2%	1.6%	3.1%	1.7%	3.2%	2.9%			2.4%	0.8%	3.5%		4.9%	1.5%	2.0%	3.9%	3.6%	3.6%		1.3%
Government spending money for non-smoking environment	5	1	4	3	2	-	-	-	4	1	-	-	-	1	4	1	1	2	2	1
	1.8%	0.8%	3.4%	2.6%	4.3%				3.0%	1.1%				1.1%	2.6%	0.9%	0.8%	2.0%	4.1%	1.2%
Other	31	22	9	13	6	6	1	1	14	4	5	1	5	13	12	7	7	3	4	16
	10.7%	12.3%	8.1%	11.3%	12.0%	15.0%	8.1%	4.8%	9.7%	6.2%	14.5%	6.9%	20.6%	15.6% o	7.6%	12.6%	11.9% r	4.1%	8.4%	17.2% R
Don't know/No answer	10	6	4	4	1	1	-	-	8	1	1	-	1	4	3	2	4	2	1	3
	3.4%	3.3%	3.4%	3.7%	2.7%	2.9%			5.0%	1.6%	1.6%		2.6%	5.4%	2.3%	3.6%	6.1%	2.7%	1.8%	3.1%
CHI-SQUARE		<----10.609--->		<----------33.3---------->					<----------57.704---------->					<---------31.146--------->			<----------44.958---------->			
SIGNIFICANCE		22.0%*		.2%*					44.0%*					59.2%*			52.6%*			

HC12. Why do you say that?
BASE: REPRESENTATIVE ADULTS (WORKERS SHOULD NOT HAVE RIGHT TO A COMPLETELY SMOKE FREE ENVIRONMENT)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	292	58	100	158	134	29	28	33	36
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	301	61	107	168	133	26	29	33	38
Need to provide places to smoke	94	16	32	48	46	7	14	7	14
	32.2%	27.8%	32.2%	30.6%	34.0%	25.1%	48.5% H	20.5%	38.2%
Up to the individual/ Personal choice/Gov't no right to control it	60	12	22	34	26	4	2	7	10
	20.5%	20.3%	22.2%	21.5%	19.4%	12.6%	8.4%	22.2%	29.2% G
Some workplaces cannot be smoke-free	32	5	10	15	17	8	6	1	2
	11.1%	9.4%	9.7%	9.6%	12.9%	27.2% HI	22.1% H	2.6%	6.5%
Smokers and non-smokers have rights/should not affect rights	27	2	10	13	14	5	2	3	5
	9.3%	4.2%	10.2%	8.1%	10.8%	16.0%	6.9%	8.2%	14.2%
I smoke/need to smoke/ want to smoke	21	2	3	6	16	8	3	5	1
	7.3%	3.9%	3.3%	3.5%	11.9% BCD	26.3% I	10.1%	13.8%	2.1%
It depends on the job/ field of work/place of work	20	3	5	8	12	3	4	2	4
	7.0%	4.9%	5.0%	5.0%	9.3%	10.3%	14.4%	5.5%	10.1%
Second-hand smoke not a hazard/problem	16	3	6	9	7	-	1	2	3
	5.3%	5.5%	5.6%	5.5%	5.1%		3.5%	7.1%	7.0%
Not practical to enforce	13	4	5	9	4	-	1	2	1
	4.6%	6.9%	5.4%	6.0%	3.0%		4.0%	6.9%	1.5%
Other things can be more polluting/irritating than smoking	11	-	2	2	9	1	2	5	1
	3.6%		2.0%	1.3%	6.4% D	3.0%	7.0%	13.7%	3.1%
They should not be smoking in the workplace	6	1	4	5	1	-	-	-	1
	2.2%	1.4%	4.4%	3.3%	0.9%				3.4%
Government spending money for non-smoking environment	5	1	2	3	2	1	-	-	1
	1.8%	1.9%	1.9%	1.9%	1.7%	3.0%			3.9%
Other	31	8	15	23	8	1	-	5	1
	10.7%	14.7%	14.9% E	14.8% E	5.8%	3.9%		14.0%	2.2%
Don't know/No answer	10	4	3	8	2	-	-	2	-
	3.4%	7.5%	3.4%	4.9%	1.6%			6.2%	
CHI-SQUARE		<----------36.342---------->				<----------50.384---------->			
SIGNIFICANCE			18.2%*				73.1%*		

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very comfortable	892	80	220	345	60	61	126	440	452	96	168	190	197	228	607	37	183	55	704	188
	43.7%	48.1% F	42.7% F	45.2% F	41.5% f	33.0%	47.0% F	44.5%	42.9%	36.9%	40.7%	49.1% JKN	49.7% JKN	40.3%	47.0% PQ	31.3%	39.3%	40.5%	44.5%	40.9%
Somewhat comfortable	481	40	134	171	40	44	52	242	239	82	108	99	86	101	303	36	99	31	357	124
	23.5%	24.2%	26.0% G	22.3%	27.6% G	23.6%	19.6%	24.5%	22.7%	31.5% MN	26.3% N	25.6% N	21.8%	17.8%	23.4%	30.4% q	21.3%	22.8%	22.5%	27.0% s
Not very comfortable	186	12	60	62	8	22	22	86	100	38	54	29	25	39	122	15	33	11	127	58
	9.1%	7.1%	11.6% bdE	8.2%	5.8%	11.8% E	8.1%	8.7%	9.5%	14.6% LMN	13.1% LMN	7.4%	6.3%	7.0%	9.4%	12.8% q	7.1%	8.0%	8.1%	12.7% S
Not at all comfortable	189	13	38	67	21	29	21	103	86	29	42	29	37	52	115	19	36	18	157	33
	9.3%	8.0%	7.4%	8.7%	14.5% BCDG	15.8% BCDG	7.9%	10.4% i	8.2%	11.1%	10.3%	7.4%	9.3%	9.2%	8.9%	15.6% oQ	7.7%	13.6% q	9.9% t	7.1%
Not currently employed/ retired/self-employed	114	7	28	44	7	9	17	42	72	2	9	10	7	86	17	5	76	16	86	27
	5.6%	4.4%	5.5%	5.8%	4.9%	5.0%	6.5%	4.2%	6.8% H	0.9%	2.1%	2.6% j	1.7%	15.1% JKLM	1.3%	3.8%	16.3% OP	11.7% OP	5.5%	5.9%
Already have non-smoking policy	91	7	24	39	5	6	10	46	45	6	18	20	26	20	83	-	4	1	72	19
	4.4%	4.5%	4.6%	5.1%	3.2%	3.1%	3.8%	4.7%	4.3%	2.4%	4.4%	5.1% j	6.5% JN	3.5%	6.4% QR		1.0%	0.8%	4.6%	4.0%
Depends	28	1	6	11	1	5	5	9	18	5	6	3	4	10	15	4	8	-	22	6
	1.3%	0.5%	1.1%	1.5%	0.4%	2.5% e	1.7%	0.9%	1.7%	2.0%	1.5%	0.7%	1.0%	1.7%	1.2%	3.7%	1.7%		1.4%	1.2%
Don't know/No answer	63	5	6	25	3	10	14	21	41	2	6	8	14	31	29	3	26	4	57	6
	3.1%	3.3%	1.1%	3.2% C	2.0%	5.2% Ce	5.4% Ce	2.2%	3.9% H	0.6%	1.5%	2.0%	3.6% Jk	5.5% JKL	2.3%	2.4%	5.6% Op	2.7%	3.6% T	1.2%
TOP 2 BOX	1,373	120	354	516	100	105	178	682	691	178	276	290	283	329	909	73	283	85	1,060	313
	67.2%	72.3% F	68.7% F	67.5% F	69.2% F	56.6%	66.6% F	68.9%	65.6%	68.4% N	67.0% N	74.7% KN	71.6% N	58.1%	70.4% pQ	61.7%	60.6%	63.3%	67.0%	67.8%
BOTTOM 2 BOX	375	25	98	129	29	51	43	189	186	67	96	57	62	91	237	34	69	29	284	91
	18.4%	15.1%	19.0%	16.9%	20.2%	27.6% BCDeG	16.0%	19.1%	17.7%	25.7% LMN	23.4% LMN	14.8%	15.6%	16.1%	18.4% q	28.4% oQ	14.8%	21.6% q	18.0%	19.8%
CHI-SQUARE SIGNIFICANCE		<----43.375----> 94.6%*						<--12.729--> 95.2%*		<----192.875----> 100.0%*					<----215.466----> 100.0%*				<--15.419--> 98.3%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very comfortable	892	564	328	241	175	170	62	109	303	192	233	69	83	222	541	117	117	300	155	315
	43.7%	45.8%	40.5%	36.1%	45.1%	48.7%	45.3%	51.8%	38.2%	42.0%	54.3%	55.3%	39.6%	40.5%	46.2%	39.0%	36.6%	44.5%	42.3%	46.9%
		C			D	D	d	D			IJM	IJM			NP			Q		Q
Somewhat comfortable	481	283	198	150	105	74	36	46	164	111	97	20	82	151	274	50	62	145	94	177
	23.5%	22.9%	24.5%	22.4%	26.9%	21.3%	26.3%	22.0%	20.7%	24.3%	22.6%	16.2%	38.9%	27.5%	23.4%	16.6%	19.2%	21.5%	25.6%	26.3%
					f					L			IJKL	oP	P				Q	QR
Not very comfortable	186	122	64	73	36	26	17	12	89	39	22	9	26	71	96	18	29	59	36	61
	9.1%	9.9%	7.9%	11.0%	9.2%	7.4%	12.6%	5.8%	11.2%	8.6%	5.1%	7.2%	12.3%	12.9%	8.2%	5.8%	9.1%	8.7%	10.0%	9.0%
				fH			h		K	K			K	OP						
Not at all comfortable	189	94	95	77	39	28	11	15	103	47	18	7	13	57	93	40	41	60	36	53
	9.3%	7.7%	11.7%	11.6%	9.9%	7.9%	7.8%	7.1%	12.9%	10.2%	4.3%	5.3%	6.3%	10.4%	7.9%	13.2%	12.7%	8.8%	9.8%	7.8%
			B	fH					KLM	Kl						O	rT			
Not currently employed/ retired/self-employed	114	59	55	63	8	17	3	6	58	18	21	13	1	11	57	43	41	44	13	16
	5.6%	4.8%	6.8%	9.4%	1.9%	4.8%	2.1%	2.9%	7.3%	4.0%	4.9%	10.2%	0.4%	2.1%	4.9%	14.3%	12.8%	6.5%	3.4%	2.4%
			b	EFGH		E			JkM	M	M	JkM			N	NO	RST	ST		
Already have non-smoking policy	91	54	37	19	15	24	6	16	31	26	27	5	1	21	59	11	10	28	18	35
	4.4%	4.4%	4.6%	2.9%	4.0%	6.9%	4.2%	7.6%	3.9%	5.7%	6.2%	3.8%	0.5%	3.8%	5.0%	3.7%	3.1%	4.2%	4.9%	5.2%
						De		De	M	M	iM	m								
Depends	28	20	8	16	3	4	1	2	11	10	5	-	1	7	16	4	4	14	3	7
	1.3%	1.6%	1.0%	2.3%	0.8%	1.1%	0.8%	0.8%	1.3%	2.2%	1.1%		0.7%	1.3%	1.4%	1.5%	1.3%	2.0%	0.9%	1.0%
				eh																
Don't know/No answer	63	37	25	28	8	7	1	4	35	14	6	2	3	9	35	18	17	25	11	10
	3.1%	3.0%	3.1%	4.2%	2.2%	1.9%	0.8%	2.1%	4.4%	3.0%	1.5%	1.9%	1.4%	1.6%	3.0%	5.9%	5.2%	3.7%	3.0%	1.5%
				eFG					KlM						n	NO	T	T		
TOP 2 BOX	1,373	846	527	391	280	245	98	155	467	304	329	89	165	373	815	167	179	445	248	492
	67.2%	68.7%	64.9%	58.6%	72.0%	70.0%	71.7%	73.7%	58.9%	66.3%	76.9%	71.5%	78.5%	68.0%	69.6%	55.6%	55.8%	66.0%	67.9%	73.2%
		c			D	D	D	D		I	IJ	I	IJ	P	P			Q	Q	QRs
BOTTOM 2 BOX	375	216	159	151	74	54	28	27	191	86	40	16	39	128	189	57	70	118	72	113
	18.4%	17.5%	19.6%	22.6%	19.1%	15.3%	20.4%	12.9%	24.1%	18.8%	9.4%	12.5%	18.6%	23.3%	16.2%	19.0%	21.9%	17.6%	19.8%	16.8%
				FH	h		h		JKLm	Kl			K	O			t			
CHI-SQUARE		<----19.245--->		<----------82.865---------->					<----------128.165---------->					<---------92.698--------->			<----------70.742---------->		
SIGNIFICANCE		99.6%*			100.0%*					100.0%*					100.0%*			100.0%*		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC13. How comfortable would you be in asking your employer to implement a non-smoking policy, or expand one that is already in place?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Very comfortable	892	386	329	715	177	55	42	39	27
	43.7%	51.0% CE	43.9% E	47.5% E	33.0%	43.0% HI	33.5%	25.7%	27.5%
Somewhat comfortable	481	185	182	367	114	28	33	32	15
	23.5%	24.5%	24.3%	24.4%	21.2%	21.8%	26.7%	21.7%	15.7%
Not very comfortable	186	53	70	123	63	11	11	25	15
	9.1%	7.0%	9.3%	8.2%	11.7% BD	8.2%	8.7%	16.5% F	15.4%
Not at all comfortable	189	33	52	85	105	14	19	36	28
	9.3%	4.4%	6.9% B	5.6%	19.5% BCD	11.0%	14.9%	23.9% F	28.5% FG
Not currently employed/ retired/self-employed	114	41	54	95	18	1	8	3	5
	5.6%	5.5%	7.2% E	6.3% E	3.4%	0.9%	6.0% F	2.2%	5.3%
Already have non-smoking policy	91	27	32	59	31	14	7	5	4
	4.4%	3.6%	4.3%	3.9%	5.8%	11.3% H	5.9%	3.4%	4.6%
Depends	28	9	11	20	8	2	2	2	1
	1.3%	1.2%	1.4%	1.3%	1.4%	1.7%	1.5%	1.2%	0.8%
Don't know/No answer	63	22	20	42	21	3	4	8	2
	3.1%	2.9%	2.6%	2.8%	3.9%	2.0%	2.9%	5.2%	2.2%
TOP 2 BOX	1,373	571	511	1,082	291	83	75	71	42
	67.2%	75.5% CE	68.2% E	71.9% E	54.2%	64.8% HI	60.2% HI	47.4%	43.2%
BOTTOM 2 BOX	375	86	122	207	168	25	30	61	43
	18.4%	11.3%	16.2% B	13.8%	31.2% BCD	19.2%	23.6%	40.4% FG	43.9% FG
CHI-SQUARE	<-----167.028----->					<-----42.126----->			
SIGNIFICANCE	100.0%*					99.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,327	124	299	517	96	104	187	654	672	163	264	256	258	375	841	66	313	89	1,059	267
	64.9%	74.2% CdeF	58.1%	67.6% CF	66.5% CF	56.3%	69.9% CF	66.2%	63.8%	62.4%	64.1%	65.9%	65.3%	66.2%	65.1% P	55.3%	67.0% P	65.7%	67.0% T	58.0%
No	560	35	189	183	42	59	52	257	303	85	127	106	102	135	367	42	106	38	389	170
	27.4%	20.7%	36.7% BDEG	23.9%	28.8% bG	32.1% BDG	19.5%	26.0%	28.7%	32.8% mN	30.8% N	27.2%	25.8%	23.8%	28.4% Q	35.0% Q	22.8%	28.1%	24.6%	36.9% S
Depends	108	5	17	48	3	12	22	55	53	11	20	15	25	36	63	6	29	6	93	15
	5.3%	3.0%	3.4%	6.3% BCE	2.3%	6.6% E	8.3% BCE	5.6%	5.1%	4.0%	4.8%	3.9%	6.2%	6.3% l	4.8%	4.8%	6.1%	4.7%	5.9% T	3.3%
Don't know/No answer	48	3	9	17	3	9	6	23	25	2	1	12	11	20	21	6	19	2	40	8
	2.4%	2.0%	1.8%	2.2%	2.3%	5.0% cd	2.2%	2.3%	2.4%	0.7%	0.3%	3.0% JK	2.7% jK	3.6% JK	1.6%	4.9%	4.1% Or	1.5%	2.5%	1.8%
CHI-SQUARE		<----------54.073---------->						<----2.095---->		<----------11.916---------->					<----------9.737---------->				<----28.583---->	
SIGNIFICANCE		100.0%						64.9%		84.5%					86.4%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,327	802	525	423	257	236	95	149	482	292	308	91	136	347	790	177	200	439	220	462
	64.9%	65.1%	64.7%	63.4%	66.3%	67.4%	69.1%	70.9% d	60.8%	63.8%	72.0% IJm	72.9% Ij	64.8%	63.4%	67.4% P	58.8%	62.5%	65.1%	60.3%	68.7% qS
No	560	335	225	201	109	90	28	49	241	139	86	23	66	172	291	91	92	179	121	163
	27.4%	27.2%	27.7%	30.1% GH	28.0% g	25.8%	20.4%	23.0%	30.4% KL	30.3% KL	20.1%	18.3%	31.4% KL	31.3% O	24.8%	30.2% o	28.7%	26.5%	33.2% RT	24.3%
Depends	108	66	42	32	15	11	13	11	45	20	27	5	7	23	63	19	17	38	18	36
	5.3%	5.4%	5.2%	4.8%	3.8%	3.1%	9.7% dEF	5.2%	5.7%	4.4%	6.4% m	3.9%	3.3%	4.2%	5.4%	6.3%	5.2%	5.7%	4.9%	5.3%
Don't know/No answer	48	29	19	11	7	13	1	2	26	7	6	6	1	6	28	14	12	19	6	11
	2.4%	2.4%	2.4%	1.7%	1.9%	3.7% dGH	0.8%	0.9%	3.2% JkM	1.5%	1.5%	5.0% jkM	0.5%	1.1%	2.4% n	4.8% No	3.6%	2.8%	1.6%	1.7%
CHI-SQUARE		<-----.096---->		<----------17.545---------->					<----------27.622---------->					<---------11.361--------->			<-----------10.427----------->			
SIGNIFICANCE		4.7%		97.5%					99.9%					97.7%			89.2%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC14. Do you believe that restaurants should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,327	587	518	1,105	222	63	54	61	26
	64.9%	77.6% CDE	69.1% E	73.4% CE	41.2%	49.1% I	43.4% I	40.7% I	26.7%
No	560	115	184	299	261	50	63	74	60
	27.4%	15.2%	24.5% BD	19.8% B	48.6% BCD	38.7%	50.0%	49.6%	61.7% F
Depends	108	38	33	71	38	8	6	9	10
	5.3%	5.0%	4.4%	4.7%	7.0%	6.5%	5.1%	6.2%	9.9%
Don't know/No answer	48	17	14	31	17	7	2	5	2
	2.4%	2.2%	1.9%	2.1%	3.2%	5.7%	1.5%	3.6%	1.7%
CHI-SQUARE	<----------248.511---------->					<----------15.014---------->			
SIGNIFICANCE	100.0%					98.0%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,388	127	299	538	105	117	201	687	701	175	279	255	267	398	872	70	331	95	1,123	264
	67.9%	76.0% CF	58.2%	70.4% Cf	72.7% CF	63.3%	75.1% CF	69.5%	66.5%	67.3%	67.7%	65.7%	67.3%	70.4%	67.6% p	59.2%	70.9% P	70.6% p	71.0% T	57.3%
No	550	32	189	182	33	55	59	243	307	68	115	117	115	131	360	45	101	33	374	175
	26.9%	19.4%	36.6% BDEfG	23.8%	22.6%	29.9% Beg	21.9%	24.5%	29.1% H	26.0%	27.9%	30.1% N	29.1% N	23.2%	27.9% Q	38.3% OQR	21.6%	24.3%	23.7%	38.0% S
Depends	63	6	18	26	2	6	5	32	31	9	15	9	9	20	39	-	17	6	50	13
	3.1%	3.8%	3.6%	3.4%	1.7%	3.1%	1.7%	3.2%	3.0%	3.4%	3.7%	2.4%	2.4%	3.5%	3.0%		3.6%	4.5%	3.2%	2.9%
Don't know/No answer	42	1	8	18	4	7	3	27	15	8	3	7	5	17	19	3	18	1	34	8
	2.1%	0.8%	1.6%	2.4% b	3.0%	3.8% bg	1.2%	2.8% I	1.4%	3.3% k	0.7%	1.8%	1.2%	3.0% KM	1.5%	2.5%	3.9% OR	0.6%	2.1%	1.8%
CHI-SQUARE SIGNIFICANCE		<----------43.939----------> 100.0%						<----4.675----> 90.3%		<----------8.018----------> 56.8%					<----------18.334----------> 99.5%				<----37.22----> 100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,388	649	566	1,215	173	57	42	35	21
	67.9%	85.8% CDE	75.5% E	80.7% CE	32.2%	44.2% HI	33.4%	23.1%	21.8%
No	550	83	142	225	325	60	73	105	73
	26.9%	11.0%	18.9% BD	14.9% B	60.4% BCD	46.9%	58.0%	70.4% FG	74.7% FG
Depends	63	15	28	43	21	9	4	5	1
	3.1%	1.9%	3.8% B	2.8%	3.8%	7.1% I	3.3%	3.3%	1.3%
Don't know/No answer	42	10	14	23	19	2	7	5	2
	2.1%	1.3%	1.8%	1.6%	3.5% BD	1.8%	5.3%	3.2%	2.3%
CHI-SQUARE		<----------609.258---------->				<----------27.552---------->			
SIGNIFICANCE		100.0%				100.0%			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC15. Would you personally prefer to go to restaurants that provide a completely smoke-free environment for employees and customers?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,388	846	542	430	268	248	99	147	489	302	328	102	151	364	826	182	203	464	238	478
	67.9%	68.7%	66.8%	64.4%	68.9%	71.0% D	72.0% d	69.5%	61.7%	65.9%	76.6% IJ	81.8% IJM	71.9% I	66.4% p	70.5% P	60.5%	63.3%	68.8% q	65.1%	71.0% Qs
No	550	327	222	202	110	87	31	55	248	141	85	20	46	157	294	93	94	176	109	166
	26.9%	26.6%	27.4%	30.2% fg	28.4%	25.0%	22.7%	26.1%	31.3% KLM	30.8% KLM	19.8%	15.6%	22.1%	28.6%	25.1%	30.8% o	29.4%	26.1%	29.7% t	24.7%
Depends	63	34	29	24	4	6	6	6	33	8	9	2	8	16	37	10	9	24	13	18
	3.1%	2.8%	3.6%	3.6% EF	1.1%	1.6%	4.5% e	2.8%	4.2% JkL	1.8%	2.2%	1.5%	3.8%	2.9%	3.1%	3.2%	2.7%	3.6%	3.4%	2.6%
Don't know/No answer	42	24	18	12	6	9	1	3	23	7	6	1	5	11	15	16	15	10	6	11
	2.1%	2.0%	2.2%	1.8%	1.6%	2.4%	0.8%	1.5%	2.9% jkl	1.4%	1.5%	1.0%	2.2%	2.1%	1.3%	5.5% NO	4.6% RST	1.5%	1.7%	1.6%
CHI-SQUARE		<----1.461---->		<----------15.363---------->					<----------45.433---------->					<----------7.395---------->			<----------6.929---------->			
SIGNIFICANCE		51.8%		94.8%					100.0%					88.4%			67.3%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,451	133	318	564	108	123	206	719	732	184	294	264	276	418	912	70	347	101	1,173	278
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,453	162	310	483	159	136	203	742	711	155	254	272	282	475	888	67	379	99	1,180	273
Very likely	583	44	112	236	43	43	105	273	311	37	87	105	131	219	343	26	162	44	493	91
	40.2%	33.0%	35.3%	41.8% Bc	40.2%	35.2%	51.1% BCDEF	37.9%	42.4% h	20.0%	29.7% J	39.7% JK	47.3% JKl	52.5% JKL	37.6%	37.5%	46.6% O	43.7%	42.0% T	32.8%
Somewhat likely	489	48	107	187	38	47	62	242	247	77	119	100	86	102	340	26	86	32	390	99
	33.7%	36.5%	33.7%	33.1%	35.3%	38.4%	30.0%	33.6%	33.8%	41.9% MN	40.4% MN	37.7% N	31.3% N	24.4%	37.3% Q	37.6% Q	24.8%	31.5%	33.2%	35.7%
Not very likely	185	18	64	57	14	16	17	95	91	35	51	32	29	37	115	9	43	15	122	64
	12.8%	13.2%	20.1% bDEfG	10.2%	12.8%	13.2%	8.1%	13.2%	12.4%	19.1% lMN	17.4% lMN	12.1%	10.5%	8.8%	12.6%	12.8%	12.4%	14.6%	10.4%	23.0% S
Not at all likely	145	19	28	62	8	8	20	85	60	30	26	19	25	42	89	6	42	6	125	20
	10.0%	14.4% cEF	8.8%	11.1% f	7.2%	6.3%	9.8%	11.9% I	8.2%	16.2% KLMn	9.0%	7.3%	9.2%	10.1%	9.8%	9.1%	12.0% R	5.9%	10.6% t	7.3%
Depends	31	2	4	14	4	6	2	17	14	4	8	7	1	11	18	1	10	1	31	1
	2.2%	1.3%	1.2%	2.5%	4.0% cg	4.8% bcg	0.9%	2.4%	1.9%	2.0%	2.6% m	2.5% m	0.5%	2.6% M	2.0%	1.6%	2.8%	1.2%	2.6% T	0.3%
Don't know/No answer	17	2	3	8	1	3	-	7	9	2	3	2	3	7	7	1	5	3	14	2
	1.1%	1.6%	1.0%	1.4%	0.5%	2.0%		1.0%	1.3%	0.8%	0.9%	0.6%	1.1%	1.6%	0.7%	1.4%	1.3%	3.0%	1.2%	0.9%
TOP 2 BOX	1,072	92	219	423	81	90	167	515	558	114	206	205	217	321	683	53	248	76	882	190
	73.9%	69.5%	68.9%	74.9% c	75.5%	73.6%	81.1% BCd	71.6%	76.2% h	61.9%	70.1%	77.5% Jk	78.7% JK	76.9% Jk	74.9%	75.1%	71.4%	75.2%	75.2% T	68.5%
BOTTOM 2 BOX	331	37	92	120	21	24	37	180	151	65	78	51	54	79	204	15	85	21	246	84
	22.8%	27.6% G	28.9% DEFG	21.2%	20.0%	19.6%	17.9%	25.0% I	20.6%	35.3% kLMN	26.5% lmN	19.4%	19.7%	18.9%	22.4%	21.9%	24.4%	20.5%	21.0%	30.3% S
CHI-SQUARE	<----48.162---->							<----7.203---->		<----96.906---->					<----22.663---->				<----41.345---->	
SIGNIFICANCE	100.0%*							87.4%*		100.0%*					96.9%*				100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,451	880	571	454	272	254	105	153	522	310	337	104	159	380	863	192	211	488	251	495
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,453	850	603	462	269	261	100	144	545	305	339	104	141	346	888	202	221	515	245	466
Very likely	583	364	220	194	99	98	44	72	213	117	157	52	38	112	378	84	97	210	90	184
	40.2%	41.3%	38.5%	42.7%	36.5%	38.6%	42.4%	47.3% E	40.8% M	37.7% M	46.6% iJM	50.2% iJM	24.2%	29.6%	43.8% N	44.0% N	46.0% ST	43.0% st	35.8%	37.1%
Somewhat likely	489	289	200	141	102	88	34	54	150	128	107	30	67	130	295	59	57	159	70	202
	33.7%	32.8%	35.1%	31.0%	37.4% d	34.6%	32.3%	35.7%	28.7%	41.3% IKL	31.8%	28.8%	42.1% IKL	34.3%	34.2%	30.6%	27.0%	32.6%	27.9%	40.7% QRS
Not very likely	185	113	73	62	35	36	13	14	71	32	37	13	31	75	91	19	26	51	49	60
	12.8%	12.8%	12.7%	13.6%	12.9%	14.2%	12.3%	9.3%	13.7%	10.4%	10.9%	12.8%	19.3% JK	19.8% OP	10.5%	10.0%	12.3%	10.3%	19.4% QRT	12.1%
Not at all likely	145	88	57	41	27	21	14	11	65	25	27	6	19	52	69	24	21	45	37	41
	10.0%	10.0%	9.9%	9.1%	10.1%	8.3%	12.9%	7.1%	12.5% JKL	8.1%	8.0%	5.6%	12.2% 1	13.6% O	8.0%	12.3% o	10.1%	9.3%	15.0% RT	8.3%
Depends	31	18	13	11	7	7	-	-	12	3	9	3	4	7	19	3	7	14	3	7
	2.2%	2.1%	2.3%	2.4%	2.6%	2.6%			2.2%	1.1%	2.7%	2.6%	2.3%	2.0%	2.2%	1.8%	3.2%	2.8%	1.2%	1.3%
Don't know/No answer	17	8	8	5	1	4	-	1	11	4	-	-	-	3	11	2	3	9	2	2
	1.1%	0.9%	1.5%	1.1%	0.4%	1.7%		0.7%	2.2%	1.4%				0.8%	1.3%	1.3%	1.4%	1.9% T	0.7%	0.5%
TOP 2 BOX	1,072	652	420	335	201	186	78	126	363	245	264	82	105	243	673	143	154	369	160	386
	73.9%	74.1%	73.6%	73.8%	74.0%	73.3%	74.7%	82.9% DEF	69.4%	79.0% IM	78.4% IM	79.0% IM	66.3%	63.8%	78.0% N	74.6% N	73.0% S	75.6% S	63.7%	77.8% S
BOTTOM 2 BOX	331	201	129	103	62	57	26	25	137	58	64	19	50	127	160	43	47	96	86	101
	22.8%	22.9%	22.7%	22.7% h	23.0%	22.5%	25.3%	16.4%	26.2% JKl	18.6%	18.9%	18.4%	31.5% JKL	33.4% OP	18.5%	22.3%	22.4%	19.6%	34.3% QRT	20.4%
CHI-SQUARE		<----1.247---->		<----------17.23---------->					<----------48.687---------->					<---------43.654--------->			<----------41.324---------->			
SIGNIFICANCE		13.0%*			62.9%*				100.0%*					100.0%*			100.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC16. How likely would you be to avoid a restaurant that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE RESTAURANTS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,451	663	594	1,257	194	66	46	40	22
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,453	657	614	1,271	182	60	43	38	20
Very likely	583	309	240	549	35	10	6	3	8
	40.2%	46.5% CE	40.5% E	43.7% E	17.8%	15.5%	12.2%	8.0%	35.3% H
Somewhat likely	489	229	202	431	58	22	12	15	3
	33.7%	34.5%	34.0%	34.3%	30.0%	33.7%	25.6%	38.8% I	15.0%
Not very likely	185	67	74	140	45	15	11	10	5
	12.8%	10.0%	12.4%	11.2%	23.3% BCD	23.2%	24.2%	26.0%	21.2%
Not at all likely	145	42	57	99	46	13	16	10	5
	10.0%	6.3%	9.7% B	7.9%	23.9% BCD	20.3%	35.5%	24.3%	23.5%
Depends	31	12	16	28	3	1	1	1	-
	2.2%	1.9%	2.6%	2.2%	1.7%	1.7%	2.4%	2.8%	
Don't know/No answer	17	5	5	10	6	4	-	-	1
	1.1%	0.8%	0.8%	0.8%	3.3%	5.7%			5.0%
TOP 2 BOX	1,072	538	442	980	93	32	17	19	11
	73.9%	81.0% CE	74.5% E	77.9% E	47.8%	49.2%	37.8%	46.9%	50.3%
BOTTOM 2 BOX	331	108	131	239	91	29	27	20	10
	22.8%	16.3%	22.1% B	19.0%	47.2% BCD	43.5%	59.7%	50.3%	44.7%
CHI-SQUARE		<----------114.399---------->				<----------14.023---------->			
SIGNIFICANCE			100.0%*				70.1%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	896	74	204	348	72	53	146	421	475	96	165	159	181	286	562	44	226	55	713	183
	43.9%	44.3% F	39.6% F	45.5% CF	50.0% CF	28.4%	54.6% BCDF	42.5%	45.1%	36.8%	40.0%	41.1%	45.8% J	50.6% JKL	43.5%	37.1%	48.5% oP	40.6%	45.1% T	39.6%
No	917	68	264	328	58	102	98	473	444	152	221	196	167	176	626	60	164	54	680	237
	44.9%	40.9%	51.2% BDEG	42.9% g	39.9%	55.0% BDEG	36.7%	47.8% I	42.2%	58.3% lMN	53.6% MN	50.4% MN	42.1% N	31.2%	48.5% Qr	50.6% Q	35.1%	40.2%	43.0%	51.4% S
Depends	97	9	16	39	6	13	15	48	50	9	13	18	28	28	58	7	20	10	83	14
	4.8%	5.3%	3.0%	5.1% c	4.3%	7.1% C	5.5%	4.8%	4.7%	3.5%	3.3%	4.6%	7.0% jK	5.0%	4.5%	5.6%	4.3%	7.5%	5.3% T	3.0%
Don't know/No answer	132	16	32	50	8	18	9	48	85	4	13	15	20	75	46	8	56	16	105	28
	6.5%	9.6% G	6.2% g	6.6% G	5.8%	9.5% G	3.2%	4.8%	8.0% H	1.4%	3.1%	3.8% j	5.1% J	13.3% JKLM	3.5%	6.7%	12.1% Op	11.7% O	6.6%	6.0%
CHI-SQUARE		<----------41.182---------->						<----3.834---->		<----------58.975---------->					<----------19.398---------->				<----11.976--->	
SIGNIFICANCE		100.0%						85.3%			100.0%				99.6%				99.7%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	896	540	356	272	162	166	61	106	300	200	222	73	94	229	533	122	145	301	143	305
	43.9%	43.8%	43.9%	40.8%	41.8%	47.5% D	44.2%	50.4% De	37.7%	43.8% I	51.8% IJ	58.1% IJM	44.8% i	41.8%	45.5%	40.5%	45.3%	44.7% s	39.1%	45.3% s
No	917	558	360	319	186	151	66	88	383	215	164	41	102	284	489	139	137	280	194	302
	44.9%	45.3%	44.4%	47.8%	47.8%	43.3%	48.4%	41.9%	48.3% KL	46.9% KL	38.4%	32.5%	48.7% KL	51.8% O	41.7%	46.1%	42.7%	41.5%	53.0% QRT	44.9%
Depends	97	60	37	29	20	16	6	7	39	23	22	2	8	19	63	12	14	33	18	31
	4.8%	4.9%	4.5%	4.4%	5.2%	4.6%	4.5%	3.1%	4.9% L	5.1% L	5.1% L	1.7%	3.7%	3.5%	5.4% n	4.0%	4.4%	5.0%	4.9%	4.6%
Don't know/No answer	132	74	58	47	20	16	4	10	72	19	20	10	6	16	87	28	25	60	11	35
	6.5%	6.0%	7.2%	7.0% G	5.2%	4.6%	3.0%	4.6%	9.1% JKM	4.2%	4.8%	7.7% m	2.9%	2.9%	7.4% N	9.3% N	7.7% S	8.8% ST	3.0%	5.2% s
CHI-SQUARE		<-----.169---->		<----------8.172---------->					<----------32.227---------->					<---------12.406--------->			<----------8.88---------->			
SIGNIFICANCE		8.1%		58.3%					100.0%					98.5%			82.0%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC17. Bars and taverns - do you think these types of establishments should provide a completely smoke-free environment for their employees?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	896	439	366	804	92	24	26	18	13
	43.9%	58.0% CDE	48.8% E	53.4% CE	17.1%	19.0%	21.0%	12.3%	13.5%
No	917	219	295	514	403	83	93	121	81
	44.9%	29.0%	39.3% BD	34.1% B	75.0% BCD	65.2%	74.4%	80.7% F	83.6% F
Depends	97	42	35	77	21	10	2	5	1
	4.8%	5.5%	4.7%	5.1%	3.8%	7.6% GI	1.5%	3.3%	1.1%
Don't know/No answer	132	56	54	111	22	11	4	6	2
	6.5%	7.5% E	7.2% E	7.4% E	4.0%	8.2% I	3.2%	3.7%	1.7%
CHI-SQUARE		<----------325.561---------->				<----------16.602----------			
SIGNIFICANCE		100.0%				98.9%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	1,013	79	199	409	82	79	166	492	521	112	209	181	205	296	655	48	234	65	840	174
	49.6%	47.5% C	38.6%	53.5% CF	56.7% bCF	42.5%	61.9% BCDF	49.7%	49.5%	42.9%	50.8% j	46.7%	51.7% J	52.3% J1	50.7% P	40.3%	50.2% p	47.9%	53.1% T	37.6%
No	724	61	232	242	41	78	70	369	355	128	171	167	130	124	499	50	119	41	514	210
	35.4%	36.4% eG	45.1% BDEG	31.7%	28.5%	42.1% DEG	26.2%	37.3% i	33.7%	49.1% kMN	41.6% MN	43.1% MN	32.9% N	21.9%	38.7% QR	42.5% QR	25.5%	30.1%	32.5%	45.5% S
Do not go to bars/ taverns	198	19	67	58	15	20	19	75	123	3	13	19	44	117	71	13	93	18	136	62
	9.7%	11.4%	12.9% DG	7.5%	10.4%	10.9%	7.1%	7.5%	11.7% H	1.0%	3.1% j	5.0% J	11.1% JKL	20.6% JKLM	5.5%	10.6% o	20.0% OPr	13.6% O	8.6%	13.4% S
Depends	42	2	5	24	4	2	5	25	17	8	8	9	6	9	31	-	6	3	37	5
	2.1%	1.0%	1.0%	3.1% BCF	3.1%	1.1%	1.8%	2.5%	1.6%	3.1%	1.9%	2.4%	1.5%	1.6%	2.4%		1.4%	2.6%	2.3% t	1.1%
Don't know/No answer	66	6	12	32	2	6	8	29	37	10	11	11	11	21	35	8	14	8	55	11
	3.2%	3.7%	2.3%	4.1% cE	1.4%	3.4%	3.0%	2.9%	3.5%	3.8%	2.7%	2.8%	2.8%	3.7%	2.7%	6.6%	2.9%	5.9%	3.5%	2.3%
CHI-SQUARE		<----------74.795---------->						<----12.843--->		<----------181.263---------->					<----------103.743---------->				<----44.694--->	
SIGNIFICANCE		100.0%						99.5%		100.0%					100.0%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	1,013	643	370	293	196	194	74	113	317	224	265	83	114	269	610	124	153	352	158	348
	49.6%	52.2%	45.6%	43.8%	50.5%	55.5%	53.7%	53.4%	39.9%	48.8%	61.9%	66.4%	54.2%	49.1%	52.0%	41.4%	47.9%	52.2%	43.2%	51.7%
		C			D	D	D	D		I	IJm	IJM	I	P	P			S		S
No	724	424	300	245	154	114	50	73	322	182	113	25	76	234	377	105	110	199	168	243
	35.4%	34.5%	37.0%	36.6%	39.8%	32.5%	36.4%	34.6%	40.6%	39.7%	26.4%	19.7%	36.1%	42.6%	32.2%	34.9%	34.2%	29.6%	45.9%	36.1%
					F				KL	KL			KL	OP					QRT	R
Do not go to bars/ taverns	198	101	96	91	28	26	9	9	103	35	32	12	8	19	125	50	41	89	22	44
	9.7%	8.2%	11.9%	13.6%	7.1%	7.3%	6.7%	4.2%	13.0%	7.6%	7.5%	9.9%	3.8%	3.5%	10.7%	16.7%	12.7%	13.2%	6.1%	6.5%
			B	EFGH					JKM	m	m	M			N	NO	ST	ST		
Depends	42	25	17	14	4	7	2	9	16	7	9	3	7	11	22	9	7	12	7	16
	2.1%	2.0%	2.1%	2.1%	0.9%	2.1%	1.5%	4.1%	2.0%	1.6%	2.2%	2.4%	3.2%	2.0%	1.9%	3.1%	2.1%	1.7%	1.9%	2.4%
								E												
Don't know/No answer	66	38	28	25	7	9	2	8	36	10	9	2	5	15	38	12	10	23	11	22
	3.2%	3.1%	3.4%	3.8%	1.7%	2.6%	1.7%	3.7%	4.5%	2.3%	2.1%	1.6%	2.6%	2.8%	3.2%	3.9%	3.2%	3.4%	2.9%	3.3%
				E					JKL											
CHI-SQUARE		<----11.898--->		<----------41.483---------->					<----------85.02---------->					<---------57.178--------->			<----------47.203---------->		
SIGNIFICANCE		99.2%				100.0%					100.0%					100.0%			100.0%		

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC18. Would you personally prefer to go to bars/taverns that provide a completely smoke-free environment for employees/customers?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	1,013	513	426	939	74	27	18	10	7
	49.6%	67.9% CDE	56.8% E	62.4% CE	13.9%	21.5% HI	14.4% H	6.6%	6.7%
No	724	120	189	310	414	83	97	129	86
	35.4%	15.9%	25.3% BD	20.6% B	77.1% BCD	64.5%	77.6% F	86.1% F	88.2% FG
Do not go to bars/ taverns	198	87	84	171	27	6	7	7	4
	9.7%	11.5% E	11.2% E	11.3% E	5.0%	4.5%	5.6%	4.9%	3.9%
Depends	42	18	18	36	6	3	-	1	1
	2.1%	2.3%	2.4%	2.4% E	1.1%	2.6%		0.7%	1.2%
Don't know/No answer	66	18	32	50	16	9	3	3	-
	3.2%	2.4%	4.3%	3.3%	2.9%	7.0% H	2.4%	1.7%	
CHI-SQUARE		<----------732.978---------->				<----------25.717---------->			
SIGNIFICANCE		100.0%				99.8%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 1

	Total	Region						Gender		Age Group					Employment Status				Language	
		Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,055	81	204	433	86	81	170	517	538	120	217	190	211	305	686	48	241	68	876	179
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,053	102	202	368	125	87	169	537	516	101	185	195	214	345	668	45	261	66	873	180
Very likely	448	32	69	194	37	32	84	210	238	21	55	84	113	168	279	17	112	32	392	56
	42.5%	39.9%	33.7%	44.7% C	43.0%	39.5%	49.5% C	40.6%	44.3%	17.9%	25.1%	44.0% JK	53.6% JKl	55.1% JKL	40.8%	36.2%	46.4%	46.8%	44.8% T	31.2%
Somewhat likely	347	28	74	140	28	23	54	170	177	41	94	67	71	73	237	18	65	24	280	68
	32.9%	34.2%	36.3%	32.4%	32.6%	28.5%	31.9%	32.9%	32.9%	34.0% n	43.5% MN	35.3% N	33.7% N	23.9%	34.5% Q	36.8%	26.9%	34.9%	31.9%	37.7%
Not very likely	145	10	45	49	10	14	17	81	64	33	39	25	20	25	106	5	29	5	101	44
	13.7%	12.3%	22.2% BDEG	11.2%	11.0%	17.9% g	9.9%	15.6% i	12.0%	27.6% kLMN	17.9% MN	13.3% n	9.4%	8.2%	15.5% R	11.2%	12.0%	6.6%	11.5%	24.7% S
Not at all likely	88	7	15	39	9	8	9	45	42	20	21	11	5	29	49	7	27	5	78	10
	8.3%	8.7%	7.3%	9.1%	10.5%	9.9%	5.4%	8.8%	7.8%	16.7% LMn	9.7% M	5.9% m	2.5%	9.4% M	7.1%	14.2%	11.1% o	8.0%	8.9% t	5.3%
Depends	9	-	-	4	1	2	2	4	5	1	4	1	-	3	6	1	2	-	9	-
	0.8%			0.9%	0.7%	2.6%	1.3%	0.7%	0.9%	0.7%	1.7%	0.6%		1.0%	0.8%	1.7%	1.0%		1.0%	
Don' t know/No answer	19	4	1	7	2	1	3	8	11	4	5	2	2	7	9	-	6	2	17	2
	1.8%	4.8% c	0.5%	1.7%	2.1%	1.7%	2.0%	1.5%	2.1%	3.1%	2.1%	1.0%	0.8%	2.3%	1.3%		2.6%	3.6%	1.9%	1.0%
TOP 2 BOX	795	60	143	334	65	55	139	380	416	62	149	151	184	241	516	35	177	56	672	123
	75.4%	74.1%	70.0%	77.1% c	75.6%	68.0%	81.4% CF	73.5%	77.2%	51.9%	68.6% J	79.3% JK	87.3% JKLN	79.1% JK	75.3%	73.0%	73.4%	81.7%	76.7% T	69.0%
BOTTOM 2 BOX	232	17	60	88	19	22	26	126	106	53	60	37	25	54	155	12	56	10	179	54
	22.0%	21.1%	29.5% DG	20.3%	21.6%	27.8% G	15.3%	24.4% i	19.8%	44.4% KLMN	27.6% lMN	19.2% M	11.9%	17.6% m	22.6% r	25.4%	23.1%	14.7%	20.4%	30.0% S
CHI-SQUARE SIGNIFICANCE		<----------32.512----------> 96.2%*						<----3.832----> 57.1%*		<----------120.978----------> 100.0%*					<----------16.634----------> 83.6%*				<----30.599----> 100.0%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 2

	Total	CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
		CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	1,055	668	387	307	200	201	76	121	333	231	274	86	121	280	632	134	160	363	165	364
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,053	640	413	312	197	206	73	114	350	225	274	86	107	255	646	141	168	381	160	340
Very likely	448	277	171	133	70	87	38	56	144	96	128	46	31	83	291	66	84	156	75	130
	42.5%	41.4%	44.2%	43.3% e	35.2%	43.1%	49.6% E	46.1% e	43.4% M	41.7% M	46.7% M	53.3% jM	25.5%	29.7%	46.1% N	49.2% N	52.7% RT	42.9% t	45.7% T	35.7%
Somewhat likely	347	229	119	92	66	70	27	44	101	87	82	26	47	96	212	38	39	122	49	137
	32.9%	34.2%	30.7%	30.0%	33.3%	34.7%	35.3%	36.2%	30.4%	37.8% ik	29.9%	30.2%	38.7%	34.2%	33.6%	28.5%	24.3%	33.7% Q	30.0%	37.5% Q
Not very likely	145	97	47	45	42	27	6	12	44	26	37	10	27	60	74	10	19	46	20	60
	13.7%	14.6%	12.3%	14.7% g	20.9% dfGH	13.4%	7.4%	9.8%	13.1%	11.2%	13.6%	11.1%	22.6% IJkL	21.5% OP	11.7%	7.7%	11.7%	12.6%	12.4%	16.5%
Not at all likely	88	52	36	27	17	13	6	9	29	12	24	4	16	36	35	16	15	24	17	31
	8.3%	7.8%	9.2%	8.9%	8.4%	6.3%	7.7%	7.3%	8.7%	5.4%	8.7%	4.3%	13.2% JL	12.8% O	5.6%	12.2% O	9.3%	6.6%	10.2%	8.6%
Depends	9	5	4	5	2	1	-	-	4	3	1	1	-	3	4	1	1	3	2	2
	0.8%	0.7%	1.1%	1.5%	1.2%	0.6%			1.1%	1.2%	0.4%	1.2%		1.1%	0.7%	0.9%	0.8%	0.9%	1.2%	0.6%
Don' t know/No answer	19	9	10	5	2	4	-	1	11	6	1	-	-	2	15	2	2	12	1	4
	1.8%	1.3%	2.6%	1.6%	0.9%	1.9%		0.7%	3.2% K	2.7% k	0.5%			0.7%	2.4% N	1.5%	1.2%	3.4% qST	0.5%	1.1%
TOP 2 BOX	795	505	290	225	137	157	64	100	246	184	210	72	77	179	503	104	123	278	125	266
	75.4%	75.6%	74.9%	73.3%	68.5%	77.9% E	84.9% DE	82.3% DE	73.8% m	79.5% M	76.7% M	83.4% IM	64.2%	63.9%	79.7% N	77.7% N	77.1%	76.6%	75.7%	73.2%
BOTTOM 2 BOX	232	149	83	72	59	40	11	21	73	38	61	13	43	96	109	27	34	70	37	91
	22.0%	22.4%	21.4%	23.6% g	29.4% FGH	19.7%	15.1%	17.1%	21.9%	16.6%	22.4%	15.4%	35.8% IJKL	34.4% OP	17.3%	19.9%	21.0%	19.1%	22.6%	25.1% r
CHI-SQUARE	<----3.341---->			<----------20.197---------->					<----------34.41---------->					<---------47.935--------->			<----------20.487---------->			
SIGNIFICANCE	49.7%*			78.9%*					99.5%*					100.0%*			94.2%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC19. How likely would you be to avoid a bar or tavern that was unwilling to provide a completely smoke-free environment? Would you be:
BASE: REPRESENTATIVE ADULTS (PREFER TO GO TO SMOKE-FREE BARS AND TAVERNS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	1,055	531	444	975	81	31	18	11	8
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	1,053	523	453	976	77	27	18	12	7
Very likely	448	251	185	436	12	4	-	3	3
	42.5%	47.2% E	41.8% E	44.7% E	15.0%	12.2%		23.8%	42.7%
Somewhat likely	347	176	147	323	24	10	7	2	-
	32.9%	33.2%	33.0%	33.1%	30.2%	31.5%	38.5%	22.4%	
Not very likely	145	63	58	121	24	10	7	2	1
	13.7%	11.9%	13.1%	12.5%	29.2% BCD	31.2%	40.8%	16.1%	15.8%
Not at all likely	88	31	43	73	14	6	3	-	3
	8.3%	5.8%	9.6% B	7.5%	17.8% BD	20.2%	17.1%		41.5%
Depends	9	6	3	9	-	-	-	-	-
	0.8%	1.1%	0.7%	0.9%					
Don' t know/No answer	19	4	8	13	6	2	1	4	-
	1.8%	0.8%	1.9%	1.3%	7.8% BD	5.0%	3.5%	37.7% FG	
TOP 2 BOX	795	427	332	759	36	13	7	5	3
	75.4%	80.4% CE	74.8% E	77.9% E	45.2%	43.6%	38.5%	46.2%	42.7%
BOTTOM 2 BOX	232	94	101	195	38	16	10	2	4
	22.0%	17.7%	22.7%	20.0%	47.1% BCD	51.4% H	57.9% H	16.1%	57.3%
CHI-SQUARE SIGNIFICANCE		<----------52.889----------> 100.0%*				<----------15.929----------> 80.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
*** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	955	91	186	393	74	69	141	424	532	114	201	183	177	267	607	43	217	72	792	163
	46.8%	54.9% CF	36.1%	51.4% CF	51.5% CF	37.5%	52.8% CF	42.8%	50.5% H	43.9%	48.9%	47.1%	44.7%	47.2%	47.0% P	36.3%	46.4% P	53.6% P	50.1% T	35.4%
No	1,005	71	313	340	64	103	113	524	481	139	203	196	201	261	647	66	221	58	722	282
	49.2%	42.9%	60.9% BDEG	44.5%	44.2%	55.7% BDEG	42.2%	53.0% I	45.6%	53.2% n	49.4%	50.5%	50.9%	46.2%	50.1%	55.9% R	47.4%	43.0%	45.7%	61.2% S
Depends	45	1	9	19	2	7	8	21	24	4	5	4	9	21	22	5	13	3	36	9
	2.2%	0.3%	1.8% B	2.4% B	1.5%	3.8% B	2.8% B	2.1%	2.3%	1.5%	1.2%	1.0%	2.3%	3.7% jKL	1.7%	4.5%	2.7%	2.3%	2.3%	2.0%
Don' t know/No answer	38	3	6	13	4	6	6	20	17	4	2	6	8	17	15	4	16	1	31	6
	1.8%	1.9%	1.2%	1.6%	2.9%	3.1%	2.2%	2.1%	1.6%	1.5%	0.5%	1.5%	2.1% K	3.0% K	1.2%	3.3%	3.4% Or	1.1%	2.0%	1.3%
CHI-SQUARE	<----54.405---->							<----12.154---->		<----14.253---->					<----11.948---->				<----33.918---->	
SIGNIFICANCE	100.0%							99.8%		92.5%					93.7%				100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	955	601	354	303	175	164	62	107	327	213	229	74	100	250	569	124	146	323	156	325
	46.8%	48.8% C	43.7%	45.3%	45.0%	46.9%	45.4%	50.9%	41.1%	46.5% i	53.4% IJ	59.5% IJM	47.7%	45.6%	48.6% P	41.2%	45.5%	47.9%	42.7%	48.3% s
No	1,005	585	420	334	205	177	70	97	431	224	186	47	103	286	554	157	152	317	199	331
	49.2%	47.4%	51.8% b	50.0%	52.9%	50.8%	50.9%	45.8%	54.3% jKL	48.8% L	43.5%	37.5%	49.2% L	52.1% o	47.3%	52.2%	47.4%	47.1%	54.4% qR	49.3%
Depends	45	27	18	18	6	2	3	4	18	14	5	1	6	10	24	10	12	20	7	7
	2.2%	2.2%	2.3%	2.7% F	1.6%	0.6%	2.2%	1.9%	2.2%	3.0% kl	1.2%	0.8%	2.6%	1.8%	2.0%	3.2%	3.7% T	2.9% T	1.8%	1.1%
Don' t know/No answer	38	19	18	13	2	6	2	3	19	8	8	3	1	3	24	10	11	14	4	9
	1.8%	1.6%	2.2%	2.0% E	0.6%	1.8%	1.5%	1.3%	2.3% M	1.7%	1.8%	2.1%	0.5%	0.5%	2.1% N	3.4% N	3.4% St	2.1%	1.1%	1.3%
CHI-SQUARE	<-----4.64---->			<----------8.276---------->					<----------28.636---------->					<---------7.121--------->			<----------13.392---------->			
SIGNIFICANCE	90.2%			59.3%					100.0%					87.0%			96.3%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20A. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Restaurants?

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	955	451	352	804	152	49	45	22	19
	46.8%	59.7% CDE	47.0% E	53.4% CE	28.2%	38.3% HI	36.2% HI	15.0%	20.0%
No	1,005	271	363	634	371	76	79	122	73
	49.2%	35.8%	48.5% BD	42.1% B	69.0% BCD	59.8%	62.9%	81.3% FG	75.5% FG
Depends	45	18	17	35	11	1	1	4	3
	2.2%	2.3%	2.3%	2.3%	2.0%	0.7%	1.0%	2.5%	3.5%
Don' t know/No answer	38	16	17	33	4	2	-	2	1
	1.8%	2.2% E	2.2% E	2.2% E	0.8%	1.2%		1.2%	1.1%
CHI-SQUARE		<----------153.713---------->				<----------28.729---------->			
SIGNIFICANCE		100.0%				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?

BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	366	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Yes	938	90	189	386	67	65	140	418	519	102	183	180	193	265	597	47	210	72	770	168
	45.9%	53.9% CF	36.8%	50.5% CF	46.6% CF	35.4%	52.3% CF	42.3%	49.3% H	39.2%	44.6%	46.5% j	48.8% J	46.9% j	46.2%	39.2%	44.9%	53.5% Pq	48.7% T	36.4%
No	1,028	69	314	345	72	110	117	539	489	153	223	200	191	255	673	64	222	56	744	283
	50.3%	41.4%	61.0% BDEG	45.2%	50.0% b	59.5% BDeG	43.6%	54.5% I	46.4%	58.7% lMN	54.2% N	51.7% N	48.2%	45.0%	52.1% qR	53.8% r	47.5%	41.1%	47.1%	61.4% S
Depends	23	2	5	7	1	4	4	9	14	3	3	3	4	9	7	3	6	3	18	5
	1.1%	1.0%	1.0%	1.0%	0.9%	2.0%	1.5%	0.9%	1.3%	1.1%	0.7%	0.8%	1.0%	1.6%	0.5%	2.6%	1.3%	2.1%	1.1%	1.1%
Don' t know/No answer	55	6	6	26	4	6	7	23	32	3	2	4	8	37	15	5	29	5	50	5
	2.7%	3.7% c	1.2%	3.4% C	2.6%	3.2%	2.7%	2.3%	3.0%	1.0%	0.5%	1.1%	1.9% k	6.6% JKLM	1.1%	4.4%	6.2% O	3.4%	3.1% T	1.1%
CHI-SQUARE SIGNIFICANCE		<----47.255----> 100.0%						<----12.833---> 99.8%		<----12.921----> 88.5%*					<----14.316----> 97.4%*				<----25.722---> 100.0%	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Yes	938	585	353	284	182	161	63	104	324	217	220	70	97	225	572	127	137	320	160	314
	45.9%	47.5% c	43.5%	42.5%	46.9%	46.0%	45.8%	49.6% d	40.8%	47.3% I	51.3% I	55.8% I	46.2%	41.1%	48.8% NP	42.3%	42.9%	47.5%	43.7%	46.6%
No	1,028	605	422	354	197	181	72	104	435	229	189	51	111	312	561	149	157	318	202	348
	50.3%	49.1%	52.1%	53.0%	50.8%	51.7%	52.8%	49.4%	54.8% KL	49.9% kl	44.0%	41.0%	53.1% KL	57.0% OP	47.9%	49.4%	48.9%	47.2%	55.2% R	51.7%
Depends	23	12	11	11	3	-	1	-	8	5	5	-	1	6	9	6	7	10	1	5
	1.1%	1.0%	1.3%	1.7%	0.9%		0.8%		1.1%	1.0%	1.2%		0.3%	1.0%	0.7%	2.0%	2.3% St	1.4% S	0.3%	0.8%
Don' t know/No answer	55	30	25	18	6	8	1	2	27	8	15	4	1	5	30	19	19	26	3	6
	2.7%	2.4%	3.1%	2.7% Gh	1.4%	2.3%	0.6%	1.0%	3.4% jM	1.7% m	3.4% M	3.2% m	0.4%	0.9%	2.6% N	6.4% NO	6.0% ST	3.9% ST	0.9%	0.9%
CHI-SQUARE		<----2.962---->		<----------12.158---------->					<----------21.502---------->					<---------15.203--------->			<----------11.83---------->			
SIGNIFICANCE		77.3%		85.6%*					99.4%*					99.6%			93.4%			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.

HC20B. Smoking is often common in the outdoor patio areas of restaurants and bars. Do you think that non-smoking sections should be required for the outdoor areas of: Bars and taverns?

BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Yes	938	427	357	784	153	47	46	27	17
	45.9%	56.5% CE	47.7% E	52.1% E	28.5%	36.8% HI	36.8% HI	18.3%	17.0%
No	1,028	295	362	657	371	78	78	116	77
	50.3%	39.0%	48.4% BD	43.7% B	68.9% BCD	61.3%	62.6%	77.8% FG	79.4% FG
Depends	23	6	12	18	5	-	-	2	2
	1.1%	0.8%	1.7%	1.2%	0.9%			1.5%	2.4%
Don' t know/No answer	55	28	17	45	9	2	1	4	1
	2.7%	3.8% E	2.3%	3.0%	1.7%	1.9%	0.6%	2.4%	1.1%
CHI-SQUARE		<-----128.23----->				<-----26.543-----			
SIGNIFICANCE		100.0%				100.0%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Very comfortable	456	41	97	176	35	38	70	256	200	58	84	95	79	137	286	26	113	24	381	75
	22.3%	24.3%	18.8%	23.0% c	24.3%	20.3%	26.1% C	25.9% I	18.9%	22.3%	20.3%	24.6%	20.1%	24.2%	22.2%	21.6%	24.3% r	17.7%	24.1% T	16.2%
Somewhat comfortable	505	45	131	175	34	50	70	263	242	57	116	108	107	112	336	38	89	36	385	119
	24.7%	27.1%	25.5%	22.9%	23.7%	26.9%	26.1%	26.5% i	23.0%	22.0%	28.2% jN	27.7% N	27.0% N	19.8%	26.0% Q	32.2% Q	19.0%	26.7% q	24.4%	25.9%
Not very comfortable	508	30	150	191	33	44	60	219	290	87	101	97	97	122	328	27	109	38	370	138
	24.9%	18.1%	29.2% BeG	25.0% B	22.5%	23.8%	22.5%	22.1%	27.5% H	33.6% KLMN	24.6%	24.9%	24.5%	21.6%	25.4%	23.0%	23.3%	28.4%	23.4%	30.0% S
Not at all comfortable	464	42	113	178	32	45	55	201	263	50	101	70	91	146	284	22	117	31	358	107
	22.7%	25.1%	21.9%	23.3%	21.8%	24.3%	20.7%	20.3%	25.0% H	19.0%	24.4% L	18.2%	22.9%	25.7% JL	22.0%	18.8%	25.0%	22.9%	22.6%	23.1%
Depends	63	5	12	29	5	3	10	29	34	5	5	11	17	23	37	2	19	4	51	12
	3.1%	2.9%	2.3%	3.8% f	3.1%	1.7%	3.7%	2.9%	3.2%	1.9%	1.1%	2.7%	4.2% K	4.1% jK	2.9%	2.0%	4.0%	2.8%	3.2%	2.6%
Don' t know/No answer	47	4	12	16	7	5	3	22	25	3	5	7	6	25	19	3	21	2	36	10
	2.3%	2.5%	2.3%	2.1%	4.6% G	3.0%	1.0%	2.2%	2.3%	1.3%	1.2%	1.9%	1.4%	4.4% JKLM	1.5%	2.5%	4.5% Or	1.6%	2.3%	2.3%
TOP 2 BOX	961	86	228	351	69	87	140	519	442	115	200	203	186	249	623	64	202	60	767	194
	47.0%	51.4% c	44.3%	45.9%	48.0%	47.2%	52.2% Cd	52.5% I	41.9%	44.2%	48.6%	52.3% jN	47.0%	44.1%	48.2% q	53.8% Q	43.3%	44.4%	48.5% T	42.1%
BOTTOM 2 BOX	973	72	263	369	64	89	115	419	553	137	202	167	187	268	612	50	225	69	728	245
	47.6%	43.2%	51.1% beG	48.3%	44.2%	48.1%	43.1%	42.4%	52.5% H	52.6% L	49.1%	43.1%	47.3%	47.4%	47.4%	41.8%	48.3%	51.3%	46.0%	53.1% S
CHI-SQUARE SIGNIFICANCE		<----------20.957----------> 60.0%*						<----24.831---> 100.0%*		<----------42.017----------> 100.0%*					<----------17.579----------> 87.1%*				<----17.077---> 99.8%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Very comfortable	456	292	164	149	79	83	37	46	178	92	105	28	46	118	252	82	80	145	72	158
	22.3%	23.7% c	20.2%	22.3%	20.4%	23.9%	27.2%	21.8%	22.4%	20.1%	24.5%	22.1%	21.8%	21.5%	21.5%	27.3% nO	24.8%	21.4%	19.6%	23.5%
Somewhat comfortable	505	300	205	172	99	79	33	63	168	119	127	42	44	141	306	53	73	159	91	178
	24.7%	24.4%	25.2%	25.7%	25.4%	22.6%	24.3%	29.9% f	21.2%	25.9% i	29.6% IM	33.8% IM	20.8%	25.6% P	26.1% P	17.6%	22.9%	23.7%	25.0%	26.5%
Not very comfortable	508	310	198	155	103	100	28	52	172	125	100	32	77	142	298	65	54	176	102	175
	24.9%	25.2%	24.5%	23.1%	26.5%	28.7% dg	20.8%	24.9%	21.6%	27.2% I	23.4%	25.2%	36.7% IJKL	25.9%	25.5%	21.7%	16.7%	26.0% Q	28.0% Q	26.0% Q
Not at all comfortable	464	269	195	154	91	75	32	37	222	107	69	19	38	127	259	70	86	168	81	127
	22.7%	21.9%	24.0%	23.0%	23.5%	21.4%	23.5%	17.7%	27.9% jKLM	23.4% KL	16.2%	15.4%	18.0%	23.2%	22.1%	23.2%	26.9% T	25.0% T	22.1%	18.9%
Depends	63	35	28	19	10	5	4	11	28	7	21	3	3	12	35	15	12	14	12	24
	3.1%	2.8%	3.5%	2.9%	2.5%	1.6%	3.1%	5.1% F	3.5% Jm	1.5%	4.8% JM	2.7%	1.6%	2.1%	3.0%	4.9% N	3.7%	2.1%	3.3%	3.6%
Don' t know/No answer	47	26	21	20	7	6	2	1	27	9	6	1	3	9	21	16	16	12	8	10
	2.3%	2.1%	2.6%	2.9% H	1.7%	1.8%	1.2%	0.5%	3.3% KLM	1.9%	1.4%	0.8%	1.2%	1.6%	1.8%	5.2% NO	5.0% RST	1.8%	2.1%	1.5%
TOP 2 BOX	961	592	369	321	178	163	70	109	346	211	232	70	89	258	558	135	153	304	163	337
	47.0%	48.1%	45.5%	48.0%	45.8%	46.5%	51.4%	51.8%	43.6%	46.0%	54.1% IJM	55.9% IjM	42.6%	47.1%	47.7%	44.9%	47.7%	45.1%	44.6%	50.1% r
BOTTOM 2 BOX	973	579	393	308	194	175	61	90	393	232	170	51	115	269	557	135	140	344	183	302
	47.6%	47.0%	48.5%	46.2%	50.0% h	50.1% h	44.3%	42.6%	49.6% Kl	50.6% Kl	39.6%	40.6%	54.7% KL	49.1%	47.6%	44.9%	43.6%	51.0% QT	50.1% q	44.8%
CHI-SQUARE SIGNIFICANCE		<----4.545----> 66.3%*		<----------17.881----------> 66.9%*					<----------64.603----------> 100.0%*					<---------18.088---------> 97.9%*			<----------26.372----------> 99.0%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC21. Now thinking about public places in general, how comfortable would you be in asking someone else to put out their cigarette if their smoke was bothering you?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	749	767	1,516	527	119	123	148	98
Very comfortable	456	173	172	345	111	30	21	31	21
	22.3%	22.8%	23.0%	22.9%	20.6%	23.1%	16.6%	20.8%	21.7%
Somewhat comfortable	505	229	184	413	92	19	24	26	14
	24.7%	30.3% CE	24.5% E	27.4% E	17.1%	15.1%	19.2%	17.3%	14.7%
Not very comfortable	508	201	195	396	112	30	33	25	16
	24.9%	26.6% E	26.0% E	26.3% E	20.9%	23.6%	26.4%	16.8%	16.6%
Not at all comfortable	464	120	162	282	182	40	41	52	39
	22.7%	15.8%	21.7% B	18.7%	33.9% BCD	31.4%	32.7%	34.5%	40.5%
Depends	63	24	25	49	14	3	4	5	1
	3.1%	3.1%	3.3%	3.2%	2.7%	2.4%	3.4%	3.1%	0.5%
Don' t know/No answer	47	10	11	21	26	6	2	11	6
	2.3%	1.3%	1.5%	1.4%	4.8% BCD	4.4%	1.7%	7.4% G	6.0%
TOP 2 BOX	961	402	356	758	203	49	45	57	35
	47.0%	53.1% CE	47.5% E	50.3% E	37.7%	38.2%	35.8%	38.2%	36.4%
BOTTOM 2 BOX	973	321	357	678	295	70	74	77	56
	47.6%	42.5%	47.7% B	45.0%	54.8% BCD	55.0%	59.1%	51.3%	57.1%
CHI-SQUARE		<----------87.5---------->				<----------10.093---------->			
SIGNIFICANCE		100.0%*				39.2%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	42	149	189	31	54	73	282	256	85	118	122	108	97	378	39	81	28	406	132
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	45	146	162	45	56	69	283	244	71	100	128	111	110	363	38	87	28	398	129
Very likely	343	34	88	123	27	27	44	168	175	57	74	84	64	61	235	24	55	24	265	78
	63.8%	80.4% CDFG	59.3%	65.0% f	85.2% CDFG	50.8%	60.6%	59.6%	68.4% H	67.4%	62.1%	68.3%	59.4%	62.4%	62.1%	61.9%	67.0%	83.0% Opq	65.3%	59.2%
Somewhat likely	91	3	31	34	2	12	9	49	42	16	26	17	19	12	65	9	13	3	62	29
	16.9%	6.9%	21.2% BEg	17.8% BE	7.7%	21.8% BE	12.0%	17.4%	16.4%	19.2%	22.3% n	13.9%	17.5%	12.9%	17.1%	23.0%	15.3%	10.0%	15.4%	21.6%
Not very likely	25	-	10	10	1	-	4	17	7	5	1	5	6	6	18	1	3	-	15	9
	4.6%		6.8%	5.1%	3.7%		4.9%	6.1% i	2.8%	6.2% k	1.0%	3.8%	5.9% K	6.1% K	4.8%	2.0%	4.3%		3.7%	7.1%
Not at all likely	42	3	12	9	1	9	8	23	19	5	12	12	8	6	32	3	5	1	32	10
	7.8%	8.1%	8.3% E	4.9%	1.7%	16.0% DE	11.2% E	8.2%	7.4%	5.8%	10.1%	9.5%	7.2%	6.1%	8.5%	7.9%	6.0%	3.7%	7.8%	7.9%
Depends	27	-	5	9	-	6	6	16	10	1	5	4	9	6	21	2	4	-	24	3
	5.0%		3.3%	4.8%		11.5% c	8.9%	5.8%	4.1%	1.4%	4.4%	3.5%	8.4% J	6.1% j	5.5%	5.2%	4.7%		5.9% T	2.0%
Don' t know/No answer	10	2	2	4	1	-	2	8	2	-	-	1	2	6	7	-	2	1	8	3
	1.9%	4.5%	1.1%	2.4%	1.7%		2.5%	2.9%	0.9%			1.0%	1.7%	6.5% Lm	1.9%		2.6%	3.3%	1.9%	2.1%
TOP 2 BOX	434	36	120	157	29	39	53	217	217	73	100	101	83	73	299	33	67	26	327	107
	80.7%	87.4% fG	80.5%	82.8%	92.9% CDFG	72.6%	72.6%	77.0%	84.8% H	86.6% mn	84.4%	82.2%	76.8%	75.2%	79.2%	84.9%	82.4%	93.0% O	80.6%	80.9%
BOTTOM 2 BOX	67	3	22	19	2	9	12	40	26	10	13	16	14	12	50	4	8	1	47	20
	12.4%	8.1%	15.1% E	10.0%	5.4%	16.0% e	16.0% e	14.4%	10.2%	11.9%	11.1%	13.3%	13.1%	12.2%	13.3% R	9.9%	10.3%	3.7%	11.5%	15.0%
CHI-SQUARE SIGNIFICANCE	<----40.211----> 99.5%*							<----5.759----> 78.2%*		<----17.22----> 62.8%*					<----8.52----> 25.7%*				<----8.542----> 92.6%*	

omparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
ndependent T-Test for Means, Independent Z-Test for Percentages
pper case letters indicate significance at the 95% level.
ower case letters indicate significance at the 90% level.
'* Denotes Chi-Square where at least one cell has an expected value of less than 1
or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	538	331	207	192	115	78	37	42	256	124	81	16	50	177	259	96	103	147	121	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	527	317	210	190	115	78	34	39	258	120	77	17	45	159	262	101	103	150	118	153
Very likely	343	210	133	126	74	47	24	23	160	79	56	12	29	112	165	62	65	93	74	109
	63.8%	63.6%	64.1%	65.5%	64.5%	60.9%	64.6%	56.0%	62.6%	63.5%	68.7%	73.8%	57.7%	63.3%	63.9%	64.6%	62.9%	63.3%	60.9%	67.0%
Somewhat likely	91	55	36	34	21	11	5	7	40	19	15	-	16	35	41	13	13	26	27	25
	16.9%	16.7%	17.2%	17.5%	18.5%	14.8%	14.7%	16.8%	15.7%	15.5%	18.8%		32.8% IJk	19.9%	16.0%	13.8%	12.7%	17.5%	22.3% q	15.3%
Not very likely	25	17	7	6	2	6	2	3	12	6	4	-	1	8	12	3	6	8	7	3
	4.6%	5.3%	3.4%	3.0%	1.6%	8.2% e	4.8%	6.0%	4.6%	4.9%	5.2%		2.8%	4.6%	4.5%	3.5%	5.8%	5.1%	5.8%	1.8%
Not at all likely	42	28	14	14	10	7	4	4	26	10	2	2	1	14	23	5	10	9	7	17
	7.8%	8.5%	6.8%	7.5%	8.3%	8.6%	9.6%	9.3%	10.3% KM	8.2% km	2.4%	10.5%	2.3%	8.0%	8.7%	5.6%	9.3%	6.1%	5.5%	10.3%
Depends	27	18	9	9	8	1	2	4	11	10	3	2	1	6	13	7	5	10	5	7
	5.0%	5.4%	4.2%	4.8% f	7.1% F	1.1%	6.2%	9.3% f	4.2%	8.0% m	3.6%	12.6%	2.2%	3.6%	5.1%	7.5%	5.1%	6.8%	4.0%	4.0%
Don' t know/No answer	10	2	9	3	-	5	-	1	7	-	1	1	1	1	5	5	4	2	2	2
	1.9%	0.5%	4.2% B	1.6%		6.4%		2.7%	2.7%		1.4%	3.1%	2.2%	0.5%	1.8%	4.9% n	4.3%	1.1%	1.5%	1.5%
TOP 2 BOX	434	266	168	160	96	59	29	30	200	98	71	12	45	147	207	75	78	119	101	134
	80.7%	80.3%	81.3%	83.1%	83.0%	75.6%	79.4%	72.8%	78.3%	79.0%	87.4% i	73.8%	90.5% Ij	83.2%	79.9%	78.5%	75.5%	80.8%	83.2%	82.4%
BOTTOM 2 BOX	67	46	21	20	11	13	5	6	38	16	6	2	3	22	34	9	16	17	14	20
	12.4%	13.8%	10.2%	10.5%	9.9%	16.8%	14.4%	15.3%	14.8% kM	13.0% m	7.6%	10.5%	5.1%	12.7%	13.2%	9.1%	15.1%	11.2%	11.3%	12.1%
CHI-SQUARE		<----1.668---->		<----------12.268---------->					<----------25.287---------->					<----------4.582---------->			<----------11.893---------->			
SIGNIFICANCE		20.3%*		27.5%*					93.5%*					19.9%*			54.6%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC22. And how likely would you be to put out your own cigarerette in a public place if someone nearby asked you to?
BASE: REPRESENTATIVE ADULTS (CURRENT SMOKERS)

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	538	-	-	-	538	128	125	150	97
	100.0				100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	527	-	-	-	527	119	123	148	98
Very likely	343	-	-	-	343	90	85	88	56
	63.8%				63.8%	70.5% HI	67.7%	58.5%	57.0%
Somewhat likely	91	-	-	-	91	18	22	30	18
	16.9%				16.9%	14.4%	17.3%	19.8%	18.3%
Not very likely	25	-	-	-	25	8	4	9	2
	4.6%				4.6%	5.9%	3.3%	6.3%	2.3%
Not at all likely	42	-	-	-	42	6	8	15	11
	7.8%				7.8%	4.7%	6.6%	10.0%	11.2%
Depends	27	-	-	-	27	3	5	7	8
	5.0%				5.0%	2.5%	4.3%	4.7%	8.1%
Don' t know/No answer	10	-	-	-	10	3	1	1	3
	1.9%				1.9%	2.0%	0.7%	0.7%	3.0%
TOP 2 BOX	434	-	-	-	434	109	106	117	73
	80.7%				80.7%	84.9%	85.1%	78.3%	75.4%
BOTTOM 2 BOX	67	-	-	-	67	14	12	24	13
	12.4%				12.4%	10.6%	9.9%	16.3%	13.5%
CHI-SQUARE SIGNIFICANCE		<----------.0---------->				<----------14.429----------			
		.0%*				72.6%*			

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 1

		Region						Gender		Age Group					Employment Status				Language	
	Total	Atl.	Que.	Ont.	Man./ Sask.	Alb.	B.C.	Male	Female	18-24	25-34	35-44	45-54	55+	Emp	Unemp	Ret./ Student	Home-maker	English	French
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	166	515	764	145	185	268	989	1,054	261	412	388	396	566	1,291	119	467	135	1,582	461
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	204	501	654	213	205	266	1,020	1,023	221	352	399	407	642	1,256	114	510	132	1,592	451
Strongly support	861	79	220	321	65	57	120	389	472	77	156	169	180	269	534	43	211	63	666	195
	42.1%	47.3% F	42.7% F	42.0% F	44.9% F	30.5%	44.7% F	39.4%	44.7% H	29.7%	37.8% J	43.6% J	45.4% JK	47.6% JK	41.4%	36.5%	45.3% p	46.8%	42.1%	42.3%
Generally support	551	35	152	214	35	46	69	277	274	104	129	95	98	121	363	31	113	37	414	137
	27.0%	20.9%	29.6% B	28.0% B	24.4%	24.8%	25.7%	28.0%	26.0%	39.9% KLMN	31.4% LMN	24.5%	24.8%	21.4%	28.1%	25.7%	24.2%	27.7%	26.2%	29.6%
Generally oppose	250	21	72	80	18	32	28	115	135	30	56	53	48	60	171	11	50	14	187	63
	12.3%	12.5%	13.9% d	10.4%	12.4%	17.4% DG	10.6%	11.7%	12.8%	11.6%	13.6%	13.7%	12.1%	10.6%	13.2%	9.2%	10.7%	10.4%	11.8%	13.7%
Strongly oppose	291	27	59	108	23	40	34	164	126	40	60	55	55	79	183	27	58	16	235	56
	14.2%	15.9%	11.5%	14.1%	16.1%	21.6% CDG	12.6%	16.6% I	12.0%	15.3%	14.7%	14.2%	13.8%	13.9%	14.1%	22.7% OQR	12.3%	12.2%	14.9%	12.1%
Depends	39	2	7	21	1	2	6	19	20	2	5	8	8	15	20	4	12	2	32	7
	1.9%	1.0%	1.3%	2.7% bce	1.0%	1.2%	2.3%	1.9%	1.9%	0.9%	1.2%	2.1%	2.0%	2.6% j	1.5%	3.2%	2.6%	1.6%	2.0%	1.5%
Don' t know/No answer	51	4	5	21	2	8	11	24	27	7	5	7	8	22	21	3	23	2	47	4
	2.5%	2.3%	1.0%	2.8% C	1.2%	4.4% Ce	4.2% CE	2.5%	2.5%	2.7%	1.3%	1.8%	2.0%	3.8% Klm	1.7%	2.6%	4.8% OR	1.4%	3.0% T	0.8%
TOP 2 BOX	1,412	114	372	535	100	102	188	666	745	181	285	264	278	391	897	74	324	100	1,080	332
	69.1%	68.3% F	72.3% F	70.0% F	69.4% F	55.3%	70.3% F	67.4%	70.7%	69.5%	69.2%	68.2%	70.2%	69.0%	69.5%	62.2%	69.5%	74.4% p	68.3%	71.9%
BOTTOM 2 BOX	541	47	131	187	41	72	62	280	261	70	117	108	102	138	353	38	107	30	422	119
	26.5%	28.4%	25.4%	24.5%	28.4%	39.1% BCDEG	23.2%	28.3% i	24.8%	27.0%	28.3%	28.0%	25.8%	24.5%	27.4% q	31.9% q	23.0%	22.6%	26.7%	25.8%
CHI-SQUARE		<----------36.703---------->						<----12.482--->		<----------51.198---------->					<----------18.905---------->				<----4.928---->	
SIGNIFICANCE		98.7%*						98.6%*		100.0%*					90.9%*				70.5%*	

Comparison Groups: BCDEFG/HI/JKLMN/OPQR/ST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 2

		CMA/NON-CMA		Household Income					Highest Level of Education					Marital Status			Household Size			
	Total	CMA	NON-CMA	< 40k	40-60k	60-80k	80-100k	100k+	< HS	Coll.	Univ.	Post Grad	Student	Single	Married	Div. Wid.	One	Two	Three	Four+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Weighted 'N'	2,043	1,232	811	668	388	350	137	211	794	458	428	125	210	548	1,171	301	321	674	365	672
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N'	2,043	1,192	851	679	387	355	130	197	829	446	427	125	187	500	1,201	319	335	708	357	632
Strongly support	861	540	321	266	156	147	63	106	293	183	216	74	85	198	535	119	147	298	127	286
	42.1%	43.8% c	39.6%	39.8%	40.2%	41.9%	46.0%	50.4% DEf	36.9%	40.0%	50.5% IJM	59.0% IJkM	40.5%	36.2%	45.6% Np	39.7%	45.7% S	44.2% S	34.7%	42.5% S
Generally support	551	327	224	176	115	107	37	51	186	134	114	34	76	170	306	70	60	187	103	200
	27.0%	26.5%	27.6%	26.4%	29.7%	30.7%	27.2%	24.3%	23.5%	29.3% I	26.7%	27.2%	36.0% IK	31.0% oP	26.1%	23.3%	18.7%	27.8% Q	28.3% Q	29.8% Q
Generally oppose	250	154	97	79	55	52	13	19	114	61	40	10	23	66	140	42	39	74	58	78
	12.3%	12.5%	11.9%	11.9%	14.2% h	15.0% H	9.7%	9.2%	14.4% KL	13.3% kl	9.3%	7.7%	10.9%	12.1%	12.0%	13.9%	12.3%	10.9%	15.8% Rt	11.5%
Strongly oppose	291	162	129	111	54	36	18	26	151	63	42	8	23	94	142	50	55	89	58	86
	14.2%	13.2%	15.8%	16.6% F	13.8%	10.3%	13.0%	12.2%	19.0% JKLM	13.8% kL	9.8%	6.1%	10.9%	17.1% O	12.2%	16.6% o	17.2% t	13.2%	15.9%	12.8%
Depends	39	20	19	15	3	1	3	7	20	5	10	-	1	6	26	6	5	11	9	13
	1.9%	1.7%	2.3%	2.3% eF	0.8%	0.4%	2.4%	3.3% eF	2.5% jM	1.2%	2.3% m		0.6%	1.1%	2.2%	1.9%	1.5%	1.6%	2.4%	1.9%
Don' t know/No answer	51	29	22	20	5	6	2	1	30	10	6	-	2	14	22	14	15	15	11	10
	2.5%	2.3%	2.7%	3.1% EH	1.3%	1.7%	1.6%	0.5%	3.8% KM	2.3%	1.4%		1.0%	2.6%	1.9%	4.6% O	4.6% rT	2.3%	2.9%	1.5%
TOP 2 BOX	1,412	867	545	442	271	254	100	158	479	318	331	108	161	368	840	190	206	485	230	486
	69.1%	70.4%	67.2%	66.2%	69.9%	72.7% D	73.2%	74.8% D	60.4%	69.4% I	77.2% IJ	86.2% IJKM	76.6% Ij	67.1%	71.7% nP	63.0%	64.4%	72.0% QS	63.0%	72.3% QS
BOTTOM 2 BOX	541	316	225	190	109	88	31	45	265	124	82	17	46	160	283	92	94	163	116	163
	26.5%	25.7%	27.8%	28.5% H	28.0% h	25.3%	22.8%	21.4%	33.4% JKLM	27.2% KL	19.1%	13.8%	21.9% l	29.2% O	24.1%	30.5% O	29.4% rt	24.2%	31.7% RT	24.3%
CHI-SQUARE SIGNIFICANCE		<----5.921----> 79.5%*		<----------30.838----------> 98.6%*					<----------73.723----------> 100.0%*					<---------24.352---------> 99.8%*			<----------27.062----------> 99.2%*			

Comparison Groups: BC/DEFGH/IJKLM/NOP/QRST
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
Lower case letters indicate significance at the 90% level.
"*" Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.

HC23. Would you support/oppose a ban on smoking in all public places, such as shopping malls, restaurants, bars, bowling alleys, and taxis?
BASE: REPRESENTATIVE ADULTS

BANNER 3

		SMOKING STATUS				CIGARETTE CONSUMPTION			
	TOTAL 'N'	Never Smoked	Previous Smoker	Non Smoker	Current Smoker	<10 per day	10-14 per day	15-24 per day	25 +
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Weighted 'N'	2,043	756	749	1,505	538	128	125	150	97
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Unweighted 'N"	2,043	749	767	1,516	527	119	123	148	98
Strongly support	861	439	338	776	85	30	22	15	10
	42.1%	58.0% CDE	45.0% E	51.6% CE	15.8%	23.6% HI	17.5%	10.3%	10.5%
Generally support	551	198	226	425	126	31	31	31	20
	27.0%	26.3%	30.2% E	28.2% E	23.5%	24.1%	24.5%	20.8%	20.4%
Generally oppose	250	63	78	142	109	30	28	31	14
	12.3%	8.4%	10.4%	9.4%	20.2% BCD	23.6%	22.7%	20.8%	14.2%
Strongly oppose	291	32	72	104	187	27	36	67	48
	14.2%	4.3%	9.6% BD	6.9% B	34.8% BCD	21.2%	28.9%	44.5% FG	49.7% FG
Depends	39	9	17	26	13	6	2	3	2
	1.9%	1.2%	2.2%	1.7%	2.5%	4.3%	1.6%	1.8%	2.3%
Don' t know/No answer	51	14	19	33	18	4	6	3	3
	2.5%	1.9%	2.5%	2.2%	3.3%	3.2%	4.8%	1.9%	2.8%
TOP 2 BOX	1,412	637	564	1,201	211	61	53	46	30
	69.1%	84.3% CDE	75.2% E	79.8% CE	39.2%	47.7% HI	42.0%	31.0%	30.9%
BOTTOM 2 BOX	541	96	150	246	296	57	64	98	62
	26.5%	12.7%	20.0% BD	16.3% B	55.0% BCD	44.8%	51.5%	65.3% FG	63.9% F
CHI-SQUARE		<----------530.931---------->				<----------33.4---------->			
SIGNIFICANCE			100.0%*				99.9%*		

Comparison Groups: BCDE/FGHI
Independent T-Test for Means, Independent Z-Test for Percentages
Upper case letters indicate significance at the 95% level.
"** Denotes Chi-Square where at least one cell has an expected value of less than 1 or more than 20% of the cells have an expected value of less than 5.